THE POSSIBILITIES ARE INFINITE FUJITSU

UK Price List RRP

Prices Valid From : 11 June 2010



Windows®. Life without Walls™. Fujitsu recommends Windows 7

Content

Positioning	**3**	CELSIUS V840	48	**Positioning PRIMERGY Blade**	**298**	ETERNUS DX80	403
Positioning Tablet PC	**5**	CELSIUS Accessories	49	PRIMERGY BX900 S1	299	FibreCAT SX88	404
STYLISTIC ST6012	6			PRIMERGY BX920 S1	300	FibreCAT SX100	405
LIFEBOOK T4410	7	**Positioning Displays**	**57**	PRIMERGY BX920 S2	301	FibreCAT Disk Frames	406
LIFEBOOK T730	8	Displays	58	PRIMERGY BX922 S2	302	Accessories Storage Disk Sys.	407
LIFEBOOK T900	9			PRIMERGY BX600 S3	303	Services Storage Disk Sys.	432
TABLET PC Accessories	10	**Positioning Keyboard & Security**	**59**	PRIMERGY BX620 S5	304		
		Keyboards	60	PRIMERGY SX650	305	**Positioning Storage Tape Sys**	**443**
Positioning Notebooks	**16**			PRIMERGY SX940 S1	306	ETERNUS CS	444
LIFEBOOK A530	18	**Positioning PRIMERGY Economy**	**61**	PRIMERGY SX910 S1	307	LTO-4SAS	446
LIFEBOOK AH530	19	Economy Servers Accessories	62	Blade Servers Accessories	308	ETERNUS LT20	447
LIFEBOOK P3110	20	Economy Servers Services	143	Blade Servers Services	357	ETERNUS LT40	449
ESPRIMO Mobile Accessories	21					ETERNUS LT60	454
LIFEBOOK NH570	23	**Positioning PRIMERGY Tower**	**158**	**Positioning SPARC Enterprise**	**375**	ETERNUS LT80	459
LIFEBOOK E780	24	PRIMERGY TX100 S1	159	SES T5120	376	FibreCAT TXF	460
LIFEBOOK S760	25	PRIMERGY TX120 S2	160	SES T5140	377	Accessories Storage Tape Sys.	461
LIFEBOOK S710	26	PRIMERGY TX150 Sx	161	SES T5220	378	Services Storage Tape Sys.	486
LIFEBOOK P770	27	PRIMERGY TX200 S5	163	SES T5240	379	Options Storage Tape Sys.	497
LIFEBOOK Accessories	28	PRIMERGY TX300 S5	165	SES T5440	380		
		PRIMERGY TX300 S6	167	SES M3000	381	**Positioning SAN Components**	**518**
Positioning FUTRO	**31**	Tower Servers Accessories	169	SES M4000	382	FC Switch Brocade 300	519
FUTRO S	32	Tower Servers Services	221	SES M5000	383	FC Switch Brocade 5100	520
FUTRO Accessories	33			SES M8000	384	FC Switch Brocade 5300	521
		Positioning PRIMERGY Rack	**247**	SES M9000	385	Storage SAN Components	522
Positioning ESPRIMO	**34**	PRIMERGY RX100 Sx	248			Accessories SAN Components	524
ESPRIMO C	35	PRIMERGY RX200 S5	249	**Positioning PRIMEQUEST**	**387**	Options SAN Components	526
ESPRIMO E	36	PRIMERGY RX200 S6	250	PRIMEQUEST 580A	388		
ESPRIMO P	37	PRIMERGY RX300 S5	251	PRIMEQUEST Accessories	389	**Positioning Unint. Power Supply**	**532**
ESPRIMO Q	38	PRIMERGY RX300 S6	252	PRIMEQUEST Services	390	Uninterruptible Power Supply	533
ESPRIMO Accessories	39	PRIMERGY RX330 S1	253	PRIMEQUEST Options	391	Accessories Unint. Power Supply	535
		PRIMERGY RX600 S4	254			Options Unint. Power Supply	538
CELSIUS Positioning	**43**	PRIMERGY RX600 S5	255	**Positioning Storage Disk Sys.**	**398**		
CELSIUS H270	44	PRIMECENTER	256	FibreCAT SX40	400		
CELSIUS W370	45	PRIMECENTER SME Rack	259	FibreCAT CX4	401		
CELSIUS R570	46	Rack Servers Accesories	260	ETERNUS DX60	402		
CELSIUS R670	47	Rack Servers Services	271				

Professional Products Positioning

STYLISTIC

The STYLISTIC ST Series is thin, approximatly A4 in size, only 1.6 kg and relpaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.

AMILO Mobile & LIFEBOOK

Our notebooks make you feel good, and not just when you are travelling. Genuine mobility, high performance, top quality, reliability and a stylish design make our complete AMILO Mobile and LIFEBOOK Series unique. They also demonstrate that state-of-the-art technology can also be a visual pleasure. These high performance, convenient professional notebooks can easily be adapted to your specified requirements and are the perfect replacement for a desktop.

FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.

CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.

Displays & Peripherals

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser technology, all according to latest ergonomix standards.

.

Professional Products Positioning

PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

SPARC Enterprise

The new Fujitsu SPARC® Enterprise servers T5140 and T5240 – the first servers using the new UltraSPARC T2 Plus chip-multithreading (CMT) processor - are setting new standards in the market for network centric computing, energy efficiency and compute density, providing the ideal platform particularly for larger web and applica-tion tier services and for online transaction processing and technical workloads. This new models extend the existing CMT platform to 2-socket multiprocessor systems. Built-in, no-cost virtualization capabilities in the servers also enable customers to easily maximize system utilization, helping to lower the cost of delivering new IT services.

PRIMEQUEST

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.

Storage

As part of its "Dynamic IT for storage" concept, Fujitsu offers complete storage solutions consisting of the best components available from a single source. Close partnerships and collaboration with leading manufacturers of storage products means that the world's leading technology is available for every segment of the storage market. And if the market does not have any appropriate solutions, Fujitsu will invest in developing its own specific storage systems.

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Positioning Tablet PC

STYLISTIC ST6012

The STYLISTIC ST6012 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.
The new chipset and the advantages its Display make it the ultimative working tool for every purpose.
It's light, thin and robust and enables a convenient working on every location - indoor and outdoor

LIFEBOOK T5010

The LIFEBOOK T4220 and LIFEBOOK T5010 series are slim lightweight convertibles including a modular bay. The brilliant 12.1-inch respectively 13.3-inch active-digitizer TFT screen ensures exceptional image quality. Enjoy pen-based computing wireless with embedded mobile broadband access and the freedom to work all day long independent of any power supply.

LIFEBOOK T1010

The LIFEBOOK T1010 stands for stylish tablet functionality featuring individual design aspects and dedicated software for students and kids at a reasonable and competitive price.

STYLISTIC Accessories

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.
Fujitsu offers a vast range of accessories for your STYLISTIC ST Series:
docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

STYLISTIC ST6012 Series — Data Sheets: http://ts.fujitsu.com/stylistic

The STYLISTIC ST6012 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.
It's specially designed for working while standing or walking.
It's light, thin and robust. Its brilliant display enables a convenient working on every location - indoor and outdoor.
Customers all over the world like sales professionals, service technicians, surveyors, inspectors or doctors are persuaded of the natural pen interface.
The smart worker will enjoy the outstanding connectivity of the ultimate tablet PC – embedded mobile broadband access (3G/UMTS), WLAN and Bluetooth.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
STYLISTIC ST6012							
	STYLISTIC ST6012 1.4GHz ULV Active	Intel Core2 Duo SU9400 (1.4 GHz ULV, 800 MHz FSB, 3MB L2-cache), Intel GS45, ICH9-M, 12.1" WXGA Display (anti-glare, 1280 x 800 max.), digitizer (active), 1 x pen, integrated fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), onboard-audio, LAN 10/100/1000MBit (RJ45), 1 x PCMCIA type I/II, integrated chipcard-reader, tablet buttons, ac-adapter 16V 3.75A, max. 4GB SDRAM DDR3-1066 (2 sockets), external connectors: 1x Fast IrDA, powersupply, VGA, 2 x USB 2.0, dual-microphone (mono), 1x headphone, LAN, 1 x SD MemoryStick-connector.	S26391-K279-V200			1402	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK T4410

Data Sheets: http://ts.fujitsu.com/LIFEBOOKS

The LIFEBOOK T4410 offers all the benefits of an ultraportable convertible with multi touch capability. Scroll through documents; zoom into graphics or move files and folders – all with your fingertip. Working with a notebook has never been more intuitive or easier. 3G/UMTS
The LIFEBOOK T4410 offers best connectivity with optional embedded 3G/UMTS, highest reliability and ultimate security with Computrace® enabled BIOS. Enhance your flexibility on the move with the modular bay and back up your data on a second hard disk drive or stay productive with the second battery.

Model Standard products	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Firewire	Modular Bay	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK T4410 (12.1" Convertible Tablet)																											
	12.1" WXGA LED non glare Dual Digitiser	Intel® Core™ 2 Duo T6570 2.1 GHz 2 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	5 in 1	802.11 b/g/n	Gbit	x	x		3	x	x	x	FPR	6 Cell 5200 mAh 56 Wh	Intel® GMA 4500M HD	x	VFY:T4410MF081GB			976	
	12.1" WXGA LED non glare Dual Digitiser	Intel® Centrino 2® Core™2 Duo P8700 2.53 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	5 in 1	Intel 5300 a/g/n	Gbit	x	x		3	x	x	x	FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® GMA 4500M HD	x	VFY:T4410MF021GB			1147	
	12.1" WXGA LED non glare Dual Digitiser	Intel® Centrino 2® Core™2 Duo P8700 2.53 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	5 in 1	Intel 5300 a/g/n	Gbit	x	x	x	3	x	x	x	FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® GMA 4500M HD	x	VFY:T4410MF031GB			1226	

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Firewire	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																												
LIFEBOOK T30 (12.1" Convertible Tablet)																												
	12.1" WXGA LED non glare Dual Digitiser	Intel® Core™ i3 350M 2.26 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	320 GB SATA 5400	DVD±RW DL	5 in 1	Intel 6200 a/b/g/n	Gbit	x	x		3	x	x	x		FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD		VFY:T7300MF011GB			1108	
	12.1" WXGA LED non glare Dual Digitiser	Intel® Core™ i3 350M 2.26 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	320 GB SATA 5400	DVD±RW DL	5 in 1	Intel 6200 a/b/g/n	Gbit	x	x	x	3	x	x	x		FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD		VFY:T7300MF021GB			1188	
	12.1" WXGA LED non glare Dual Digitiser	Intel® Core™ i5 520M with vPro™ 2.4 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	5 in 1	Intel 6200 a/b/g/n	Gbit	x	x	x	3	x	x	x	x	FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® HD		VFY:T7300MF031GB			1328	

LIFEBOOK T900

Data Sheets: http://ts.fujitsu.com/lifebook

The LIFEBOOK T900 is an ultra versatile convertible notebook for the professional user. A bi-directional rotatable, wide-view, high-bright, LED display provides crystal clear viewing indoor or outdoor.
Together with the ambient light sensor, the display backlight automatically adapts to your surroundings giving you a more ergonomic way of working.
With the LIFEBOOK T900's multi touch capability you can easily work with your fingers or with the patented multifunctional pen.

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Firewire	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																												
LIFEBOOK T900 (13.3" Convertible Tablet)																												
	13.3" WXGA Wide-View Hi-Bright LED non glare Dual Digitiser	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	320 GB FDE 5400	DVD±RW DL	5 in 1 & Smart card slot	Intel 6200 a/b/g/n	Gbit	x	x		3	x	x	x		FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® HD	x	VFY:T9000MF011GB			1249	
	13.3" WXGA Wide-View Hi-Bright LED non glare Dual Digitiser	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	2 GB DDR3 1066 MHz	2	1	320 GB SATA 5400	DVD±RW DL	5 in 1 & Smart card slot	Intel 6200 a/b/g/n	Gbit	x	x	x	3	x	x	x		FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® HD	x	VFY:T9000MF021GB			1328	
	13.3" WXGA Wide-View Hi-Bright LED non glare Dual Digitiser	Intel® Core™ i5 520M with vPro™ 2.4 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro Tablet Edition DVD	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	5 in 1 & Smart card slot	Intel 6200 a/b/g/n	Gbit	x	x	x	3	x	x	x	x	FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® HD	x	VFY:T9000MF031GB			1499	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK P1610	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix													
Memory													
	1GB DDR3-1066	1 Modul, PC3-8500 ub		x	x				S26391-F436-L100			41	
	2GB DDR3-1066	1 Modul, PC3-8500 ub		x	x				S26391-F436-L200			88	
Removable Media Drives													
	DVD Super multi (reader/writer)				x				S26391-F515-L200			57	
	weight saver				x				S26391-F440-L300			13	
Hard Disks													
	HDD SATA 320GB 5.4k			x	x				S26391-F437-L300			157	
	2nd HDD SATA 320GB 5.4k				x				S26391-F437-L350			157	
	SSD 80GB Intel			x	x				S26391-F439-L800			316	
	SSD 128GB Highspeed			x	x				S26391-F727-L600			415	
OS/Application-SW													
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S		x	x				S26361-F2007-L903			13	
	Drivers & Utility DVD (VISTA) Tablet PC	incl. Nero 7 Essentials S	x						S26361-F2007-L906			13	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x				S26361-F2727-L556			158	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x				S26361-F2727-L557			205	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x				S26361-F2727-L558			252	
Port Replicator													
	Port Replicator\AC Adapter\Eu-Cable Kit			x	x				S26391-F445-L100			99	
	Port Replicator\AC Adapter\GB-Cable Kit			x	x				S26391-F445-L200			109	
UPS/Power supply													
	AC adapter 19V (80W)			x	x				S26391-F2474-L600			44	
	2nd battery				x				S26391-F440-L200			117	
	1st Battery 6-cell 5800mAh			x	x				S26391-F440-L500			90	
	External battery charger, incl. 16V AC	not fitting for main battery E8420		x	x				S26391-F458-L200			140	
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs	x					x	S26391-F5031-L800			44	
Security													
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x		x	x	x	x	S26361-F1571-L201			14	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x		x	x	x	x	S26361-F1571-L210			99	
	Absolute Track, Abo. 1J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription		x	x				S26361-F2009-L101			14	
	Absolute Track, Abo. 2J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription		x	x				S26361-F2009-L102			22	
	Absolute Track, Abo. 3J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription		x	x				S26361-F2009-L103			27	
	Data Protection, Abo. 1J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 1 year subscription		x	x				S26361-F2009-L104			22	
	Data Protection, Abo. 2J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 2 year subscription		x	x				S26361-F2009-L105			34	
	Data Protection, Abo. 3J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 3 year subscription		x	x				S26361-F2009-L106			42	
	ComputraceOne, Abo. 1J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription		x	x				S26361-F2009-L107			26	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK P1610	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix													
Security (Continued)													
	ComputraceOne, Abo. 2J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription		x	x				S26361-F2009-L108			42	
	ComputraceOne, Abo. 3J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription		x	x				S26361-F2009-L109			58	
	ATP, Data Protection, PE, Abo. 1J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription			x				S26361-F2009-L113			36	
	ATP, Data Protection, PE, Abo. 2J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription			x				S26361-F2009-L114			57	
	ATP, Data Protection, PE, Abo. 3J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription			x				S26361-F2009-L115			70	
	ATP, ComputraceOne, Abo. 1J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription			x				S26361-F2009-L116			40	
	ATP, ComputraceOne, Abo. 2J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription			x				S26361-F2009-L117			66	
	ATP, ComputraceOne, Abo. 3J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription			x				S26361-F2009-L118			86	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x					S26361-F2542-L220			22	Phased out
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x		x	x	x	S26361-F2727-L730			31	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x					S26381-F331-L220			19	
Miscellaneous													
	Replacement cord	replacement cord for the pen		x	x	x	x	x	S26391-F2592-L600			8	
	Passive Pen (2 pieces)			x					S26391-F413-L600			41	
	Active Pen (2 pieces)				x				S26391-F413-L700			44	
	Additional Pens&TS rubber caps (3 Stück)		x						S26391-F5031-L300			25	Phased out
Keyboard /Mouse													

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK P1610	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix													
Keyboard /Mouse (Continued)													
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x	x	x	LTC:M-RCQ142			26	
	KB SLIM MF PIANO BLACK GB	KB SLIM MF PIANO BLACK, english, brilliant black multifunction keyboard, 2m USB cable, cleaning tissue, retail box	x						S26381-K370-L265			18	
	Laser Mouse GL5600	Laser Mouse GL5600 Gamer, USB Mouse with add. weights, 10 keys, 4-way-scroll function, 400 upto 2000 dpi, class 1 Laser, software CD, manual, retail box	x	x	x				S26381-K417-L800			20	
	Presenter Mouse PM1200	Optical Wireless Mouse with 3 add. functions, wireless mouse with 2.4 GHz dongle and 1200 dpi, presenterfunction, Laserpointer and Media Control for Media Player. Up to 10m range, package enclose: Presenter Mouse, dongle, 2 x AA batteries, reail box	x	x	x				S26381-K421-L100			27	Phased out
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x				S26381-K423-L100			13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x				S26381-K429-L100			14	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	x						S26381-K560-L465			22	
Input Devices													
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x				S26381-K440-L100			35	
	WIRELESS KEYB ST5xxx UK	with touchpad				x	x	x	S26391-F5010-L125			117	
	Wireless KB ST50xx CZ					x	x	x	S26391-F5010-L144			107	
Additional Software													
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x						U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x						U11081-C171			991	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x						U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x						U11081-C186			991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x						U11081-C192			397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x						U11081-C199			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK P1610	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix													
Additional Software (Continued)													
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x						U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x						U11081-C202			1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x						U11081-C203			1741	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x						U11081-C204			3483	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x						U11081-C205			5224	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x						U11081-C206			6966	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x						U11081-C207			626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x						U11081-C208			1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x						U11081-C209			2020	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x						U11081-C210			3030	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x						U11081-C211			4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x						U11081-C212			1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x						U11081-C213			1741	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x						U11081-C214			3483	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK P1610	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix													
Additional Software (Continued)													
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x						U11081-C215			5224	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x						U11081-C216			6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x						U11081-C217			626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x						U11081-C218			1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x						U11081-C219			2020	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x						U11081-C220			3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x						U11081-C221			4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x						U11081-C222			441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x						U11081-C223			717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x						U11081-C224			1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x						U11081-C225			2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x						U11081-C226			2843	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				U11081-C311			1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				U11081-C321			437	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK P1610	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix													
Additional Software (Continued)													
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x						U11081-C302			1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x						U11081-C312			1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x						U11081-C322			711	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x						U11081-C303			3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x						U11081-C313			3483	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x						U11081-C323			1422	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x				U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x				U11081-C299			13	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x						U10987-C502			1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x						U10987-C514			1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x						U10987-C526			711	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x						U10987-C503			3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x						U10987-C515			3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x						U10987-C527			1422	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x						U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x						U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x						U10987-C528			1646	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x						U10987-C505			5224	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x						U10987-C517			5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x						U10987-C529			2133	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Positioning Notebooks

Mini Notebooks

Enjoy your mobile lifestyle with a small and lightweight mini notebook, whenever and wherever you are.

LIFEBOOK A Series

The LIFEBOOK A530 provides maximum performance and due to its solid design unique reliability combined with high class design. It is perfectly qualified for daily standard applications like surfing the internet, email communication, picture editing, chatting or video telephony.

AMILO P Series

The AMILO P Series combines versatile performance, great technology and a fascinating design. The perfect all-round notebooks.

AMILO L Series

The AMILO L Series is great for daily home-office, Internet and e-mails. It is an affordable solution for those, who are looking for an entrance to the digital world.

AMILO X Series

Experience impressive entertainment, exciting new technologies, inspiring innovations and features unified in the AMILO X series.

AMILO S Series

Always on the move? Like to travel light? Not much room to spare? It combines extremely small dimension with powerful performance - and ingenious design - for productive work and the best in entertainment, wherever you are.

ESPRIMO Mobile U Series

The small, solid 12.1-inch WXGA display notebook ESPRIMO Mobile U Series with state-of-the-art Intel® Centrino® 2 processor technology enables you to access all your business data wherever you may be. It is the perfect combination: small in size, long battery life and unlimited connectivity

ESPRIMO Mobile M Series

The solid 14.1-inch mainstream notebook ESPRIMO Mobile M Series with its state-of-the-art Intel® Centrino® 2 processor technology meets the increasing requirements for unlimited connectivity. It helps you to be productive at work, wherever you may be.

ESPRIMO Mobile D Series

The ESPRIMO Mobile D9510 is ready for any challenge thanks to its state-of-the-art Intel® Centrino® 2 processor technology. The 15.4-inch display enable ergonomic working, whether you are in the office or travelling. Connectivity is ensured via a large number of interfaces and optional embedded mobile broadband (3G/UMTS).

ESPRIMO Mobile X Series

The ESPRIMO Mobile X Series is a solid alternative to the Desktop PC and offers top mobile performance. This professional notebook has a brilliant 15.4-inch WXGA+ or WSXGA+ display and its modular bay provides the option of a second battery. Connectivity is ensured via a large number of interfaces and optional embedded mobile broadband (3G/UMTS).

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

LIFEBOOK T Series

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.
The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.

LIFEBOOK P Series

Getting bigger, staying small - the LIFEBOOK P Series features powerful notebooks and ultra light convertible Tablet PCs in one unit. Rotate the brilliant 8.9 inch display 360° to share your ideas or flip it over to convert your notebook into a slate Tablet PC.
High performance and long battery life is not a conflict. The LIFEBOOK P Series is your perfect companion whether you are driving by car, train or airplane.

LIFEBOOK A530

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																								
AMILO Pi3560																								
	15.6" HD LED non glare	Intel® Celeron™ P4500 1.86 GHz 2 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit	2 GB DDR3 1066 MHz	2	1	250 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MF021GB			476	
	15.6" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit	2 GB DDR3 1066 MHz	2	1	250 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MF031GB			522	
	15.6" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit	3 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MF041GB			556	
	15.6" HD LED non glare	Intel® Core™ i5 430M 2.26 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MF051GB			624	
	15.6" HD LED non glare	Intel® Core™ i5 450M 2.4 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	3 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MF061GB			699	

LIFEBOOK AH530

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																								
LIFEBOOK AH530																								
	15.6" HD LED glare	Intel® Pentium™ P6000 1.86 GHz 3 MB 800 MHz	Microsoft® Windows 7® Home Premium 64-	2 GB DDR3 1066 MHz	2	1	250 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3		6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:AH530MRAZ2GB			449	
	15.6" HD LED glare	Intel® Core™ i3 350M 2.26 GHz 3 MB 800 MHz	Microsoft® Windows 7® Home Premium 64-	3 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3		6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:AH530MRBA2GB			510	
	15.6" HD LED glare	Intel® Core™ i5 450M 2.4 GHz 3 MB 800 MHz	Microsoft® Windows 7® Home Premium 64-	4 GB DDR3 1066 MHz	2	2	500 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3		6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:AH530MRBB2GB			597	

AMILO P3110

Data Sheets: http://ts.fujitsu.com/AMILO

Travel, work and communicate in style with the portable LIFEBOOK P3110. Constructed from environmentally friendly components with an ultra-low-voltage Intel® processor, high-resolution 29.5 cm (11.6-inch) LED screen WLAN, Bluetooth and optional UMTS,and Energy Star 5.0 rating, this notebook makes green the new black. Extra-long battery life (approx. 6 hrs) means you can take

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK P3110																						
	11.6" HD LED glare	Intel® Pentium™ SU4100 1.3 GHz 2 MB 800 MHz	Microsoft® Windows 7® Home Premium 32-bit	4 GB DDR2 800 MHz	2	2	320 GB SATA 5400	4 in 1	802.11 b/g/n	10/100	x	x		3	6 Cell 5200 mAh 56 Wh	Intel® GMA 4500M HD	x	VFY:P3110MF012GB			528	

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile V6555	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Memory																												
	1GB DDR2-800																x	x	x	x				S26391-F6120-L483			41	
	2GB DDR2-800		x		x			x									x	x	x	x				S26391-F6120-L484			88	
	2GB DDR3-1066			x		x	x		x	x											x	x	x	S26391-F736-L200			92	
Removable Media Drives																												
	DVD Super multi (reader/writer)			x		x	x		x	x											x	x	x	S26391-F725-L200			64	
	ExpressCard bay								x	x														S26391-F725-L400			22	
Hard Disks																												
	2nd HDD SATA 320GB 5.4k			x		x	x		x	x											x	x	x	S26391-F727-L300			157	Phased out
	2nd HDD SATA 320GB 7.2k			x		x	x		x	x											x	x	x	S26391-F728-L300			198	
OS/Application-SW																												
	Drivers&Utility DVD(XP/Vista/7)ESPRIMO		x	x	x	x		x		x							x		x	x	x	x	x	S26361-F2007-L908			16	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L556			158	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L557			205	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	x	x	x	S26361-F2727-L558			252	
Port Replicator																												
	Port Rep/AC Adapter/EU-cable (Bundle)	contains: Family Port Replicator, AC Adapter 20V/4,5A (90W), EU cable	x		x			x																S26391-F696-L100			126	
	Port Rep/AC Adapter/GB-cable (Bundle)	contains: Family Port Replicator AC Adapter 20V/4,5A (90W) GB cable	x		x			x																S26391-F696-L110			90	
	Port Replicator for ESPRIMO Mobile U&M&D		x		x			x																S26391-F696-L300			82	
	Port Replicator\AC Adapter\Eu-Cable Kit		x	x	x	x	x	x	x	x											x	x	x	S26391-F740-L200			99	
	Port Replicator\AC adapter\UK cable kit		x	x	x	x	x	x	x	x											x	x	x	S26391-F740-L300			109	
	Portreplicator		x	x	x	x	x	x	x	x											x	x	x	S26391-F740-L500			90	
UPS/Power supply																												
	AC adapter 20V(90W)										x	x		x	x	x	x	x	x	x				S26391-F321-L400			44	
	1st battery 6cells										x				x		x	x	x					S26391-F400-L400			82	
	1st Battery ESPRIMO Mobile 6-cell 56Wh		x		x			x																S26391-F405-L840			82	
	2nd Battery ESPRIMO Mobile 6-cell 41Wh		x		x			x																S26391-F405-L841			90	Phased out
	battery 6-cell 4400 mAh (48Wh)											x		x		x					x			S26391-F6120-L490			82	
	AC Adapter 20V/4,5A (90W) ESPRIMO Mobile		x		x			x																S26391-F696-L200			44	
	AC Adapter 20V (90W)			x		x	x		x	x											x	x	x	S26391-F740-L100			44	
	2ND BATTERY			x		x	x		x	x											x	x	x	S26391-F746-L100			90	Phased out
	1st Battery EM U+M 6-cell					x	x		x	x														S26391-F746-L500			90	
	1st Battery EM D+X 8-cell			x																	x	x		S26391-F746-L600			99	
Security																												
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM		x		x	x		x	x							x		x	x	x	x		S26361-F1571-L201			14	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM		x		x	x		x	x							x		x	x	x	x		S26361-F1571-L210			99	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340	x	x	x	x	x										x	x	x	x	x	x	x	S26361-F2432-L710			38	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x	x	x	x	x	x			x		x	x	x	x	x	x	x	S26361-F2542-L220			22	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium		x		x	x		x	x											x	x		S26361-F2727-L100			18	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x	x	x	x	x	x	x							x		x	x	x	x		S26361-F2727-L730			31	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x			x		x	x	x	x	x	x	x	S26381-F331-L220			19	
Keyboard /Mouse																												
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x	x	x	x	x	x	x			x							x	x		LTC:M-RCQ142			26	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED		x		x			x																S26381-K341-L165			26	
	Laser Mouse GL5600	Laser Mouse GL5600 Gamer, USB Mouse with add. weights, 10 keys, 4-way-scroll function, 400 upto 2000 dpi, class 1 Laser, software CD, manual, retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K417-L800			20	
	Presenter Mouse PM1200	Optical Wireless Mouse with 3 add. functions, wireless mouse with 2.4 GHz dongle and 1200 dpi, presenterfunction, Laserpointer and Media Control for Media Player. Up to 10m range, package enclose: Presenter Mouse, dongle, 2 x AA batteries, reail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K421-L100			27	Phased out
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

ESPRIMO Mobile Accessories

Data Sheets: http://ts.fujitsu.com/esprimo_mobile

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile V6555	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Keyboard /Mouse (Continued)																												
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100			14	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey		x		x			x															S26381-K500-L165			14	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.															x	x	x	x			x	S26381-K560-L465			22	
	KBPC PX GB professional keyboard	keyboard professional PS2 - USB, Great-Britain, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED		x		x			x															S26381-K340-V165			26	
Input Devices																												
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26381-K440-L100			35	
Additional Software																												
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311			1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321			437	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK NH570

Data Sheets: http://ts.fujitsu.com/LIFEBOOK

The LIFEBOOK NH570 notebook is a mobile home cinema designed for high definition entertainment, gaming, and high performance computing that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 18.4-inch HD+ display. High definition entertainment can also be enjoyed and shared with friends and family with the optional Blu-ray Disc™ drive that easily integrates with other home entertainment devices via HDMI such as a big Plasma-TV screen. Integrated webcam and Bluetooth (optional) provide connectivity and convenience for work, play, and travel.

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	USB	eSATA	HDMI	Firewire	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK NH570 (Dedicated Graphics Models)																										
	18.4" HD+ glare	Intel® Core™ i3 330M 2.13 GHz	Microsoft® Windows® 7 Home	4 GB DDR3 1066 MHz	2	2	500 GB SATA 5400	Blu-Ray (Read) DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x	3	x	x	x	FPR	8 Cell 5200 mAh 75	NVIDIA®	x	VFY:NH570MF012GB			897	
	18.4" HD+ glare	Intel® Core™ i5 430M 2.26 GHz	Microsoft® Windows® 7 Home	4 GB DDR3 1066 MHz	2	2	1 TB (2 x 500GB SATA	Blu-Ray (Read) DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x	3	x	x	x	FPR	8 Cell 5200 mAh 75	NVIDIA®	x	VFY:NH570MF022GB			999	
	18.4" HD+ glare	Intel® Core™ i7 620M 2.66 GHz	Microsoft® Windows® 7 Home	4 GB DDR3 1066 MHz	2	2	500 GB SATA 5400	Blu-Ray (RW) DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x	3	x	x	x	FPR	8 Cell 5200 mAh 75	NVIDIA®	x	VFY:NH570MF032GB			1135	
	18.4" HD+ glare	Intel® Core™ i7 620M 2.66 GHz	Microsoft® Windows® 7 Home	8 GB DDR3 1066 MHz	2	2	1 TB (2 x 500GB SATA	Blu-Ray (RW) DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x	3	x	x	x	FPR	8 Cell 5200 mAh 75	NVIDIA®	x	VFY:NH570MF042GB			1294	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK E780

Data Sheets: http://ts.fujitsu.com/LIFEBOOK

The simple philosophy behind LIFEBOOK E780: only the best is good enough. It is the ideal choice for performance-oriented users with state-of-the-art Intel® Core™ with vPro™ technology and optional NVIDIA® graphics card ensuring brilliant graphics and best performance. This 15.6-inch notebook supporting HD or HD+ display with LED backlight offers better viewing while consuming less energy for a longer battery runtime. Thanks to variety of interfaces, you can connect the LIFEBOOK E780 just in a few seconds to all your devices. Maximum flexibility is ensured thanks to the modular bay which can take a 2nd battery allowing a runtime of up to 11 hours

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Special products																										
LIFEBOOK E780																										
	Intel® Core™ i3 i3-330M + 2nd	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB DDR3, 1066 MHz, PC3-8500, SO DIMM	SATA, 5400 rpm, 320 GB, 2.5"						SD/MS/MSPro		x	x	x	Intel® HD Graphics	On board, Realtek ALC269		GBR				VFY:E7800MF021GB			772	
	Intel® Core™ i3 i3-330M + 2nd	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB DDR3, 1066 MHz, PC3-8500, SO DIMM	SATA, 7200 rpm, 500 GB, 2.5"						SD/MS/MSPro		x	x	x	Intel® HD Graphics	On board, Realtek ALC269		GBR				VFY:E7800MF031GB			835	
	Intel® Core™ i5 i5-520M + 2nd	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB DDR3, 1066 MHz, PC3-8500, SO DIMM	SATA, 7200 rpm, 500 GB, 2.5"						SD/MS/MSPro		x	x	x	Intel® HD Graphics	On board, Realtek ALC269		GBR				VFY:E7800MF041GB			931	
	Intel® Core™ i5 i5-520M + 2nd	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB DDR3, 1066 MHz, PC3-8500, SO DIMM	SATA, 7200 rpm, 500 GB, 2.5"						SD/MS/MSPro		x	x	x	NVIDIA® GeForce® GT 330M, 1 GB (DDR3 VRAM, 800 MHz)	On board, Realtek ALC269		GBR				VFY:E7800MF051GB			1078	
	Intel® Core™ i7 i7-620M + 2nd	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB DDR3, 1066 MHz, PC3-8500, SO DIMM	SATA, 7200 rpm, 500 GB, 2.5"						SD/MS/MSPro		x	x	x	NVIDIA® GeForce® GT 330M, 1 GB (DDR3 VRAM, 800 MHz)	On board, Realtek ALC269		GBR				VFY:E7800MF061GB			1199	

LIFEBOOK S760 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

The LIFEBOOK S760 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. This 13.3" inch mobile is equipped with an ultra thin modular bay which can take a 2nd battery allowing a runtime of up to 12 hours, 2nd hard disk drive for higher capacity storage, weight saving module which allows for a weight of only 1.6 kg or DVD-drive. Ergonomic use is ensured thanks to the anti-glare LED display now offered in a 16:9 aspect ratio
Features like anytime USB charge, which enables you to charge your camera or mobile phone when the notebook is turned off, and the new scroll pad for easier navigation provide you the highest comfort on the road.

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	eSATA	Display Port	HDMI	Firewire	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK S760																														
	13.3" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x		3			x		x		FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFY:S7600MF011GB			897	
	13.3" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	320 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x	x	3			x		x		FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFY:S7600MF021GB			965	
	13.3" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	320 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x		3			x		x		FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFY:S7600MF031GB			965	
	13.3" HD LED non glare	Intel® Core™ i5 520M with vPro™ 2.4 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x		3			x		x	x	FPR & TPM	6 Cell 5800 mAh 62 Wh	Intel® HD	x	VFY:S7600MF041GB			1101	

LIFEBOOK S710

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	eSATA	Display Port	HDMI	Firewire	Module Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK S710																														
	14" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	SD card	802.11 b/g/n	Gbit	x	x		3	x	x		x	x		Smart card slot	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFY:S7100MF011GB			681	
	14" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x		3	x	x		x	x		FPR / TPM / Smart card slot	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFY:S7100MF021GB			715	
	14" HD LED non glare	Intel® Core™ i3 330M 2.13 GHz 3 MB 800 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	160 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x	x	3	x	x		x	x		FPR / TPM / Smart card slot	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFY:S7100MF031GB			783	
	14" HD LED non glare	Intel® Core™ i5 520M with vPro™ 2.4 GHz 3 MB 1066 MHz	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	SD card	Intel 6200 a/b/g/n	Gbit	x	x		3	x	x		x	x	x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 62 Wh	Intel® HD	x	VFY:S7100MF051GB			874	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK P770 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

The LIFEBOOK P770 is a small, lightweight and high performance notebook that combines exceptional functionality with leading edge technology. P770 has a super small footprint weighing only 1.4 kg, including hard disk and DVDRW drive. Features include HDMI for best audio/image quality, WLAN and Bluetooth, optional 3G/UMTS, an integrated 2 megapixel webcam and long battery runtime of 8+ hours. The new Intel® Core™ i7-620UM processor used in the P770 guarantees even better performance and at the same time is more energy-efficient.

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	eSATA	Display Port	HDMI	Firewire	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK P770																														
	12.1" WXGA LED non glare	Intel® Core™ i7 620UM with vPro™ 1.06 GHz 4 MB 800	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	2 GB DDR3 1066 MHz	2	1	320 GB SATA 5400	DVD±RW DL	SD card & Smart card slot	Intel 6200 a/b/g/n	Gbit	x	x		3			x			x	FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFYP7700MF011GB			1226	
	12.1" WXGA LED non glare	Intel® Core™ i7 620UM with vPro™ 1.06 GHz 4 MB 800	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	SD card & Smart card slot	Intel 6200 a/b/g/n	Gbit	x	x	x	3			x			x	FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFYP7700MF021GB			1340	
	12.1" WXGA LED non glare	Intel® Core™ i7 620UM with vPro™ 1.06 GHz 4 MB 800	Microsoft® Windows 7® Professional 64-bit + XP Pro DVD	4 GB DDR3 1066 MHz	2	2	128 GB SSD SATA	DVD±RW DL	SD card & Smart card slot	Intel 6200 a/b/g/n	Gbit	x	x	x	3			x			x	FPR & TPM	6 Cell 5200 mAh 56 Wh	Intel® HD	x	VFYP7700MF031GB			1567	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A550	LIFEBOOK AH550	LIFEBOOK C1320	LIFEBOOK C1410	LIFEBOOK E760	LIFEBOOK E8310	LIFEBOOK E8020	LIFEBOOK E8110	LIFEBOOK E8210	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK NH570	LIFEBOOK P1610	LIFEBOOK P1620	LIFEBOOK P5110	LIFEBOOK P7110	LIFEBOOK P7120	LIFEBOOK P770	LIFEBOOK P8010	LIFEBOOK P8020	LIFEBOOK P9110	LIFEBOOK Q2010 Executive	LIFEBOOK Q2010 Supreme	LIFEBOOK S2110 AMD Glare	LIFEBOOK S8410	LIFEBOOK S8420	LIFEBOOK S7010	LIFEBOOK S7010 Supreme	LIFEBOOK S7020 Basic	LIFEBOOK S7020 Secure Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7020 Value	LIFEBOOK S710	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S760	LIFEBOOK T1010	LIFEBOOK T4310	LIFEBOOK T4410	LIFEBOOK T5010	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	End User Price (RRP)	Comments
Accessories & services matrix																																																			
Memory																																																			
	2GB DDR2 PC2-6400																	x																																S26391-F363-L100		88	
	1GB DDR3-1066	1 Modul, PC3-8500 ub																																														S26391-F436-L100		41	
	2GB DDR3-1066	1 Modul, PC3-8500 ub													x								x							x																		S26391-F436-L200		88	
	2GB DDR2-533 PC2-4200																					x																											S26391-F5046-L120		88	
	2GB DDR2-667 (1x 2GB)	1 module PC 667 (PC2-5300)																					x																										S26391-F5049-L125		88	
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub						x								x																						x										S26391-F504-L100		88	
	4 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub						x								x																						x										S26391-F504-L200		291	
	2 GB DDR3 1066 MHz PC3-8500																						x																										S26391-F641-L100		88	
	2GB DDR2-667										x	x																																					S26391-F668-L300		92	
	1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only											x	x		x														x																		S26391-F681-L200		41	
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only											x	x																x																		S26391-F681-L310		88	
	2GB DDR3-1066 PC8500	1 Modul, PC3-8500 ub																							x																							S26391-F772-L200		88	
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub			x																																											S26391-F791-L410		88	
	4 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub			x																																											S26391-F791-L440		291	
	2 GB DDR3 1066 MHz PC3-8500			x																																												S26391-F791-L520		88	
	4 GB DDR3 1066 MHz PC3-8500			x																																												S26391-F791-L540		291	Orderable from: 01/06/2010
Graphics																																																			
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor						x																													x										S26361-F2391-L200		27	
Removable Media Drives																																																			
	DVD Super multi (reader/writer)																														x																		S26391-F441-L100		82	
	weight saver																														x																		S26391-F441-L300		13	
	DVD Super multi (reader/writer)							x																													x										S26391-F515-L200		57	
	Weight saver for modular bay																																										x						S26391-F652-L100		16	
	DVD Super multi (reader/writer)																																										x						S26391-F652-L300		66	
	DVD Super multi (reader/writer)																																											x	x			x	S26391-F777-L100		57	
	Weight saver for modular bay																																											x	x		x	x	x	S26391-F777-L300		13	
	DVD Super multi (reader/writer)															x																													x					S26391-F440-L100		64	
	weight saver							x								x																													x					S26391-F440-L300		13	
Communication/Network																																																			
	UMTS Upgrade Kit for LIFEBOOK P3110	incl. UMTS Module Sierra Wireless Gobi 2000																x																																S26391-F364-L100		47	
OS/Application-SW																																																			
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S					x				x	x	x	x	x					x	x					x	x												x	x	x	x	x		x			x		S26361-F2007-L903		13	
	Drivers & Utility DVD (VISTA) Tablet PC	incl. Nero 7 Essentials S															x	x																																S26361-F2007-L906		13	
	Drivers&Utility DVD(XP+Vista/7) LIFEBOOK																					x				x																		x		x	x	x	x	S26361-F2008-L903		16	
	Drivers & Utility (XP/Vista/7) LIFEBOOK			x				x									x																																	S26361-F2009-L172		11	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit		x				x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x						x	x	x	x	x	x	x	x	x	S26361-F2727-L556		158	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit		x			x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x						x	x	x	x	x	x	x	x	x	S26361-F2727-L557		205	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit		x			x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x						x	x	x	x	x	x	x	x	x	S26361-F2727-L558		252	
UPS/Power supply																																																			
	AC adapter 19V (80W)							x					x	x	x																								x	x	x	x	x		x			x		S26391-F2474-L600		44	
	Battery 6-cells, 5200mAh																		x																															S26391-F366-L100		82	
	AC Adapter 19V (60W) w/o Cable																		x																															S26391-F367-L160		32	
	2nd battery					x	x				x	x	x	x																									x	x	x	x							S26391-F405-L200		109	Phased out
	1st battery												x																										x	x	x								S26391-F405-L500		90	
	1st Battery E8410/ E8420 8-cell 75Wh													x	x																																			S26391-F405-L810		90	
	1st Battery S6410, S6420, S7210, S7220																														x	x																	S26391-F405-L820		90	
	AC-Adapter 19V/100W												x	x	x																x	x																	S26391-F408-L300		36	
	AC-Adapter 19V/80W																																					x										S26391-F408-L380		41	
	2nd battery							x							x																								x							x			S26391-F440-L200		117	
	1st Battery 6-cell 5800mAh																																						x							x			S26391-F440-L500		90	
	2nd battery																													x																			S26391-F441-L200		117	
	External battery charger, incl. 16V AC	not fitting for main battery E8420						x							x						x																x							x				S26391-F458-L200		140	
	AC Adapter 19V (100W) w/o Cable															x																																		S26391-F466-L120		41	
	Battery 8-cells, 5200mAh															x																																		S26391-F466-L130		90	
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable									x	x	x	x						x									x					x	x	x				x	x	x							S26391-F5031-L700		138	Phased out
	Ext. Battery Charger	without AC-adapter									x	x	x	x															x					x	x	x	x			x	x	x							S26391-F5031-L710		111	Phased out
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs																x	x		x	x					x		x																					S26391-F5031-L800		44	
	1st battery 6cells, 8700 mAH																						x	x																										S26391-F5049-L400		82	Phased out
	AC adapter 16V (65)																						x	x																										S26391-F5049-L500		44	
	1st Battery 6cell 5.800mAh (62Wh)																																				x													S26391-F514-L200		90	
	1st Battery 8cell 5.800mAh (83Wh)							x																																										S26391-F518-L200		99	
	AC Adapter 19V (100W) w/o Cable	w/o power cord; power cords are listed under "Miscellaneous"						x																																										S26391-F519-L200		41	
	2nd Battery (10.8V, 2,500mAh)																																																		S26391-F652-L200		119	
	2nd battery																																											x	x		x	x	x	S26391-F777-L200		107	
	AC adapter 19V (80W)																																											x	x	x	x	x	x	S26391-F778-L350		41	
	External battery charger, incl. 16V AC																						x		x																					x	x	x	x	x	S26391-F778-L400		139	
	AC Adapter																						x		x																										S26391-F794-L500		45	
	AC Adapter 19V (80W) w/o cable				x																																														S26391-F794-L600		41	
	1st Battery 6cells, 5200 mAH																						x		x																					x					S26391-F795-L300		82	
	1st Battery 6cells, 5800 mAH																						x		x																					x					S26391-F795-L400		90	
	1st Battery 6cells, 5200 mAH																																													x	x		x	x	S26391-F795-L500		82	
	1st Battery 6cells, 5800 mAH																																														x	x	x	S26391-F795-L600		90	
	1st Battery 6cells, 4400 mAh				x																																														S26391-F805-L100		82	
	1st Battery 8cells, 5200 mAh				x																																														S26391-F805-L200		99	
	1st Battery 6cells, 4400 mAh		x																																															S26391-F840-L100		90	
	AC Adapter 19V (80W) w/o cable		x																																															S26391-F841-L100		41	
Security																																																			
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201		14	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210		106	
	Absolute Track, Abo. 1J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L101		14	
	Absolute Track, Abo. 2J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L102		22	
	Absolute Track, Abo. 3J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L103		27	
	Data Protection, Abo. 1J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 1 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L104		22	
	Data Protection, Abo. 2J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 2 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L105		34	
	Data Protection, Abo. 3J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 3 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L106		42	
	ComputraceOne, Abo. 1J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L107		26	
	ComputraceOne, Abo. 2J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L108		42	
	ComputraceOne, Abo. 3J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription			x			x					x	x	x	x							x	x	x	x					x	x						x			x	x	x	x	x	x	x	x	S26361-F2009-L109		58	
	ATP, Data Protection, PE, Abo. 1J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription			x			x							x	x							x																				x			x	x	x	x	S26361-F2009-L113		36	
	ATP, Data Protection, PE, Abo. 2J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription			x			x							x	x							x																				x			x	x	x	x	S26361-F2009-L114		57	
	ATP, Data Protection, PE, Abo. 3J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription			x			x							x	x							x																				x			x	x	x	x	S26361-F2009-L115		70	
	ATP, ComputraceOne, Abo. 1J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription			x			x							x	x							x																				x			x	x	x	x	S26361-F2009-L116		40	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

Category	Description	Details	LIF EBOOK A1130	LIF EBOOK A530	LIF EBOOK AH564	LIF EBOOK C1020	LIF EBOOK C1410	LIF EBOOK E780	LIF EBOOK E8010	LIF EBOOK E8020	LIF EBOOK E8110	LIF EBOOK E8210	LIF EBOOK E8310	LIF EBOOK E8410	LIF EBOOK E8420	LIF EBOOK NH570	LIF EBOOK P1610	LIF EBOOK P1620	LIF EBOOK R1110	LIF EBOOK T1020	LIF EBOOK T1030	LIF EBOOK T4220	LIF EBOOK T5010	LIF EBOOK T5020	LIF EBOOK T6010	LIF EBOOK U2010 Executive	LIF EBOOK U2010 Supreme	LIF EBOOK U2110 AMD Glare	LIF EBOOK S6410	LIF EBOOK S6420	LIF EBOOK S7010	LIF EBOOK S7010 Supreme	LIF EBOOK S7020 Basic	LIF EBOOK S7020 Secure Edition	LIF EBOOK S7020 Supreme	LIF EBOOK S7020 Value	LIF EBOOK S710	LIF EBOOK S7110 Supreme	LIF EBOOK S7110 Value	LIF EBOOK S7110 Value FP	LIF EBOOK S7210	LIF EBOOK S7220	LIF EBOOK S760	LIF EBOOK T1010	LIF EBOOK T1410	LIF EBOOK T5010	LIF EBOOK T730	LIF EBOOK T900	LIF EBOOK TH700	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																					
Security (Continued)																																																					
	ATP, ComputraceOne, Abo. 2J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription			x			x							x	x						x															x					x				x	x	x	x	S26361-F2009-L117		66	
	ATP, ComputraceOne, Abo. 3J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription			x			x							x	x						x															x					x				x	x	x	x	S26361-F2009-L118		86	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x							x	x	x	x	x	x	x		x	x	x				S26361-F2542-L220		22	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium						x							x	x						x															x					x	x			x	x	x	x	S26361-F2727-L100		18	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7						x	x	x	x	x	x	x	x	x	x		x		x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730		31	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x							x	x	x	x	x	x	x			x	x				S26381-F331-L220		19	
Miscellaneous																																																					
	LIFEBOOK driver CD					x	x		x	x	x	x							x						x		x			x	x	x	x	x	x		x	x	x											S22452-P919-L100		22	
	Replacement cord	replacement cord for the pen																																												x			x				S26391-F2592-L600		8	
	Keyboard Rubber caps	10 caps				x	x		x	x	x	x	x	x	x										x			x	x	x	x	x	x	x		x	x	x	x	x	x								S26391-F2602-V1		13	
	Passive Pen (2 pieces)																																												x							S26391-F413-L600		41	
	Active Pen (2 pieces)																																														x						S26391-F413-L700		44	
	Additional Pens&TS rubber caps (3 Stück)																x	x																																			S26391-F5031-L300		25	Phased out
	Pen (2 pieces)																																														x	x			x	x	x	S26391-F796-L600		41	
Cables																																																					
	S-Video cable																													x	x															x							S26391-F6071-L400		18	
Input Devices																																																					
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K440-L100		35	
Additional Software																																																					
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C157		13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C171		991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs				x			x	x					x											x	x	x	x	x	x																			U11081-C177		495	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C183		26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C186		991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C192		397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C199		13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C201		26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C202		1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C203		1757	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C204		3514	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C205		5270	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C206		7027	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C207		626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C208		1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C209		2038	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C210		3056	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C211		4076	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C212		1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C213		1757	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C214		3514	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C215		5270	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C216		7027	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C217		626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C218		1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C219		2038	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C220		3056	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211				x			x	x					x	x		x								x	x	x	x	x	x																			U11081-C221		4076	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

Category	Description	Details	LIF EBOOK A1130	LIF EBOOK A530	LIF EBOOK AH564	LIF EBOOK C1020	LIF EBOOK C1410	LIF EBOOK E780	LIF EBOOK E8010	LIF EBOOK E8020	LIF EBOOK E8110	LIF EBOOK E8210	LIF EBOOK E8310	LIF EBOOK E8410	LIF EBOOK E8420	LIF EBOOK NH870	LIF EBOOK P1610	LIF EBOOK P1620	LIF EBOOK P5110	LIF EBOOK P7120	LIF EBOOK P7230	LIF EBOOK P770	LIF EBOOK P8010	LIF EBOOK P8020	LIF EBOOK P8110	LIF EBOOK Q2010 Executive	LIF EBOOK Q2010 Supreme	LIF EBOOK S2110 AMD Globe	LIF EBOOK S6410	LIF EBOOK S6420	LIF EBOOK S7010	LIF EBOOK S7010 Supreme	LIF EBOOK S7020 Basic	LIF EBOOK S7020 Secure Edition	LIF EBOOK S7020 Supreme	LIF EBOOK S7020 Value	LIF EBOOK S710	LIF EBOOK S7110 Supreme	LIF EBOOK S7110 Value	LIF EBOOK S7110 Value FP	LIF EBOOK S7210	LIF EBOOK S7220	LIF EBOOK S760	LIF EBOOK T1010	LIF EBOOK T4310	LIF EBOOK T4410	LIF EBOOK T5010	LIF EBOOK T730	LIF EBOOK T900	LIF EBOOK TH700	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																					
Additional Software (Continued)																																																							
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202				x			x	x							x	x		x											x	x	x	x	x	x															U11081-C222		441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203				x			x	x							x	x		x											x	x	x	x	x	x															U11081-C223		717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204				x			x	x							x	x		x											x	x	x	x	x	x															U11081-C224		1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205				x			x	x							x	x		x											x	x	x	x	x	x															U11081-C225		2152	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206				x			x	x							x	x		x											x	x	x	x	x	x															U11081-C226		2868	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Positioning FUTRO thin clients

FUTRO S

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.

FUTRO S

Data Sheets: http://ts.fujitsu.com/futro

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client?
The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.
Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.
All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front side USB	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																		
FUTRO S450																		
	AMD Sempron™ TF20 , 128 KB , 400 MHz	eLux RL w/o license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB, empty		x		AMD® Radeon X1250, 64 MB	On board, Realtek ALC262	x		2		PDP:S0450P0004GB			274	Phased out
	AMD Sempron™ TF20 , 128 KB , 400 MHz	eLux RL with license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB, empty		x		AMD® Radeon X1250, 64 MB	On board, Realtek ALC262	x		2		PDP:S0450P0005GB			293	Phased out
	AMD Sempron™ TF20 , 128 KB , 400 MHz	eLux RL w/o license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB, empty		x		AMD® Radeon X1250, 64 MB	On board, Realtek ALC262	x		2		PDP:S0450P0006GB			256	Phased out
	AMD Sempron™ TF20 , 128 KB , 400 MHz	eLux RL + Scout builtin license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB, empty		x		AMD® Radeon X1250, 64 MB	On board, Realtek ALC262			2		PDP:S0450P0007GB			319	Phased out
FUTRO S450-2																		
	AMD Sempron™ 200U , ,	eLux RL w/o license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB		x		AMD® Radeon X1250	On board, Realtek ALC262			2		PDP:450-2P0001GB			215	
	AMD Sempron™ 200U , ,	eLux RL + Scout builtin license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB		x		AMD® Radeon X1250	On board, Realtek ALC262			2		PDP:450-2P0002GB			285	
	AMD Sempron™ 200U , ,	eLux RL w/o license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB		x		AMD® Radeon X1250	On board, Realtek ALC262			2		PDP:450-2P0003GB			227	
FUTRO S550-2																		
	FUTRO S550-2 /1GB 667/1GB/WLAN/D-LINK/ CK S500 (GB)/RL+SCT B.LICE./ HOR.FOOT-KIT/ ,													PDP:550-2P0001GB			327	
	FUTRO S550-2 /1GB 667/1GB/WLAN/D-LINK/ CK S500 (GB)/WIN_EMB_STAND_A/ ,													PDP:550-2P0002GB			336	
	FUTRO S550-2 /2GB DDR2-667/ 4 GB CARD EMPTY/WLAN/D-LINK/ CK S500 (GB)/WIN_EMB_STAND_SC/ HOR.FOOT-KIT/,													PDP:550-2P0003GB			364	
FUTRO S550																		
	AMD Sempron™ 2100+	XP embedded_SC S500/S550	2 GB, DDR2, 667 MHz	CF module IDE, 4 GB, empty		x	x	AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S_550P0001GB			426	Phased out
	AMD Sempron™ 2100+	eLux RL with license	1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, empty		x	x	AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S_550P0003GB			343	Phased out
	AMD Sempron™ 2100+	XP embedded_SC S500/S550	2 GB, DDR2, 667 MHz	CF module IDE, 4 GB, empty		x	x	AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S0550P0001GB			426	Phased out
	AMD Sempron™ 2100+	eLux RL with license	1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, empty		x	x	AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S0550P0003GB			343	Phased out
	AMD Sempron™ 2100+	eLux RL with license	1 GB, DDR2, 667 MHz	CF module IDE, 512 MB, empty		x		AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S0550P0004GB			311	Phased out
	AMD Sempron™ 2100+	XP embedded_SC S500/S550	1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, empty		x	x	AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S0550P0005GB			375	Phased out
	AMD Sempron™ 2100+	XP embedded_SC S500/S550	1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, empty		x		AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S0550P0006GB			350	Phased out
	AMD Sempron™ 2100+ , ,	XP embedded_A S500/S550	1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, empty		x	x	AMD® Radeon X1250	On board, Realtek ALC262	x		2		PDP:S0550P0007GB			400	Phased out
FUTRO S100																		
	VIA Eden® 500 ULV , ,	eLux RL w/o license	1 GB, DDR2, 800 MHz	CF module IDE, 512 MB		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD	x		2		PDP:S0100P0001GB			184	
	VIA Eden® 500 ULV , ,	eLux RL w/o license	1 GB, DDR2, 800 MHz	CF module IDE, 512 MB		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD			2		PDP:S0100P0002GB			206	
	VIA Eden® 500 ULV , ,	eLux RL + Scout builtin license	1 GB, DDR2, 800 MHz	CF module IDE, 512 MB		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD			2		PDP:S0100P0003GB			257	
	VIA Eden® 500 ULV , ,	eLux RL + Scout builtin license	1 GB, DDR2, 800 MHz	CF module IDE, 512 MB		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD	x		2		PDP:S0100P0004GB			242	
	VIA Eden® 500 ULV , ,	eLux RL + Scout builtin license	1 GB, DDR2, 800 MHz	CF module IDE, 1 GB, (80x)		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD	x		2		PDP:S0100P0005GB			244	
	VIA Eden® 500 ULV , ,	eLux RL w/o license	1 GB, DDR2, 800 MHz	CF module IDE, 1 GB, (80x)		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD	x		2		PDP:S0100P0006GB			185	
	VIA Eden® 500 ULV , ,	eLux RL w/o license	1 GB, DDR2, 800 MHz	CF module IDE, 1 GB, (80x)		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD			2		PDP:S0100P0007GB			208	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FUTRO S450							
	FUTRO S450	S450, 10/100/1000 Mbit/s Fast Ethernet LAN, AMD TF20 Sempron 800MHz, DVI, , Interface: 1x seriell extern,1x Tastatur, 6x USB2.0 (2x Frontseite, 4x Rückseite) 1x Monitor, 1x Audio out, 1x Headphone Out, 1x micro, 1x LAN RJ45, Power supply external,DVI to VGA adapter included	S26361-K522-V450			195	Phased out
FUTRO S450-2							
	FUTRO S450-2	FUTRO S450-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 1x mouse, 1x keyboard, 8x USB2.0 (2x front, 4x rear, 2x internal), 1 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional	S26361-K522-V455			190	
FUTRO S550-2							
	FUTRO S550-2	FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 1x mouse, 1x keyboard, 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301			227	
FUTRO S550							
	FUTRO S550	S550, SCR optional built in, 10/100/1000 Mbit/s Fast Ethernet LAN, Mouse, Prozessor AMD Sempron 2100, 1 GHz, DVI-I, Dual Monitoring via y-cable (optional orderable), Interface: 2x seriell extern, 1x Maus, 1x Tastatur, 6x USB2.0 (2x Frontseite, 4x Rückseite) 1x Monitor, 1x Audio out, 1x Headphone Out, 1x micro, 1x LAN RJ45, PCI Slot midsize (optional risercard in combination with PCI card), Power supply external,DVI to VGA adapter included	S26361-K528-V201			233	Phased out
FUTRO S100							
	FUTRO S100	S100, 10/100 Mbit/s Fast Ethernet LAN, Processor VIA Eden ULV 500, Interface: 1x seriell extern, PS/2 (1x mouse, 1x keyboard), 4x USB2.0 (2x front side, 2x rear side) 1x Monitor, 1x Audio out, 1x Headphone Out, 1x micro, 1x LAN RJ45, Power supply external,Fulfills EPA 5.0 requirements	S26361-K420-V100			151	

FUTRO Accessories

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO A 210	FUTRO A 220	FUTRO A100	FUTRO A120	FUTRO A221	FUTRO A230	FUTRO A231	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO B100 eLux	FUTRO B2xx	FUTRO C100 i845GV	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO D100	FUTRO D100 für CF-Card	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S460-2	FUTRO S500	FUTRO S550	FUTRO S550-2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																		
Graphics																																		
	Y-cable DVI/VGA	Dual Monitoring support																							x	x	x	x	x	S26361-F2421-L100			18	
	DVI-D Adapter for Dual DVI	Dual Monitoring																								x			x	S26361-F2421-L110			38	
	DVI Modul																							x						S26361-F2421-L400			28	
Removable Media Drives																																		
	Floppy Disk Drive 1.44MB USB external	anthracite											x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2383-L20			32	
Hard Disks																																		
	4 GB CF Card emty																									x	x	x				75	
	CF 512MB empty	300x																								x	x	x		S26361-F3536-L100			30	
	CF 1GB empty	300x																								x	x	x		S26361-F3537-L100			38	
	CF 16GB empty	300x																								x	x	x		S26361-F3538-L100			208	
Communication/Network																																		
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																										x	x	S26361-F3465-L2			32	
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520, without Riser Card															x								x			x	x	S26391-F6121-L10			38	
	WLAN II, 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface														x	x													S26361-F3108-L2			27	Phased out
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card																								x	x	x		S26361-F3465-L1			23	
Security																																		
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S400,requires int. USB interface,w/o SmartCard																						x						S26361-F1260-L801			28	
	SmartCard Reader	internal																									x	x	x	S26361-F1260-L802			28	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x				x		x	x	x				x	x			x	x		x	x	x	x	x	x	x	S26361-F2542-L220			22	Phased out
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x				x		x	x	x				x	x			x	x		x	x	x	x	x	x	x	S26381-F331-L220			19	
Miscellaneous																																		
	Vesa Kit FUTRO S100	Vesa Kit FUTRO S100 ,																		x										BDL:VESA-SUB-KIT			38	
	Riser Card																										x	x	x	S26361-F2421-L200			9	
	Horizontal foot kit																								x	x		x	x	S26361-F2542-L290			9	
	Cable adapter 3 wire -> 2 wire																									x			x	S26361-F2542-L301			9	
	Standard VESA-Kit																								x	x		x	x	S26361-F2601-L530			24	
	VESAKIT FUTRO S100																			x										S26361-F2601-L600			14	
	Scout EP	Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support									x	x								x				x	x	x	x	x	x	S26361-F2727-L701			36	
	eLux RL	license,including 2 years software support																		x					x	x	x	x	x	S26361-F2727-L702			25	
	Subscrytion Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		x				x			x	x								x				x	x	x	x	x	x	S26361-F2727-L703			14	
	eLux NG for PC demo	eLux NG boot from CD											x	x	x	x	x	x	x		x	x	x	x						S26361-F1818-L100			5	
	PowerTerm WBT	Ericom Emulation for WIn CE and eLuxNG	x	x				x		x	x	x					x			x				x	x	x	x	x	x	S26361-F2600-L144			24	
	eLux NG	eLux NG full license, including 2 years software support								x	x	x		x	x	x	x				x	x	x	x						S26361-F2600-L134			25	
	eLux NG CD	CD-Rom for eLux NG SW												x	x	x	x				x	x	x	x						S26361-F2600-L136			5	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)														x	x					x	x							S26361-F2542-L35			110	
Keyboard /Mouse																																		
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED																		x					x	x		x	x	S26381-K341-L165			26	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey	x	x	x	x	x	x	x	x	x	x								x	x	x	x	x	x	x	x	x	x	S26381-K500-L165			14	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Positioning ESPRIMO

ESPRIMO P2xxx series

The ESPRIMO P2xxx series is designed for price-driven customers and is pre-configured with up-to-date standard features. These systems can handle any office requirement, particularly those typical to small and mid-sized enterprises. The ESPRIMO Edition line is instantly available at your dealer.

ESPRIMO 3xxx Series

The ESPRIMO 3xxx Series is the right choice for large enterprises requiring up-to-date standard features. Freely configurable, with proven technology and an extended lifecycle of up to 12 months, these PCs are the perfect choice for cost-driven projects.

ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

ESPRIMO E

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands.Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.
Add an eye catcher to your desk.

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO C

Data Sheets: http://ts.fujitsu.com/esprimo

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.
ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD_SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO C5730																												
	Intel® Core™2 Duo Processor E8500	Genuine Windows Vista® Business 32-bit	2 x 2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"		x				x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	3			PDP:C5730P0003GB			688	Phased out
	Intel® Core™2 Duo E8500	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	3			PDP:C5730P0006GB			690	Phased out
	Intel® Pentium® E5400	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 160 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	3			PDP:C5730P0008GB			510	Phased out
	Intel® Pentium® E5400	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 160 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	3			PDP:C5730P0009GB			513	Phased out
	Intel® Pentium® E5400	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 160 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	3			PDP:C5730P0010GB			517	Phased out
	Intel® Core™2 Duo E8500	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	3			PDP:C5730P0011GB			690	Phased out
	ESP C5730 ESTAR /C2D E8500/2x2GB/DVD RW/ 500GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:C5730P0012GB			681	Phased out
ESPRIMO C5731																												
	ESP C5731 ESTAR5 /P E5500/2GB/DVD SM/ 320GB SATA II/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/ W7_PRO_V4Y32MULI_A/TWINLOAD/NERO/,																							VFY:C5731PF031GB			415	
	ESP C5731 ESTAR5 /C2D E8600/2GB/DVD SM/ 500GB SATA II/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/ W7_PRO_V4Y32MULI_A/TWINLOAD/NERO/,																							VFY:C5731PF041GB			601	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO E **Data Sheets: http://ts.fujitsu.com/esprimo**

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD_SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO E5521																												
	ESP E5521 ESTAR5 /C2D E7500/1GB/2GB/ DVD SM/250GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:E5521P0001GB			485	
	ESP E5521 ESTAR5 /P E5500/2GB/DVD SM/ 250GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:E5521P0002GB			415	
	ESP E5521 ESTAR5 /P E5500/2GB/DVD SM/ 160GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:E5521P0003GB			414	
	ESP E5521 ESTAR5 /P E5500/1GB/2GB/ DVD SM/250GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:E5521P0004GB			434	
	Intel® Pentium® E5500	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:E5521PF021GB			380	
	Intel® Core™2 Duo E7500	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:E5521PF031GB			431	
ESPRIMO E5731																												
	ESP E5731 ESTAR5 /PENT E6300/2x1GB/2GB/ DVD SM/320GB SATA II/CK GBINT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD64_PRO_ABC/W7_PRO_V4Y32MULI_A/,																							VFY:E5731PF041GB			474	
	ESP E5731 ESTAR5 /C2D E8400/2x1GB/2GB/ DVD SM/500GB SATA II/CK GBINT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD64_PRO_ABC/W7_PRO_V4Y32MULI_A/,																							VFY:E5731PF051GB			567	
ESPRIMO E7935																												
	Intel® Core™2 Duo Processor E8400	Genuine Windows Vista® Business 32-bit	2 GB, DDR2, 800 MHz + 2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"		x				x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			PDP:E7935P0006GB			744	Phased out
	Intel® Pentium® Processor E6300	Genuine Windows Vista® Business 32-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 250 GB, 3.5"		x				x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			PDP:E7935P0007GB			586	Phased out
	Intel® Core™2 Duo Processor E8600	Genuine Windows Vista® Business 32-bit	2 GB, DDR2, 800 MHz + 2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"		x				x				x			NVIDIA® Geforce® 9300GE low profile, 512 MB + Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			PDP:E7935P0008GB			851	Phased out
	Intel® Core™2 Quad Processor Q9550	Genuine Windows Vista® Business 32-bit	2 GB, DDR2, 800 MHz + 2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"		x				x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			PDP:E7935P0010GB			820	Phased out
	Intel® Core™2 Duo E7500	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 250 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			PDP:E7935P0011GB			622	Phased out
	Intel® Core™2 Duo E7500	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 250 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	2			PDP:E7935P0012GB			619	Phased out
	Intel® Core™2 Duo E8400	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	2			PDP:E7935P0013GB			744	Phased out
	Intel® Pentium® E6300	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 250 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	2			PDP:E7935P0014GB			586	Phased out
	Intel® Core™2 Duo E8600	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			NVIDIA® Geforce® 9300GE low profile, 512 MB + Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	2			PDP:E7935P0015GB			861	Phased out
	Intel® Core™2 Duo E8500	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 250 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			VFY:E7935PD031GB			632	
ESPRIMO E7936																												
	ESP E7936 0WATT /C2D E8400/2x2GB/DVD SM/ 500GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/NERO/VISTA DUDVD/,																							PDP:E7936P0001GB			728	
	ESP E7936 0WATT /PENT E6300/2GB/DVD SM/ 250GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/NERO/VISTA DUDVD/,																							PDP:E7936P0002GB			580	
	ESP E7936 0WATT /C2D E8600/2x2GB/ GFi9300 512MB LP/DVD SM/500GB SATA II/ OK INT/KB400USBGB/COA_W7_MM_PROFES/ W7_RDVD32_PRO_ABC/W7_PRO-OR32MULI_A/,																							PDP:E7936P0003GB			845	
	ESP E7936 ESTAR5 /C2Q Q9550/2x2GB/ DVD SM/500GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/NERO/VISTA DUDVD/,																							PDP:E7936P0004GB			814	
	Intel® Core™2 Duo E8600	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			VFY:E7936PF011GB			639	
	Intel® Core™2 Quad Q9550	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GBR	2			VFY:E7936PF021GB			699	
ESPRIMO E9900																												
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD	x	GBR	2			PDP:E9900P0001GB			785	
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD	x	GBR	2			PDP:E9900P0002GB			791	
	Intel® Core™ i3 i3-530	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD	x	GBR	2			VFY:E9900PF011GB			570	
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"										x			NVIDIA® Geforce® 9500GS low profile, 512 MB + up to 1759 MB	On board, Realtek ALC663, HD	x	GBR	2			VFY:E9900PF021GB			814	
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD	x	GBR	2			VFY:E9900PXD11GB			607	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO P **Data Sheets: http://ts.fujitsu.com/esprimo**

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DDI RAM	DVD_SUPERMULTI	FDD	Card Drive	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO P2560																												
	Intel® Pentium® E5500	Genuine Microsoft® Windows® 7 Professional 32-bit	1 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 160 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF011GB			335	
	Intel® Pentium® E5500	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF021GB			358	
	Intel® Core™ 2 Duo E7500	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF031GB			413	
ESPRIMO P5731																												
	ESP P5731 ESTARS /PENT E6300/1GB/2GB/ DVD SM/320GB SATA II/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD64_PRO_ABC/W7_PRO_V4Y32MULI_A/,																							PDP:P5731PF021GB			449	
	ESP P5731 ESTARS /C2D E8400/1GB/2GB/ DVD SM/500GB SATA II/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD64_PRO_ABC/W7_PRO_V4Y32MULI_A/,																							VFY:P5731PF031GB			544	
ESPRIMO P7936																												
	ESP P7936 0WATT /C2D E8600/2x2GB/GF9300/ DVD SM/500GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:P7936P0001GB			840	
	ESP P7936 0WATT /PENT E6300/2GB/DVD SM/ 250GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:P7936P0002GB			583	
	ESP P7936 ESTARS /C2Q Q9550/2x2GB/ DVD SM/500GB SATA II/CK INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD32_PRO_ABC/ W7_PRO-OR32MULI_A/TWINLOAD/NERO/,																							PDP:P7936P0003GB			816	
	Intel® Core™ 2 Duo E8600	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P7936PF011GB			639	
	Intel® Core™ 2 Quad Q9550	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P7936PF021GB			699	
ESPRIMO P9900																												
	Intel® Core™ i5 i5-660	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			PDP:P9900P0001GB			795	
	Intel® Core™ i5 i5-660	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			PDP:P9900P0002GB			800	
	Intel® Core™ i3 i3-530	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P9900PF011GB			570	
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"										x			NVIDIA® GeForce® 9300GE, 512 MB + up to 1759 MB	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P9900PF021GB			789	
	Intel® Core™ i5 i5-650	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			up to 1759 MB	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			VFY:P9900PXD11GB			607	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Q

Data Sheets: http://ts.fujitsu.com/esprimo

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC.
Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.
Add an eye catcher to your desk.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD_SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO Q9000																												
	Intel® Core™ i3 i3-330M	Genuine Microsoft® Windows® 7 Professional 32-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 5400 rpm, 320 GB, 2.5"						x				x			Intel® HD Graphics	On board, Realtek ALC662, HD	x		2			PDP:Q9000P0001GB			636	
	Intel® Core™ i3 i3-330M	Genuine Microsoft® Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 5400 rpm, 320 GB, 2.5"						x				x	x		Intel® HD Graphics	On board, Realtek ALC662, HD	x		2			VFY:Q9000PF021GB			545	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO E3510	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5625	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P1510	ESPRIMO P2410	ESPRIMO P2540	ESPRIMO P2535	ESPRIMO P2540	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3510	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5625	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P7935	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q1010	ESPRIMO Q5010	ESPRIMO Q9020	ESPRIMO Q9030	ESPRIMO Q9000	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																															
Memory																																															
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x	x						x			x											x	x					x			x								S26361-F2994-L114		34	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x	x						x			x											x	x					x			x								S26361-F2994-L116		59	
	50 pieces 2GB DDR2-800	50 pieces 2GB DDR2-800, 50 modules PC 800 (PC2-6400), DIMM	x	x		x				x			x	x		x	x				x		x	x			x			x			x	x		x	x							S26361-F2994-L156		2513	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit		x			x			x	x			x			x			x		x	x	x	x	x			x			x	x			x							S26361-F2995-L114		34	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit		x			x			x	x			x			x			x		x	x	x	x	x			x			x	x			x							S26361-F2995-L116		61	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit		x			x			x	x			x			x			x									x			x	x			x							S26361-F2994-L118		174	
	1GB DDR3-1333	1 module PC 1333, DIMM			x			x							x			x								x			x						x			x							S26361-F4401-L1		34	
	2GB DDR3-1333	1 module PC 1333, DIMM			x			x	x			x			x			x	x		x					x	x			x			x			x			x	x						S26361-F4401-L2		61	
	4GB DDR3-1333	1 module PC 1333, DIMM			x			x	x			x			x			x	x		x					x	x			x			x			x			x	x						S26361-F4401-L3		164	
	2GB DDR2-800	1 module PC 800 (PC2-6400), SO-DIMM																																											x		S26361-F2876-L116		59	Phased out
	1GB DDR3-1066	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																																									x		x	S26361-F4406-L1		34	
	2GB DDR3-1066	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																																									x		x	S26361-F4406-L2		59	
Graphics																																															
	DVI Extension Adapter	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA)								x	x																					x	x												S26361-F3305-L200		11	
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable														x			x																x			x							S26361-F2757-L655		23	Phased out
	2x DVI-D Extension Adapter PCIe LP	incl. DVI adapter cable												x			x																												S26361-F2757-L660		23	Phased out
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable																								x				x							x							S26361-F2757-L656		22	
	DVI-D + DisplayPort Extension Adaptar LP	exkl. DVI Adapter Kabel						x								x			x										x																S26361-F2757-L661		22	
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible					x	x					x	x		x	x																		x	x		x	x						S26361-F3305-L210		18	
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																											x	x					x	x		x	x						S26361-F3305-L211		18	
	ATI Radeon HD3450 256 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA																				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F3535-L345		45	
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 adapter DVI-VGA																					x				x	x		x			x			x			x	x				S26361-F3535-L545		51	Orderable from: 06/08/2010
	NVIDIA GeForce 9300 GE 256MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA																				x	x	x	x	x			x	x		x	x		x	x		x					S26361-F3000-L936		50	
	NVIDIA GeForce 9300 GE DisplayPort 512MB	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, inkl. Adapter DVI-VGA						x	x		x	x		x	x		x	x	x	x	x											x	x		x	x		x	x	x				S26361-F3000-L934		55	
	NVIDIA GeForce 9300 GE 512MB FH	PCIe Gen2, dual monitor (2 DVI-I/VGA), HDCP, DirectX10, incl. 2 adapter DVI-VG																				x	x	x	x	x	x	x	x	x			x	x		x	x		x	x	x				S26361-F3000-L938		57	
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH69 cable								x	x	x	x	x	x	x	x															x	x	x	x	x	x	x	x					S26361-F3000-L951		80	
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH69 cable																		x																										S26361-F3000-L952		82	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH69 cable																												x			x	x		x	x		x	x	x				S26361-F3000-L957		80	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe																										x	x	x		x	x	x	x	x	x	x	x	x					S26361-F2748-L234		77	
	NVIDIA Quadro NVS 290 256MB PCIe x16LP	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x	x	x	x	x	x	x	x	x	x	x	x	x																										S26361-F2748-L334		77	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor					x	x		x	x		x	x		x	x	x															x	x		x	x		x	x	x				S26361-F2391-L200		25	
Removable Media Drives																																															
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, CF Hi-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, Hi-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, Hi-SPEED MS PRO DUO Magic Gate, SD, Hi-SPEED SD, SDC, MMC, HS MMC, SM, XD					x				x																		x				x													S26361-F3077-L7		18	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software				x				x			x			x												x				x			x			x							S26361-F3418-L10		32	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)				x				x			x			x												x				x			x			x							S26361-F3420-L10		44	
	Blu-ray Disc Triple Writer SATA	occupies 5,25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately				x				x			x			x												x				x			x			x							S26361-F3523-L10		152	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software					x	x		x	x		x	x		x	x	x				x	x	x	x	x		x	x			x	x		x	x		x	x	x				S26361-F3418-L510		32	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)					x	x		x	x		x	x		x	x	x				x	x	x	x	x		x	x			x	x		x	x		x	x	x				S26361-F3420-L510		34	
	Blu-Ray Combo SATA Slot-in slim	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately					x	x		x	x		x	x		x	x	x			x	x	x	x	x	x		x	x			x	x		x	x		x	x	x				S26361-F3523-L510		152	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x	x	x		x	x		x	x		x	x	x			x	x	x	x	x	x		x	x			x	x		x	x		x	x	x				S26361-F3077-L5		18	
	FDD 1.44MB	occupies accessible 3.5"- bay incl. cable					x	x			x			x		x	x		x	x		x	x	x	x			x	x			x			x	x		x	x					S26361-F1723-L510		15	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)			x	x																																							S26361-F3429-L510		48	
	DVD+/-RW SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately																																								x		x	S26361-F3630-L200		57	
Hard Disks																																															
	4 GB CF Card emty		x	x								x	x																																	S26361-F3520-L100		75	
	CF 512MB empty	300x		x									x																																S26361-F3536-L100		30	Phased out
	CF 1GB empty	300x		x									x																																S26361-F3537-L100		38	Phased out
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. , cable and frame, very fast 2.5" solid , state drive with SATA 3GB/s interface		x	x			x	x		x	x		x	x		x	x	x										x				x	x		x	x		x	x	x				S26361-F3575-L100		276	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable		x				x	x	x	x	x		x	x		x	x	x										x				x	x		x	x		x	x	x				S26361-F3560-L100		65	
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x		x	x	x		x	x		x	x		x	x		x			x	x	x	x	x	x	x	x			x	x		x	x		x	x					S26361-F3211-L100		57	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3212-L100		60	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x	x		x	x		x	x		x	x		x	x	x							x	x		x	x			x	x		x	x		x	x	x				S26361-F3570-L100		59	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3435-L100		68	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x	x		x	x		x	x		x	x		x	x	x							x	x		x	x			x	x		x	x		x	x	x				S26361-F3568-L100		103	
	HDD SATA II 500GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x			x				x	x		x	x		x	x	x										x				x	x		x	x		x	x	x				S26361-F3497-L100		85	
Communication/Network																																															
	Gigabit Ethernet SysKonnect LP	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI		x	x																																								S26361-F3067-L50		25	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0							x		x																								x										S26361-F3067-L60		24	Orderable from: 01/07/2010
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile				x	x		x	x		x	x	x	x	x	x	x										x	x	x	x	x	x	x	x	x	x	x				S26361-F3067-L30		23	
	WLAN II, 802.11g,54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface	x			x	x			x			x	x		x	x						x	x			x			x			x	x		x	x							S26361-F3108-L2		27	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface					x	x	x		x	x		x	x		x	x	x				x					x	x			x	x		x	x		x	x	x				S26361-F3108-L5		25	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, adapter to be ordered separately, full Height	x							x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3088-L2		14	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x								x			x	x	x	x	x	x	x	x	x	x	x				S26361-F2542-L30		8	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO E5619	ESPRIMO E5620	ESPRIMO E5621	ESPRIMO E5721	ESPRIMO E5625	ESPRIMO E5635	ESPRIMO E5646	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E8900	ESPRIMO P1510	ESPRIMO P2430	ESPRIMO P2440	ESPRIMO P2530	ESPRIMO P2540	ESPRIMO P2560	ESPRIMO P2580	ESPRIMO P2760	ESPRIMO P3519	ESPRIMO P3530	ESPRIMO P3531	ESPRIMO P3721	ESPRIMO P5625	ESPRIMO P5635	ESPRIMO P5646	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P7935	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q1600	ESPRIMO Q1610	ESPRIMO Q8020	ESPRIMO Q8030	ESPRIMO Q9000	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																	
Communication/Network (Continued)																																																	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot		x	x																																												
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height																					x	x		x	x						x			x			x									
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x	x	x				x	x	x	x	x	x	x	x	x	x	x												x	x	x	x	x	x	x	x	x	x							
	Dual serial card PCI	Dual Port RS232																					x	x				x	x					x					x	x							
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel			x				x	x			x			x		x	x																													
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors	x							x	x	x	x	x	x	x	x	x	x							x		x	x	x		x	x	x	x	x	x	x	x	x						
PRIMERGY-Software																																																
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.																				x																										
OS/Application-SW																																																
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	ESPRIMO, CELSIUS W, incl. Nero 7 Essentials S, Norton Internet Security 2007	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		
Security																																																
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x			x				x			x			x													x				x			x			x									
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard		x	x		x	x	x		x	x		x	x		x	x	x											x	x			x	x		x	x			x	x	x				
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x											x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x											x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x		x	x			x	x		x	x		x		x											x	x			x	x		x	x		x		x						
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x											x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x											x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
Miscellaneous																																																
	Thin Client Kit	CF Adapter and metal HDD adapter,CF card extra to order	x	x									x	x																																			
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x,incl. Riser Card																	x																													
	ESPRIMO Q mounting kit	incl. VESA subadapter																																												x	x		
	Scout EP	Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support	x	x									x	x																																			
	eLux RL	license,including 2 years software support	x	x									x	x																																				
	PowerTerm WBT	Ericom Emulation for Win CE and eLuxNG	x										x																																			
	Remote control																																																
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x,incl. riser card								x	x	x	x	x	x	x	x	x	x																													
	Feet for vertical position (set)					x	x	x	x	x	x	x	x	x	x	x	x	x	x																													
	Rear USB 2.0 connector	2x USB 2.0																												x			x	x	x	x	x	x	x	x	x							
	Blanking Plate + cage 3.5" bay, 6 pcs.									x			x			x																																
	Blanking Plate, 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage								x			x			x																																
	Blanking Plate 5.25" drive bays, 10 pcs.						x	x	x													x	x	x	x	x	x	x	x				x	x	x	x			x	x	x						
	Blanking Plate 3.5" drive bays, 10 pcs.						x	x	x		x	x		x	x		x	x	x			x	x	x	x	x	x	x	x				x	x		x			x	x	x						
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage									x	x		x	x		x	x	x																													
	Blanking Plate + cage 3.5" bay, 6 pcs.										x	x		x	x		x	x	x																													
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x																													
Keyboard /Mouse																																																
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.																																							x	x	x	x	x	LTC:M-RCQ142		26	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	x	x	x								x			x				x		x		x	x		x	x			x	x		x	x							x	x	S26381-K341-L165		26	
	KB SLIM MF PIANO BLACK GB	KB SLIM MF PIANO BLACK, english, brilliant black multifunction keyboard, 2m USB cable, cleaning tissue, retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K370-L265		18	
	KB SLIM MED F	KB SLIM MED F, SLIM keyboard black / silver, 4m USB cable, white box.	x	x	x									x		x	x	x																				x		x	x	x	x	x		x	x	S26381-K370-M540		18	
	KB SLIM MED GB	KB SLIM MED GB, SLIM keyboard black / silver, 4m USB cable, white box.	x	x	x									x		x	x	x																				x		x	x	x	x	x		x	x	S26381-K370-M565		18	
	KB SLIM MF GB	Slim MF Keyboard, new design black / silver, white LED, 2m USB cable fix, retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K370-V565		16	
	Wireless KB and Mouse Set LX450 GB	Wireless Keyboard & Mouse Set LX450 english, 2.4 GHZ technology, optical wireless Mouse, USB stick reicever, 4 x AAA batteries, manual, Retailbox	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K376-L465		20	
	KBPC PX HUB GB	Keyboard Professional HUB english, 2 USB downstream ports, 1 Power On key, 5 comfort keys, global design, bright light grey / black, removable palm rest, fixed USB cable 2m, AC Adapter, manual	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K380-L165		22	Phased out
	Laser Mouse GL5600 Piano Black	Laser Mouse USB Piano Black, 10 button Mouse, Tilt Wheel Technology, from 400 up to 2000 dpi, class 1 Laser, USB cable 1,8m, Software DC, manual, Retail box	x	x	x																																				x		x	S26381-K417-L200		18	
	Presenter Mouse PM1200	Optical Wireless Mouse with 3 add. functions, wireless mouse with 2.4 GHz dongle and 1200 dpi, presenterfunction, Laserpointer and Media Control for Media Player. Up to 10m range, package enclose: Presenter Mouse, dongle, 2 x AA batteries, reail box	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K421-L100		27	Phased out
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100		13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100		14	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey											x					x																				x							x	x	S26381-K500-L165		14	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0			x				x					x			x	x																				x			x					S26381-K528-L165		48	
	KB400 PS2 GB	KB400 PS2 GB, SLIM value Keyboard black Great Britain, PS2.											x					x																				x							x	x	S26381-K551-L465		9	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K560-L465		22	
	Keyboard KB500 USB (N) & Power Cord	marble grey, incl. power cord EU		x	x		x	x	x		x	x		x	x		x	x	x	x	x	x	x	x	x	x		x	x			x	x			x	x		x	x			x	x	S26361-F2542-L276		16	
	KBPC PX GB professional keyboard	keyboard professional PS2 - USB, Great-Britain, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED											x			x																												x	x	S26381-K340-V165		26	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO E5510	ESPRIMO E5520	ESPRIMO E5521	ESPRIMO E5721	ESPRIMO E5625	ESPRIMO E5635	ESPRIMO E5646	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E5935	ESPRIMO E5936	ESPRIMO E5960	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2430	ESPRIMO P2440	ESPRIMO P2530	ESPRIMO P2540	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3510	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5625	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P5935	ESPRIMO P5936	ESPRIMO P5960	ESPRIMO Q1600	ESPRIMO Q1610	ESPRIMO Q8020	ESPRIMO Q8030	ESPRIMO Q9000	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																	
Keyboard /Mouse (Continued)																																																	
Cables																																																	
	Monitor outlet cable	necessary to contact monitor directly to the PC								x			x	x		x	x	x	x													x			x	x		x	x	x	x					S26361-F2542-L57		8	
	Cable for 2. USB device									x																						x																S26361-F2581-L10		15	
	VGA+DVI Dual View Cable	Y-cable from DVI-I to VGA and DVI-D																																											x	x	x	x	x	S26361-F2542-L58		8	
	Power cord three-wire EU	Power cord three-wire EU																																											x			S26361-F2581-L310		8	
	Power cord three-wire GB	Power cord three-wire GB																																											x			S26361-F2581-L320		8	
Additional Software																																																	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x																																												U1081-C157		13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x																																												U1081-C171		991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x																																												U1081-C177		495	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x																																												U1081-C183		26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x																																												U1081-C186		991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x																																												U1081-C192		397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Modul; to openFT V10.0; Attention export restrictions	x																																												U1081-C199		13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x																																												U1081-C201		26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x																																												U1081-C202		1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x																																												U1081-C203		1741	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x																																												U1081-C204		3483	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x																																												U1081-C205		5224	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x																																												U1081-C206		6966	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x																																												U1081-C207		626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x																																												U1081-C208		1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x																																												U1081-C209		2020	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x																																												U1081-C210		3030	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x																																												U1081-C211		4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x																																												U1081-C212		1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x																																												U1081-C213		1741	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x																																												U1081-C214		3483	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x																																												U1081-C215		5224	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x																																												U1081-C216		6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x																																												U1081-C217		626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x																																												U1081-C218		1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required U11081-C209	x																																												U1081-C219		2020	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required U11081-C210	x																																												U1081-C220		3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required U11081-C211	x																																												U1081-C221		4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x																																												U1081-C222		441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x																																												U1081-C223		717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x																																												U1081-C224		1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x																																												U1081-C225		2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x																																												U1081-C226		2843	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U1081-C301		1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U1081-C311		1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U1081-C321		437	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO E3510	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5625	ESPRIMO E5635	ESPRIMO E5646	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E5925	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2430	ESPRIMO P2440	ESPRIMO P2530	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3510	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5625	ESPRIMO P5635	ESPRIMO P5646	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P5925	ESPRIMO P7935	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q1600	ESPRIMO Q1610	ESPRIMO Q8020	ESPRIMO Q8030	ESPRIMO Q9000	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																
Additional Software (Continued)																																																
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10981-C302		1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10981-C312		1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10981-C322		711	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10981-C303		3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10981-C313		3483	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10981-C323		1422	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10981-C300		26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10981-C299		13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501		1070	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513		1070	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525		437	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10987-C502		1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10987-C514		1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x																																											U10987-C526		711	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10987-C503		3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10987-C515		3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x																																											U10987-C527		1422	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x																																											U10987-C504		4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x																																											U10987-C516		4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x																																											U10987-C528		1646	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x																																											U10987-C505		5224	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x																																											U10987-C517		5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x																																											U10987-C529		2133	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500		31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499		13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Positioning CELSIUS workstations

CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS M Series

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS R Series

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS V Series

CELSIUS V Series. 64-bit workstation.
You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 64 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS H270 — Data Sheets: http://ts.fujitsu.com/celsius

No more compromises on graphics performance even when constantly running demanding power-hungry 3D applications. Say hello to a true visual experience. The portable CELSIUS H270 offers its entire performance from a fully equipped workstation at any place - with comprehensive certification for a large number of leading workstation applications.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
CELSIUS H265							
	CELS H265 /CENTRINO 2 VPRO/15.4" WSXGA+/	CELS H265 /CENTRINO 2 VPRO/15.4" WSXGA+/ C2D P8700/2GB/DVD/320GB/NO 3G/BT/MODEM/ MODEMKIT/CK INT/EU-CBL/KB F W\ TS B/ V BUS64/RECDVD V BUS64/TWINL. XP (F)/,	PDP:H2650W0001FR			1344	Phased out
	CELS H265 /15.4" WSXGA+/C2D P8700/2GB/	CELS H265 /15.4" WSXGA+/C2D P8700/2GB/ DVD/320GB/WLAN ATH. B/G/NO 3G/NO MODEM/ CK INT/GB-CBL/KB GB W\ TS B/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	PDP:H2650W0003GB			1281	Phased out
	CELS H265 /CENTRINO 2 VPRO/15.4" WUXGA/	CELS H265 /CENTRINO 2 VPRO/15.4" WUXGA/ C2D T9900/2x2GB/BD COMBO/320GB/ UMTS GTM 382/NO MODEM/CK INT/GB-CBL/ KB GB W\ TS B/COA_W7_MM_PROFES/,	PDP:H2650W0004GB			1945	Phased out
CELSIUS H270							
	CELS H270 /15.4" WSXGA+/C2E QX9300/	CELS H270 /15.4" WSXGA+/C2E QX9300/ 2x2GB/DVD/320GB/WIFI 5300/UMTS GTM 382/ BT/NO MODEM/CK INT/POWERCORD/ KB US W\ TS B/V BUS64/DOWNGR XPP/DU-DVD/,	PDP:H2700W0001NL			2403	Phased out
	CELS H270 /15.4" WSXGA+/C2D T9600/2x2GB/	CELS H270 /15.4" WSXGA+/C2D T9600/2x2GB/ DVD/320GB/WLAN ATH. B/G/NO 3G/NO MODEM/ CK INT/2xGB-CBL/KB GB W\ TS B/V BUS32/ NERO/TWINL. XP (GB)/RECDVD V BUS32/,	PDP:H2700W0004GB			1613	Phased out
	CELS H270 /CENTRINO 2 VPRO/15.4" WUXGA/	CELS H270 /CENTRINO 2 VPRO/15.4" WUXGA/ C2D T9900/2x2GB/DVD/500GB/UMTS GTM 382/ NO MODEM/CK INT/GB-CBL/KB GB W\O TS B/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	PDP:H2700W0005GB			1965	Phased out
	CELS H270 /15.4" WSXGA+/C2D T9600/2x2GB/	CELS H270 /15.4" WSXGA+/C2D T9600/2x2GB/ DVD/320GB/WLAN ATH. B/G/NO 3G/NO MODEM/ CK INT/GB-CBL/KB GB W\ TS B/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	PDP:H2700W0006GB			1533	Phased out
	CELS H270 /15.4" WSXGA+/C2D T9600/2x2GB/	CELS H270 /15.4" WSXGA+/C2D T9600/2x2GB/ BD COMBO/2ND BATT/500GB/WLAN ATH. B/G/ UMTS GTM 382/NO MODEM/CK INT/GB-CBL/ KB GB W\ TS B/COA_W7_MM_PROFES/,	PDP:H2700W0007GB			1795	Phased out
CELSIUS H700							
	CELS H700 /15.6" FHD LED/CORE I7-720QM/	CELS H700 /15.6" FHD LED/CORE I7-720QM/ 2x2GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN ATH. B\G\N/UMTS GOBI 2000/ NO MODEM/CK GB/KB W\ TS GB/,	PDP:H7000W0001GB			1336	

CELSIUS W370 Your gateway to workstation power

CELSIUS W370 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS W series is the versatile all-round workstation for price-conscious users. Offering entry workstation performance, the CELSIUS W370 is your choice for business segments, such as computer aided design, digital content creation and finance. The ISV certification process enables workstation users to run their preferred applications with maximum system stability.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD_SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																																
CELSIUS W370																																
	Intel® Core™2 Duo E8400	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"					x					x					2		Intel® GMA 4500, 256 MB	On board, Realtek ALC663, HD, 5.1 surround		x	GBR			PDP:W3700W0002GB			684	
	Intel® Core™2 Duo E8400	Genuine Microsoft® Windows® 7 Professional 64-bit	2 GB, DDR2, 800 MHz	SATA II, 7200 rpm, 500 GB, 3.5"					x					x					2		Intel® GMA 4500, 256 MB	On board, Realtek ALC663, HD, 5.1 surround		x	GBR			PDP:W3700W0003GB			669	

CELSIUS R570
Your compact "powerhouse" workstation

CELSIUS R570 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R570 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

CELSIUS R670
The new uncompromising high-end workstation

CELSIUS R670 **Data Sheets: http://ts.fujitsu.com/celsius**

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD_SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Frontside USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																																
CELSIUS R670																																
	Intel® Xeon® E5530 + 2nd E5530	Genuine Windows Vista® Business 32-bit	2 x 2 GB, DDR3-SDRAM, 1333 MHz	2 x SATA II, 7200 rpm, 500 GB, 3.5"					x					x					2		DVI Adapter + NVIDIA® Quadro FX 1800, 768 MB	On board, Realtek ALC663, HD		x	GBR			PDP:R6700W0001GB			2447	Phased out
	Intel® Xeon® X5560 + 2nd X5560	Genuine Windows Vista® Business 32-bit	6 x 2 GB, DDR3-SDRAM, 1333 MHz	2 x SATA II, 7200 rpm, 500 GB, 3.5"										x					2		DVI Adapter + NVIDIA® Quadro FX 3800, 1024 MB	On board, Realtek ALC663, HD		x	GBR			PDP:R6700W0002GB			4043	Phased out
	Intel® Xeon® E5530 + 2nd E5530	Genuine Microsoft® Windows® 7 Professional 64-bit	2 x 2 GB, DDR3-SDRAM, 1333 MHz	2 x SATA II, 7200 rpm, 500 GB, 3.5"					x					x					2		DP to DVI-D Adapter Cable + NVIDIA® Quadro FX 1800, 768 MB	On board, Realtek ALC663, HD		x	GB			PDP:R6700W0003GB			2426	Phased out
	Intel® Xeon® X5560 + 2nd X5560	Genuine Windows® XP Professional	6 x 2 GB, DDR3-SDRAM, 1333 MHz	2 x SATA II, 7200 rpm, 500 GB, 3.5"										x					2		DP to DVI-D Adapter Cable + NVIDIA® Quadro FX 1800, 1024 MB	On board, Realtek ALC663, HD		x	GB			PDP:R6700W0004GB			4049	Phased out
	Intel® Xeon® E5530 + 2nd E5530	Genuine Windows® XP Professional	2 x 2 GB, DDR3-SDRAM, 1333 MHz	2 x SATA II, 7200 rpm, 500 GB, 3.5"					x					x					2		DP to DVI-D Adapter Cable + NVIDIA® Quadro FX 1800, 768 MB	On board, Realtek ALC663, HD		x	GB			PDP:R6700W0005GB			2450	Phased out

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS V840 — Data Sheets: http://ts.fujitsu.com/celsius

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS are certified for a huge variety of software applications, guaranteeing you

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
CELSIUS V840-2							
	CELSIUS V840-2	Base unit, prepared for rack mounting (rack mount kit optionally available), AT03 system board D2533, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: NVIDIA nForce Professional 3600, 3050 and NEC uPD720404 PCIe/PCI-X bridge;, DeskView license included., , Slots: , 2 x 4 DIMM-sockets (max. 64 GB DDR2-667/533 SDRAM, 2 x dual channel), 7 slots: 2x PCIe x16, 2x PCIe x8, 2x PCI-X (64-bit / 100 MHz), 1x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , SAS-Controller LSI 1068E, 8 Ports, RAID 0 / 1 (integrated mirroring, integrated mirroring enhanced / integrated striping), network controller 2 x NVIDIA LAN, 10/100/1000 Mbit/s ASF 2.0, serial ATA controller (6 ports, NvRAID 2.0, RAID 0 / 1 / 5 / 0+1), IEEE1394 (Texas Instruments TSB43AB23) and HD-Audio (Realtek ALC262);, , Drive bays: 7 (3x 5,25'' FlexiBays, externally accessible, 4x 3,5'' internal); , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x Firewire;, , Rear interfaces: 2x LAN RJ45, 6x USB 2.0, 1x Firewire, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial;	S26361-K992-V315			866	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets: http://ts.fujitsu.com/celsius**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Processor																												
	Opteron 2350 2.0 GHz	4x512KB L2 2MB L3																x					S26361-F3502-L50			276	
	Opteron 2356 2.3 GHz	4x512KB L2 2MB L3																x					S26361-F3502-L56			589	
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3																x					S26361-F3502-L76			199	
	Opteron 2380 2.5 GHz	4x512KB L2 2MB L3																x					S26361-F3502-L80			328	
	Opteron 2384 2.7 GHz	4x512KB L2 2MB L3																x					S26361-F3502-L84			519	
	XEON L5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L320			553	
	Xeon L5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L330			761	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x								S26361-F3612-L309			450	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x								S26361-F3612-L330			553	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores										x			x								S26361-F3612-L340			952	
	XEON E5502 1.86GHz 4MB	4.8 GT/s QPI, 2 cores									x	x		x	x								S26361-F3539-L102			222	
	Xeon E5503 2.00 GHz, 4 MB	2.00 GHz, 4 MB, 4.8 GT/s QPI, 2 cores										x			x								S26361-F3612-L103			222	
	XEON E5504 2.00GHz 4MB	4.8 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L104			259	
	XEON E5506 2.13GHz 4MB	4.8 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L106			259	
	Xeon E5507 2.26 GHz, 4 MB	2.26 GHz, 4 MB, 4.8 GT/s QPI, 4 cores										x			x								S26361-F3612-L107			302	
	XEON E5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L220			398	
	XEON E5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L230			553	
	XEON E5540 2.53GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L240			753	
	Xeon E5620 2,40 GHz, 12 MB Turbo Boost,	2,40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x								S26361-F3612-L220			398	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x								S26361-F3612-L230			553	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x			x								S26361-F3612-L240			753	
	XEON X5550 2.66GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L950			952	
	XEON X5560 2.80GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L960			1100	
	XEON X5570 2.93GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x								S26361-F3539-L970			1282	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x			x								S26361-F3612-L950			952	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x			x								S26361-F3612-L960			1100	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores										x			x								S26361-F3612-L967			1282	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x			x								S26361-F3612-L970			1282	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores													x								S26361-F3612-L977			1559	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores													x								S26361-F3612-L980			1559	
	XEON W5580 3.20GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores									x	x		x	x								S26361-F3541-L580			1602	
	Xeon W5590 3.33GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores												x	x								S26361-F3541-L590			1602	
Memory																												
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub				x																	S26391-F504-L100			88	
	2GB DDR3-1333 PC3-10600					x																	S26391-F505-L200			97	
	4GB DDR3-1333 PC3-10600					x																	S26391-F505-L300			288	
	1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	x																				S26391-F681-L200			41	
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	x																				S26391-F681-L310			88	
	1GB DDR3-1066 SO-DIMM PC3-8500			x	x																		S26391-F736-L150			41	
	2GB DDR3-1066 SO-DIMM PC3-8500			x	x																		S26391-F736-L250			88	
	4GB DDR3-1066 SO-DIMM PC3-8500			x	x																		S26391-F736-L450			288	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit					x													x			S26361-F2994-L114			34	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit					x													x			S26361-F2994-L116			59	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																			x		S26361-F2995-L114			34	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																			x		S26361-F2995-L116			61	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																			x		S26361-F2994-L118			174	
	2GB DDR3-1333	1 module PC 1333, DIMM							x										x			x	x	S26361-F4401-L2			61	
	1GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM					x																	S26361-F3369-L423			39	
	2GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM					x																	S26361-F3369-L424			77	
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary															x	x						S26361-F3367-L459			147	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3367-L464			294	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3367-L479			952	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																				x	x	S26361-F4411-L2			77	
	4GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																				x	x	S26361-F4411-L3			328	
	4GB 2x2GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3376-L484			147	
	8GB 2x4GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																x						S26361-F3376-L488			294	
	1GB DDR3-1066	1 module						x			x			x										S26361-F3374-L403			34	
	1GB DDR3-1333	1 module							x			x			x									S26361-F3375-L403			34	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x			x			x										S26361-F3375-L413			41	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x			x			x										S26361-F3375-L414			77	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x			x			x										S26361-F3375-L415			328	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x			x			x									S26361-F3377-L413			41	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x			x			x									S26361-F3377-L414			77	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x			x			x									S26361-F3377-L415			328	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																											
Memory (Continued)																											
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary									x			x										S26361-F3375-L424			85	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary									x			x										S26361-F3375-L425			138	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary									x			x										S26361-F3375-L426			501	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary										x			x									S26361-F3377-L424			85	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary										x			x									S26361-F3377-L425			138	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary										x			x									S26361-F3377-L426			501	
Graphics																											
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																		x				S26361-F2757-L655			23	Phased out
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																		x				S26361-F3305-L210			18	
	NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe					x	x	x		x	x	x	x				x		x	x			S26361-F2748-L233			77	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe					x			x			x					x	x	x	x	x	x	S26361-F2748-L234			77	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters																	x				x	S26361-F2748-L235			82	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters					x	x	x		x	x		x	x				x	x		x	x	x	S26361-F2748-L236			82	
	NVIDIA Quadro NVS 440 2x128MB PCIe x1	Connectors: Up to 4x DVI or VGA PCIe					x			x			x					x	x		x	x		S26361-F2748-L244			333	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: up to 4x display ports or up to 4x DVI-D via DP DVI adapter cable						x	x		x	x		x	x					x		x	x	x	S26361-F2748-L245			317	
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters					x	x	x		x	x		x	x				x	x		x	x	x	S26361-F2856-L38			108	
	NVIDIA Quadro FX 580 512MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x	x		x	x		x	x				x	x		x	x	x	S26361-F2856-L58			143	
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x	x		x	x		x	x				x	x		x	x	x	S26361-F2856-L218			380	
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x	x		x	x		x	x				x					x	S26361-F2856-L238			567	
	NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16						x	x	x	x	x	x	x	x				x					x	S26361-F2856-L248			1100	
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16											x	x	x				x						S26361-F2856-L258			2208	
	ATI FirePro V3700 256 MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters					x	x			x			x					x	x		x	x	x	S26361-F2530-L370			77	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters							x			x			x					x			x	x	S26361-F2530-L380			82	
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters							x			x			x					x			x	x	S26361-F2530-L480			164	
	ATI FirePro V5700 512 MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters					x	x			x			x					x	x		x	x	x	S26361-F2530-L570			364	
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters							x			x			x					x			x	x	S26361-F2530-L580			398	
	ATI FirePro V7750 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters						x	x		x	x		x	x				x						S26361-F2530-L775			597	
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters							x			x			x									x	S26361-F2530-L780			623	New product,Orderable from: 12/07/2010
	CELSIUS RemoteAccess Card	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1					x	x	x		x	x	x	x	x				x						S26361-F3565-L1			328	
	CELSIUS RemoteAccess Portal	PCoIP, PCIe x1, 2x DVI-I,10/100/1000 Mbps LAN, 4x USB, audio					x	x	x		x	x	x	x	x				x						S26361-K1322-V1			364	
	NVIDIA Tesla C1060 Computing-Processor	PCIe x16						x	x		x	x	x	x	x				x						S26361-F2856-L106			1039	
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x VGA; PCIe x16							x			x			x										S26361-F2856-L205			1610	Orderable from: 19/07/2010
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor				x	x	x	x	x	x	x	x	x	x				x	x		x	x	x	S26361-F2391-L200			25	
	DVI/VGA Adapter	for connection of one VGA-monitor					x	x	x	x	x	x	x	x	x				x			x	x	x	S26361-F2391-L1			8	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card									x	x		x	x		x	x							S26361-F2542-L95			57	
Removable Media Drives																											
	Blu-ray Triple Writer	bay module, BD read/write + DVD read/write + CD read/write				x																		S26391-F515-L100			192	
	DVD Super multi (reader/writer)					x																		S26391-F515-L200			57	
	Blu-ray combo drive	Bay Modul, BD read + DVD read/write , + CD read/write, Without BluRay Playback Software		x	x																			S26391-F725-L100			99	
	Blu-ray Disc Triple Writer SATA	bay module, BD read/write + DVD read/write + CD read/write, Blu-ray playback SW must be ordered separately		x	x																			S26391-F725-L150			140	
	DVD Super multi (reader/writer)			x	x																			S26391-F725-L200			64	
	weight saver					x																		S26391-F440-L300			13	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software					x			x			x				x	x		x				S26361-F3418-L10			32	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)					x			x			x				x	x		x				S26361-F3420-L10			44	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately					x			x			x					x		x				S26361-F3523-L10			152	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software						x	x		x	x		x	x				x		x	x	x		S26361-F3418-L510			32	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)						x	x		x	x		x	x				x		x	x	x		S26361-F3420-L510			34	
	Blu-Ray Combo SATA Slot-in slim	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately						x	x		x	x		x	x				x		x	x	x		S26361-F3523-L510			152	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																		x		x	x	x	S26361-F3077-L5			18	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Removable Media Drives (Continued)																												
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x		x	x		x	x									S26361-F3077-L4			23	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x											x						S26361-F3077-L6			23	
	FDD 1.44MB	occupies accessible 3,5"- bay,incl. cable																			x			S26361-F1723-L510			15	
Hard Disks																												
	HDD SATA 500GB 7.2k					x																		S26391-F507-L300			190	
	2nd HDD SATA 500GB 7.2k					x																		S26391-F508-L400			190	
	2nd HDD SATA 320GB 5.4k FDE					x																		S26391-F509-L100			165	
	SSD 128GB high speed					x																		S26391-F510-L100			457	
	2nd SSD 256GB high speed					x																		S26391-F510-L210			914	
	2nd HDD SATA 320GB 5.4k			x	x																			S26391-F727-L300			157	Phased out
	2nd HDD SATA 500GB 5.4k			x	x																			S26391-F727-L500			190	
	SSD 128GB Highspeed			x	x																			S26391-F727-L600			415	
	2nd HDD SATA 320GB 7.2k			x	x																			S26391-F728-L300			198	
	2nd SSD 256GB high speed	A solid-state drive (SSD) is a reliable, flash memory-based persistent data storage device with no moving parts. SSDs are an ideal HDD replacement in high shock, high vibration, or high altitude environments. SSDs additionally feature lower power consumption resulting in longer battery run times.		x	x																			S26391-F729-L200			823	
	SSD 128GB high speed	occupies 3,5"-bay (internal), incl. , cable and frame, very fast 2.5" solid , state drive with SATA 3GB/s interface					x	x	x		x	x			x			x	x		x	x	x	S26361-F3575-L100			276	
	SSD 256GB high speed	occupies 3,5"-bay (internal), incl. , cable and frame, very fast 2.5" solid , state drive with SATA 3GB/s interface					x	x	x		x	x			x			x	x		x	x	x	S26361-F3576-L100			484	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable																	x	x	x	x	x	S26361-F3560-L100			65	
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology					x			x			x			x	x	x	x	x	x	x	x	S26361-F3211-L100			57	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F3212-L100			60	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F3570-L100			59	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable					x			x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F3435-L100			68	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F3568-L100			103	
	HDD SATA II 500GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F3497-L100			85	
	HDD SATA II 750GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F3498-L100			138	
	HDD SATAII 1000GB 7.2k business-critical	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable					x	x	x	x	x	x	x	x	x			x	x		x	x	x	S26361-F3521-L100			165	
	HDD SATAII 2000GB 7.2k business-critical	occupies 3,5"-bay (internal),supports NCQ and 3GB/s, incl. cable					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F3590-L100			433	
	HDD SATA II 150GB 10k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable					x	x	x	x	x	x	x	x	x			x						S26361-F3526-L10			120	
	HDD SATA II 300GB 10k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable					x	x	x	x	x	x	x	x	x			x	x			x	x	S26361-F3527-L10			224	
	HDD SAS 73GB 15k	occupies 3,5"-bay (internal), incl. cable					x			x			x				x							S26361-F3405-L20			130	
	HDD SAS 146GB 15k	occupies 3,5"-bay (internal), incl. cable					x	x	x	x	x	x	x	x	x		x	x						S26361-F3406-L20			143	
	HDD SAS 300GB 15k	occupies 3,5"-bay (internal), incl. cable					x	x	x	x	x	x	x	x	x		x	x						S26361-F3414-L20			259	
	HDD SAS 450GB 15k	occupies 3,5"-bay (internal), incl. cable					x	x	x	x	x	x	x	x	x		x	x						S26361-F3518-L20			328	
	HDD SAS 600GB 15k	occupies 3,5"-bay (internal), incl. cable					x	x	x		x	x		x	x			x						S26361-F3591-L100			467	
SCSI/RAID/SAS controller																												
	SAS Controller D2507 (LSI1064e)	4 ports incl. cables, PCIe x4					x	x	x	x	x	x												S26361-F3976-L1			85	
Communication/Network																												
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile					x	x	x	x	x	x	x	x	x			x	x		x	x	x	S26361-F3067-L30			23	
	WLAN II, 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface					x			x			x				x	x		x	x			S26361-F3108-L2			27	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface					x	x	x	x	x	x	x	x	x				x		x	x	x	S26361-F3108-L5			25	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, adapter to be ordered separately, full Height																	x	x	x	x	x	S26361-F3088-L2			14	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot																		x	x	x	x	S26361-F2542-L30			8	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height					x	x	x		x			x					x					S26361-F2542-L34			8	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot																		x	x	x	x	S26361-F2542-L40			8	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height					x	x	x		x	x		x	x				x					S26361-F2542-L70			10	
	Dual serial card PCI	Dual Port RS232					x	x	x		x	x		x	x			x	x		x	x	x	S26361-F3316-L4			20	New product,Orderable from: 01/07/2010
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors								x	x	x							x	x	x	x	x	S26361-F3106-L520			23	
Rack-Infrastructure																												
	Rack mount kit CELSIUS	For assembling in racks from Fujitsu Technology Solutions and in third party racks, inclusive rails					x	x	x	x	x	x	x	x	x		x	x						S26361-F2581-L100			203	
OS/Application-SW																												

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L556			158	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L557			205	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	S26361-F2727-L558			252	
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security					x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2007-L909			18	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero 7 Essentials S, Norton Internet Security 2007	x	x	x	x																		S26361-F2007-L904			16	
Port Replicator																												
	Portreplicator\AC Adapter\EU-cable kit		x																					S26391-F408-L100			90	
	Port Replicator	For LIFEBOOK S7110, S7210, S6410, E8110, E8210, E8310, E8410, C1410, CELSIUS H240, H250	x																					S26391-F408-L110			92	
	Port replicator+ACAdapter+GBcable bundle		x																					S26391-F408-L200			82	
	Portrepl\AC Adapter 100W \EU-Cable Kit					x																		S26391-F517-L100			110	
	Portrepl\AC Adapter 100W \GB-Cable Kit					x																		S26391-F517-L200			110	
	Portreplicator\ AC Adapter 120W	w/o power cord; power cords are listed under "Miscellaneous"		x	x																			S26391-F740-L250			82	
	Portreplicator			x	x																			S26391-F740-L500			90	
UPS/Power supply																												
	2nd battery		x																					S26391-F405-L200			109	Phased out
	1st Battery E8410/ E8420 8-cell 75Wh		x																					S26391-F405-L810			90	
	AC-Adapter 19V/100W		x																					S26391-F408-L300			32	
	2nd battery					x																		S26391-F440-L200			117	
	External battery charger, incl. 16V AC	not fitting for main battery E8420				x																		S26391-F458-L200			140	
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable	x																					S26391-F5031-L700			138	Phased out
	Ext. Battery Charger	without AC-adapter	x																					S26391-F5031-L710			111	Phased out
	1st Battery 8cell 5.800mAh (83Wh)					x																		S26391-F518-L200			99	
	AC-Adapter 19V/100W	w/o power cord; power cords are listed under "Miscellaneous"				x																		S26391-F519-L100			45	
	AC Adapter 120W	w/o power cord; power cords are listed under "Miscellaneous"		x	x																			S26391-F740-L120			32	
	2ND BATTERY			x	x																			S26391-F746-L100			90	Phased out
	1st Battery EM D+X 8-cell			x	x																			S26391-F746-L600			99	
Security																												
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																		x				S26361-F1260-L520			23	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																	x		x	x	x	S26361-F1260-L521			23	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only						x	x		x	x		x	x									S26361-F1260-L522			25	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F1571-L201			14	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F1571-L210			99	
	Absolute Track, Abo. 1J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription	x			x																		S26361-F2009-L101			14	
	Absolute Track, Abo. 2J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription	x			x																		S26361-F2009-L102			22	
	Absolute Track, Abo. 3J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription	x			x																		S26361-F2009-L103			27	
	Data Protection, Abo. 1J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 1 year subscription	x			x																		S26361-F2009-L104			22	
	Data Protection, Abo. 2J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 2 year subscription	x			x																		S26361-F2009-L105			34	
	Data Protection, Abo. 3J.	Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, Data delete, 3 year subscription	x			x																		S26361-F2009-L106			42	
	ComputraceOne, Abo. 1J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription	x			x																		S26361-F2009-L107			26	
	ComputraceOne, Abo. 2J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription	x			x																		S26361-F2009-L108			42	
	ComputraceOne, Abo. 3J.	Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription	x			x																		S26361-F2009-L109			58	
	ATP, Data Protection, PE, Abo. 1J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription				x																		S26361-F2009-L113			36	
	ATP, Data Protection, PE, Abo. 2J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription				x																		S26361-F2009-L114			57	
	ATP, Data Protection, PE, Abo. 3J.	Tamper-proof remote and timer-triggered notebook shut-down, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription				x																		S26361-F2009-L115			70	
	ATP, ComputraceOne, Abo. 1J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 1 year subscription				x																		S26361-F2009-L116			40	
	ATP, ComputraceOne, Abo. 2J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 2 year subscription				x																		S26361-F2009-L117			66	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																											
Security (Continued)																											
	ATP, ComputraceOne, Abo. 3J.	Tamper-proof remote and timer-triggered notebook shut-down, Theft Protection & Recovery, Data delete, Asset Tracking, Manage deployment, Monitor software, Audit reporting, Alert system, 3 year subscription				x																		S26361-F2009-L118			86	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340				x																		S26361-F2432-L710			38	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2542-L220			22	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium				x		x	x		x	x		x	x			x	x		x	x	x	S26361-F2727-L100			18	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2727-L730			31	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26381-F331-L220			19	
Miscellaneous																											
	Keyboard Rubber caps	10 caps	x																					S26391-F2602-V1			13	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).					x	x	x	x	x	x	x	x	x		x	x						S26361-F2581-L200			65	
	Rear USB 2.0 connector	2x USB 2.0																	x					S26361-F2438-L215			7	
	Blanking Plate 5.25" drive bays, 10 pcs.																		x					S26361-F2542-L326			11	
	Blanking Plate 3.5" drive bays, 10 pcs.																		x					S26361-F2542-L327			11	
	Blanking Plate 5.25" drive bays, 10 pcs.																				x	x	x	S26361-F2542-L325			18	
Keyboard /Mouse																											
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x																		LTC:M-RCQ142			26	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED					x	x	x		x	x		x	x			x	x		x	x	x	S26381-K341-L165			26	
	KB SLIM MF PIANO BLACK GB	KB SLIM MF PIANO BLACK, english, brilliant black multifunction keyboard, 2m USB cable, cleaning tissue, retail box	x	x	x	x	x	x	x		x	x		x	x		x	x	x	x	x	x	x	S26381-K370-L265			18	
	KB SLIM MED F	KB SLIM MED F, SLIM keyboard black / silver, 4m USB cable, white box.																	x		x	x	x	S26381-K370-M540			18	
	KB SLIM MED GB	KB SLIM MED GB, SLIM keyboard black / silver, 4m USB cable, white box.																	x		x	x	x	S26381-K370-M565			18	
	KB SLIM MF GB	Slim MF Keyboard, new design black / silver, white LED, 2m USB cable fix, retail box	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26381-K370-V565			16	
	Wireless KB and Mouse Set LX450 GB	Wireless Keyboard & Mouse Set LX450 english, 2,4 GHZ technology, optical wireless Mouse, USB stick reicever, 4 x AAA batteries, manual, Retailbox	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26381-K376-L465			20	
	KBPC PX HUB GB	Keyboard Professional HUB english, 2 USB downstream ports, 1 Power On key, 5 comfort keys, global design, bright light grey / black, removable palm rest, fixed USB cable 2m, AC Adapter, manual	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	S26381-K380-L165			22	Phased out
	Laser Mouse GL5600 Piano Black	Laser Mouse USB Piano Black, 10 button Mouse, Tilt Wheel Technology, from 400 up to 2000 dpi, class 1 Laser, USB cable 1,8m, Software DC, manual, Retail box		x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26381-K417-L200			18	
	Laser Mouse GL5600	Laser Mouse GL5600 Gamer, USB Mouse with add. weights, 10 keys, 4-way-scroll function, 400 upto 2000 dpi, class 1 Laser, software CD, manual, retail box															x	x	x		x	x	x	S26381-K417-L800			20	
	Wireless Laser Mouse WL5600	Wireless Laser Mouse WL5600, 10 buttons and 6 of those are programmable, 4-way scroll function, 800/1200 dip, class 1 Laser, USB RF-Receiver, USB charger, 4 x Ni-MH batteries, CD, manual, retail box.				x																		S26381-K419-L100			22	
	Presenter Mouse PM1200	Optical Wireless Mouse with 3 add. functions, wireless mouse with 2.4 GHz dongle and 1200 dpi, presenterfunction, Laserpointer and Media Control for Media Player. Up to 10m range, package enclose: Presenter Mouse, dongle, 2 x AA batteries, reail box	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	S26381-K421-L100			27	Phased out
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	S26381-K423-L100			13	
	SPACE NAVIGATOR Notebook	3D motion controller USB, 2 programmable keys, manual, software, case, brown box.	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	S26381-K424-L100			128	Phased out
	SPACE EXPLORER	3D motion controller USB, manual, software, case, brown box.	x				x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26381-K425-L100			292	
	Notebook Mouse 400NB Black Retail	Notebook Mouse 400NB Black retail optical 1000 dpi tilt-wheel-function, USB cable 0,85, retail package blister				x																		S26381-K428-L100			7	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	S26381-K429-L100			14	
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2, 3 button Mouse with Tilt-Wheel-Function, 1100 dpi laser sensor, with PS2 adatper, grey with anthracite buttom, 1.8 m USB cable, manual, CD, brown box packed.				x																		S26381-K430-L100			14	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey						x	x					x	x						x			S26381-K500-L165			14	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets: http://ts.fujitsu.com/celsius

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Keyboard /Mouse (Continued)																												
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0																	x			x	x	S26381-K528-L165			48	
	KB400 PS2 GB	KB400 PS2 GB, SLIM value Keyboard black Great Britain, PS2						x	x					x	x						x			S26381-K551-L465			9	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	x	x	x	x	x	x	x		x	x		x	x		x	x	x	x	x	x	x	S26381-K560-L465			22	
	Keyboard KB500 USB (N) & Power Cord	marble grey, incl. power cord EU																	x		x	x	x	S26361-F2542-L276			16	
	KBPC PX GB professional keyboard	keyboard professional PS2 - USB, Great-Britain, global design, bright light grey / black, handrest, 5 comfort keys (loudness + – mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED						x	x					x	x						x			S26381-K340-V165			26	
Cables																												
	Monitor outlet cable	necessary to contact monitor directly to the PC																		x	x			S26361-F2542-L57			8	
	Cable for 2. USB device						x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2581-L10			15	
	Power cord three-wire EU	Power cord three-wire EU		x	x																			S26361-F2581-L310			8	
	Power cord three-wire GB	Power cord three-wire GB		x	x																			S26361-F2581-L320			8	
	Power cord three-wire T	Power cord three-wire T		x	x																			S26361-F2581-L380			22	
Input Devices																												
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x																		S26381-K440-L100			35	
Additional Software																												
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1															x	x						U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x						U11081-C171			991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x						U11081-C177			495	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME															x	x						U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs															x	x						U11081-C186			991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs															x	x						U11081-C192			397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions															x	x						U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0															x	x						U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201															x	x						U11081-C202			1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201															x	x						U11081-C203			1741	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201															x	x						U11081-C204			3483	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201															x	x						U11081-C205			5224	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201															x	x						U11081-C206			6966	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201															x	x						U11081-C207			626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201															x	x						U11081-C208			1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201															x	x						U11081-C209			2020	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201															x	x						U11081-C210			3030	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201															x	x						U11081-C211			4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202															x	x						U11081-C212			1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203															x	x						U11081-C213			1741	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets: http://ts.fujitsu.com/celsius**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																											
Additional Software (Continued)																											
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204															x	x						U11081-C214			3483	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205															x	x						U11081-C215			5224	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206															x	x						U11081-C216			6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207															x	x						U11081-C217			626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208															x	x						U11081-C218			1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209															x	x						U11081-C219			2020	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210															x	x						U11081-C220			3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211															x	x						U11081-C221			4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202															x	x						U11081-C222			441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203															x	x						U11081-C223			717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204															x	x						U11081-C224			1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205															x	x						U11081-C225			2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206															x	x						U11081-C226			2843	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311			1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321			437	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U11081-C302			1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U11081-C312			1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U11081-C322			711	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U11081-C303			3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U11081-C313			3483	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U11081-C323			1422	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C501			1070	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C513			1070	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C525			437	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U10987-C502			1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U10987-C514			1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU															x	x						U10987-C526			711	

CELSIUS Accessories

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																											
Additional Software (Continued)																											
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U10987-C503			3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U10987-C515			3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU															x	x						U10987-C527			1422	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU															x	x						U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU															x	x						U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU															x	x						U10987-C528			1646	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU															x	x						U10987-C505			5224	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU															x	x						U10987-C517			5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU															x	x						U10987-C529			2133	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x		x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	U10987-C499			13	

Positioning Displays

P Line

Superior Displays - P Line and XL Line
A feast for your eyes and a pleasure to use for work or multimedia:
- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

XL Line

B Line

Advanced Displays - B Line and SL Line
Efficiency for intensive office or entertainment usage:
- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
  e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays

SL Line

A/E Line

All-round Displays - A/E Line and L Line
Enter the world of LCD displays at an affordable price:
- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver

L Line

Displays

Data Sheets: http://ts.fujitsu.com/display

P Line
- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on sleected models

XL Line
- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line
- Energy saving solutions (as of Summer 2009)
  - Cut energy cost by half (versus Energy Star 4.1)
  - ECO operation mode for Energy Star 5.0
  - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line
- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line
- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line
- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Displays							
	DISPLAY LL3200T	DISPLAY LL3200T SL-Series 51cm(20")T, Commitment based availability	S26361-K1316-V160			591	
	DISPLAY B17-5 ECO	ESPRIMOVIEW B17-5 ECO Business Line 43cm(17") Display VGA, DVI, 4-in-1 stand Fujitsu Logo	S26361-K1317-V140			149	
	DISPLAY B19-5 ECO	DISPLAY B19-5 ECO Business Line 48cm(19") Display, VGA, DVI, 4-in-1 stand Fujitsu Logo	S26361-K1318-V140			162	
	DISPLAY P19-5P ECO	DISPLAY P19-5P ECO, Premium Line 48cm(19") Display, VGA, DVI, Enhanced Height adjust Auto Pivot, Light sensor, Fujitsu Logo	S26361-K1319-V140			226	
	DISPLAY L3190T	DISPLAY L3190T L-Serie 47cm(18.5")T, Commitment based availability	S26361-K1323-V160			105	
	DISPLAY E19-5	DISPLAY E19-5, E-Serie 48cm (19"), Commitment based availability	S26361-K1330-V160			116	
	DISPLAY E19W-5	DISPLAY E19W-5, E-Serie 48cm (19"wide), Commitment based availability	S26361-K1331-V160			115	
	DISPLAY A17-5 ECO	DISPLAY A17-5 ECO Value Line 43cm(17") Display VGA Interface, Energy Star 5.0	S26361-K1338-V140			125	Phased out
	DISPLAY A19-5 ECO	DISPLAY A19-5 ECO Value Line 48cm(19") Display VGA Interface, Energy Star 5.0	S26361-K1339-V140			134	
	DISPLAY L19T-1 LED	DISPLAY L19T-1 LED L-Serie 47 cm (18.5"w) Only for MEA direct container shipments!	S26361-K1343-V169			107	

Positioning Input Devices & Security devices

Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.

Input devices and Security — Data Sheets: http://ts.fujitsu.com/keyboards

Keyboards
A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice
Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices
Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Keyboard /Mouse							
	KBPC SX D standard keyboard	KBPC SX, keyboard standard, Germany, cable (PS/2,2m), global design	S26381-K397-V120			16	Phased out
	KBPC SX USB GB	KBPC SX USB, keyboard standard, England, cable USB 2m, Global Design	S26381-K398-L165			18	Phased out
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104			5	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1			5	
	Keyboard cable with PS2 connector	with PS/2 plug; length 2m; for KBPC S2, SX, PX	T26139-Y4530-V1			5	

Positioning PRIMERGY Economy Servers

PRIMERGY Econel 100 S2

PRIMERGY Econel servers are the best choice when funds are limited but server availability, performance, and uncomplicated operation are important. PRIMERGY Econel brings server performance at a price rivaling that of a PC!
PRIMERGY Econel servers ensure data security through ECC memory protection and integrated RAID disk mirroring. With its particularly low noise levels, the PRIMERGY Econel 100 S2 is the perfect system for any office environment.

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Processor																
	Opteron 2344 HE 1.7GHz 2MB	AMD Opteron? 2344 HE (4C, 1.70 GHz, SLC: , TLC: 2 MB, Turbo: No, , 55 W) inkl. Kühlkörper						x				S26361-F3862-L170			239	Phased out
Memory																
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533	x								x	S26361-F3000-L514			47	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533	x									S26361-F3000-L515			87	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC					x					S26361-F3230-L522			134	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC					x					S26361-F3230-L523			216	Phased out
	MEM 512MB FBD667 PC2-5300F ECC 1 module	1 module, Fully Buffered DIMM DDR2 667MHz with SDDC					x					S26361-F3230-L811			56	Phased out
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM		x								S26361-F3373-L413			34	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM		x								S26361-F3373-L414			69	
Graphics																
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card		x								S26361-F2748-L531			139	Phased out
Removable Media Drives																
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height	x			x	x	x		x	x	SNP:SY-F2234L1-A			34	
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, 1.6" fitting height, anthracite	x			x	x	x			x	S26361-F3148-L1			58	Phased out
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)	x	x	x		x					S26361-F3857-L1			144	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with standard USB cable, with description (G/US), data and cleaning cartridge	x	x	x	x	x					S26361-F3324-L3			394	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge	x			x	x					S26361-F3324-L4			408	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x			x	x	x	x	x	x	S26361-F2848-L3			428	Phased out
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software		x								S26361-F3418-L10			32	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)		x								S26361-F3420-L10			44	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately		x								S26361-F3523-L10			152	
Hard Disks																
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"	x			x	x					S26361-F3219-L160			71	Phased out
	HD SATA 3GB/s 500GB 7.2k hot pl 3.5"	7.200 rpm, fitting height 1"						x				S26361-F3256-L500			188	
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical						x				S26361-F3265-L100			389	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical						x				S26361-F3265-L250			99	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical						x				S26361-F3265-L500			188	
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 750 GB, 7200 rpm, hot-plug, 3.5-inch, business critical						x				S26361-F3265-L750			265	
	HD SATA 3GB/s 160GB 7.2k nhp 3.5" tray	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, non hot plug, 3.5-inch, economic						x				S26361-F3461-L160			69	Phased out
	HDD SATA 160GB 7.2k hot plug 3.5" M	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot plug, 3.5-inch						x				S26361-F3861-L160			69	
	HDD SATA 500GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier						x				S26361-F3861-L500			182	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x				S26361-F3204-L573			188	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x				S26361-F3204-L514			242	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Hard Disks (Continued)																
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x				S26361-F3204-L530			421	
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x				S26361-F3204-L545			502	
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology		x	x							S26361-F3211-L100			57	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology		x	x							S26361-F3212-L100			60	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable			x							S26361-F3435-L100			68	
	HDD SATA II 500GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x								S26361-F3497-L100			85	
	HDD SATA II 750GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x								S26361-F3498-L100			138	
	HDD SATAII 1000GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x								S26361-F3521-L100			165	
SCSI/RAID/SAS controller																
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI				x	x	x	x		x	S26361-F2399-L1			204	Phased out
	68-Pin Kit for accessible drives	Cable with terminator				x	x				x	S26361-F2814-L6			45	
	BBU Modul for RAID Controller	BBU modul for RAID controller						x				S26361-F3085-L10			112	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU						x				S26361-F3085-L2			195	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator						x				S26361-F3120-L30			34	
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks					x					S26361-F3217-L100			121	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068						x				S26361-F3271-L1			188	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile						x				S26361-F3271-L201			182	
Communication/Network																
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter	x			x	x	x		x	x	S26361-F3142-L1			54	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter	x	x	x		x	x				S26361-F3142-L2			52	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter	x	x				x				S26361-F3241-L1			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter						x				S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel GBit CT 1 Port Desktop Adapter		x			x	x				S26361-F3516-L1			52	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel GBit CT 1 Port Desktop Adapter lp						x				S26361-F3516-L201			54	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter							x	x		S26361-F3011-L1			155	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter	x			x	x	x	x	x	x	S26361-F3053-L1			91	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter							x			S26361-F3054-L1			296	Phased out
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile		x								S26361-F3067-L30			23	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot		x								S26361-F2542-L30			8	
Rack-Infrastructure																
	cage nut set, M5, t=2,5mm	Content: 50 pieces						x				S26361-F2735-L500			44	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks						x				S26361-F2735-L8			26	
PRIMERGY-Software																
	Win Srv 2008 Fnd TS CAL (5 Device) EmMkt	Win Srv 2008 Fnd TS CAL (5 Device) EmMkt Only for distribution within Selected Countries: India, Argentina, Chile, Columbia, Mexico, Turkey, Indonesia, and Malaysia. OEM Win Srv 2008 Fnd TS CAL 5 Decices for Foundation. COA, License. Maximum of 50 TS-CAL.		x								S26361-F2565-L305			120	
	Win Srv 2008 Foundation English ROK	Win Srv 2008 Foundation English ROK, Only for distribution within Selected Countries. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.		x								S26361-F2565-L308			167	Phased out

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
PRIMERGY-Software (Continued)																
	Win Srv 2008 Fnd TS CAL (5 User) EmMkt	Win Srv 2008 Fnd TS CAL (5 User) EmMkt Only for distribution within Selected Countries: India, Argentina, Chile, Columbia, Mexico, Turkey, Indonesia, and Malaysia. OEM Win Srv 2008 Fnd TS CAL 5 Users for Foundation. COA, License. Maximum of 50 TS-CAL.		x								S26361-F2565-L309			120	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, ROK DVD, license		x								S26361-F2565-L325			1645	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license		x								S26361-F2565-L326			1645	Phased out
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual		x			x	x				S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual		x			x	x				S26361-F2565-L341			94	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual		x			x	x				S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual		x			x	x				S26361-F2565-L343			94	
	Win Server 2008 TS CAL (5 Device)	(5 Device) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual		x			x	x				S26361-F2565-L344			322	Phased out
	Win Server 2008 TS CAL (5 User)	(5 User) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual		x			x	x				S26361-F2565-L345			322	Phased out
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)		x				x				S26361-F2565-L346			47	
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)		x				x				S26361-F2565-L347			47	
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)		x				x				S26361-F2565-L348			224	
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)		x				x				S26361-F2565-L349			224	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
PRIMERGY-Software (Continued)																
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.		x				x				S26361-F2565-L350			539	
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.		x				x				S26361-F2565-L360			940	
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.		x				x				S26361-F2565-L368			112	
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.		x				x				S26361-F2565-L369			112	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.		x								S26361-F2567-L340			68	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.		x								S26361-F2567-L341			322	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.		x								S26361-F2567-L342			68	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.		x								S26361-F2567-L343			322	
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.		x				x				S26361-F2565-L592			381	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.		x				x				S26361-F2565-L593			758	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
PRIMERGY-Software (Continued)																
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.		x				x				S26361-F2565-L594			381	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.		x				x				S26361-F2565-L595			758	
	MS SysCtr Essntls Mgmt Suite ROK	MS System Center Essentials Management Suite. English. ROK DVD, License.		x								S26361-F2567-L10			21	Phased out
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.		x				x				S26361-F2565-L590			1192	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.		x				x				S26361-F2565-L591			2389	
	MS SysCtr Essntls Server ML 1-OSE	MS System Center Essentials Managed Server License 1 OSE Pack., OSE = Operating System Environment		x								S26361-F2567-L11			87	Phased out
	MS SysCtr Essntls Server ML 5-OSE	MS System Center Essentials Managed Server License 5 OSE Pack., OSE = Operating System Environment		x								S26361-F2567-L12			429	Phased out
	MS SysCtr Essntls Client ML 5-Pack	MS System Center Essentials Managed Client License 5 Pack.		x								S26361-F2567-L13			61	Phased out
	MS SysCtr Essntls Client ML 20-Pack	MS System Center Essentials Managed Client License 20 Pack.		x								S26361-F2567-L14			239	Phased out
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	U15000-C176			186	
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!				x			x	x	x	U15000-C288			52	Phased out
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x	x	x	x	x	x	U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license		x		x	x	x	x	x	x	U15000-C299			26	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!				x			x	x	x	U15000-C300			121	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!				x		x	x	x	x	U15000-C301			52	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal		x	x							S26361-F2346-L601			126	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal						x				S26361-F2346-L611			222	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal		x	x			x				S26361-F2346-L621			432	
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	x				S26361-F2346-L411			82	
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	x				S26361-F2346-L412			198	
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	x				S26361-F2346-L415			213	
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	x				S26361-F2346-L416			509	
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	x				S26361-F2346-L417			429	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
PRIMERGY-Software (Continued)																
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	x				S26361-F2346-L418			1029	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!						x				S26361-F2341-L556			3391	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!						x				S26361-F2341-L557			3391	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!						x				S26361-F2341-L558			1019	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!						x				S26361-F2341-L559			1019	
OS/Application-SW																
	CA ARCserve r12.5 Base for Windows	Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htm, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2500			700	
	UP CA ARCserve r12.5 Basis für Windows	Upgrade From BrightStor ARCserve Backup r11.x or r12.0, Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2500-U			525	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12.5 WIN Disaster Recov. O.	CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2503			628	
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.	Upgrade from CA ARCserve Backup for Windows Disaster Recovery Option r11.x or r12.0., CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2503-U			471	
	CA ARCserve r12.5 WIN Open Files Agent	CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2505			719	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12.5 WIN Open Files Agnt	Upgrade from CA ARCserve Backup Agent for Open Files on Windows r11.x or r12.0, CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2505-U			539	
	CA ARCserve r12.5 WIN MS Exchange Agent	CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2507			900	
	UP CA ARCserve r12.5 WIN MS Exch. Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft Exchcange r11.x or r12.0, CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2507-U			600	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12.5 WIN MS SQL Agent	CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2511			900	
	UP CA ARCserve r12.5 WIN MS SQL Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft SQL r11.x or r12.0, CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2511-U			675	
	CA ARCserve r12.5 WIN Wind. Client Agent	CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2513			357	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12.5 WIN Wind. Client Ag	Upgrade from CA ARCserve Backup Client Agent for Windows r11.x or 12.0, CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2513-U			268	
	CA ARCserve r12.5 WIN MS SBS Premium Edt	CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2514			673	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.	Upgrade from CA ARCserve Backup for Windows for MS SBS Premium Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2514-U			505	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12.5 WIN MS SBS Std. Edt.	CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2516			493	
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt	Upgrade from CA ARCserve Backup for Windows for MS SBS Standard Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html		x	x			x				U15355-C2516-U			369	
	ARCserve r12.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD		x								U15355-C2999			22	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD		x								U15355-C732			22	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C600			1384	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C616			2109	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2000			700	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 Base for Windows Gov.	Basic component of CA ARCserve Backup r12. , For Government Customers, This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2000-G			539	
	UP CA ARCserve r12 Basis for Windows	## Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2000-U			525	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 Basis für Windows Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12., Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2000-U-G			404	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C400U1			175	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C400U3			526	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x								U15355-C750			436	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x							U15355-C800			683	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x							U15355-C800-U			512	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x							U15355-C800U1			175	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x							U15355-C800U3			525	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.		x							U15355-C920			5235	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C601			1937	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C617			2927	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2001			900	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	ARCserve r12 WIN Tape Lib. Opt. Gov.	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2001-G			693	
	UP CA ARCserve r12 WIN Tape Library Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2001-U			675	
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2001-U-G			520	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C401U1			225	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C401U3			674	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x								U15355-C751			612	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C801			877	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C801-U			657	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C801U1			225	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C801U3			675	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!		x								U15355-C921			523	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C602			2109	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C618			3005	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2002			1441	
	CA ARCserve r12 WIN SAN Option Gov.	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2002-G			1110	
	UP CA ARCserve r12 WIN SAN Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2002-U			1081	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN SAN Option Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2002-U-G			833	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C402U1			293	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C402U3			878	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C802			877	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C802-U			657	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C802U1			225	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C802U3			675	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!		x								U15355-C922			523	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C603			2927	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C619			4207	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2003			628	
	CA ARCserve r12 WIN Disaster Rec. O. Gov	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2003-G			484	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2003-U			471	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN Disaster Rec. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2003-U-G			363	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C403U1			360	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C403U3			1081	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C803			877	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C803-U			657	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C803U1			225	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C803U3			675	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!		x								U15355-C923			1052	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C604			1318	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C620			1977	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2004			900	
	CA ARCserve r12 WIN NDMP NAS Option Gov.	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2004-G			693	
	UP CA ARCserve r12 WIN NDMP NAS Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2004-U			675	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2004-U-G			520	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C404U1			360	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C404U3			1081	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C751U1			157	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C804			877	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C804-U			657	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C804U1			225	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C804U3			675	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C605			1845	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C621			2744	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2005			719	
	CA ARCserve r12 WIN Open Files Agent Gov	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2005-G			553	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN Open Files Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2005-U			539	
	UP CA ARCserve r12 WIN Open File Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2005-U-G			415	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C405U1			157	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C405U3			470	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C751U3			470	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C805			877	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C805-U			657	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C805U1			225	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C805U3			675	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C606			1055	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C622			1318	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2006			1171	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN IBM Informix Agt Gov	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2006-G			901	
	UP CA ARCserve r12 WIN IBM Informix Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2006-U			878	
	UP CA ARCserve r12 IBM Informix Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2006-U-G			676	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C406U1			225	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C406U3			674	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C806			348	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C806-U			261	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C806U1			89	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C806U3			268	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C607			1477	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C623			1845	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2007			900	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN MS Exchange Agt. Gov	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2007-G			693	
	UP CA ARCserve r12 WIN MS Exchange Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2007-U			675	
	UP CA ARCserve r12 MS Exchange Agt Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2007-U-G			520	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C407U1			225	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C407U3			674	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C807			220	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C807-U			166	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C807U1			56	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C807U3			169	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C608			2109	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C624			3005	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2008			900	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2008-G			693	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2008-U			675	
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2008-U-G			520	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C408U1			225	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C408U3			674	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C808			348	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C808-U			261	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C808U1			89	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C808U3			268	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C609			2927	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C625			4207	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2009			1171	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Sybase Agent Gov.	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2009-G			901	
	UP CA ARCserve r12 WIN Sybase Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2009-U			878	
	UP CA ARCserve r12 WIN Sybase Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2009-U-G			676	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C409U1			180	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C409U3			539	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C809			220	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C809-U			166	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C809U1			56	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C809U3			169	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C610			3135	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C626			4704	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2010			900	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Oracle Agent Gov.	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2010-G			693	
	UP CA ARCserve r12 WIN Oracle Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2010-U			675	
	UP CA ARCserve r12 WIN Oracle Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2010-U-G			520	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C410U1			180	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C410U3			539	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C810			1405	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C810-U			1054	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C810U1			360	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C810U3			1081	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C611			4390	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C627			6585	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2011			900	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN MS SQL Agent Gov.	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2011-G			693	
	UP CA ARCserve r12 WIN MS SQL Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2011-U			675	
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2011-U-G			520	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C411U1			293	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C411U3			878	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C811			1405	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C811-U			1054	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C811U1			360	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C811U3			1081	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C612			1845	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C628			2373	
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2012			1804	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN SAP/R3 Oracl Opt Gov	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2012-G			1389	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2012-U			1352	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2012-U-G			1041	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C412U1			225	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C412U3			674	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C812			1141	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C812U1			293	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C812U3			878	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C613			2561	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C629			3293	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2013			226	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Windows Client A Gov	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , Nur für Government Kunden!		x	x			x				U15355-C2013-G			174	
	UP CA ARCserve r12 WIN Windows Client Ag	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2013-U			169	
	UP CA ARCserve r12 Windows Client Ag Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2013-U-G			130	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C413U1			360	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C413U3			1081	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C813			436	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C614			1186	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C630			1977	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2014			628	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2014-G			484	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN MS SBS Premium E.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2014-U			471	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2014-U-G			363	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C414U1			225	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C414U3			674	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C814			877	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C615			1661	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x			x				U15260-C631			2744	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2015			1441	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2015-G			1110	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2015-U			1081	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2015-U-G			833	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x								U15355-C356			2048	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C415U1			225	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C415U3			674	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2016			448	
	CA ARCserve r12 WIN MS SBS Std. Edt. Gov	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2016-G			344	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2016-U			336	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN MS SBS Std Edt Go	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2016-U-G			258	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C416U1			293	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C416U3			878	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server		x	x			x				U15260-C40U1			603	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2017			448	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN DiskToDiskToTape Gov	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2017-G			344	
	UP CA ARCserve r12 WIN DiskToDiskToTape	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2017-U			336	
	UP CA ARCserve r12 WIN Disk2Dsk2Tape Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2017-U-G			258	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C417U1			225	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C417U3			674	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2018			900	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2018-G			693	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2018-U			675	
	UP CA ARCserve r12 MS Sharepoint Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2018-U-G			520	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C418U1			225	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C418U3			674	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2019			3786	
	CA ARCserve r12 WIN Enterprise Modul Gov	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2019-G			2915	
	UP CA ARCserve r12 WIN Enterprise Module	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2019-U			3361	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2019-U-G			2588	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C419U1			352	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C419U3			1057	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2020			900	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN MS DPM Agent Gov.	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2020-G			693	
	UP CA ARCserve r12 WIN MS DPM Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2020-U			675	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2020-U-G			520	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C420U1			89	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C420U3			267	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x								U15355-C720			348	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2021			4476	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2021-G			3446	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2021-U			3357	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2021-U-G			2585	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C421U1			89	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C421U3			267	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x								U15355-C780-U			512	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2022			900	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN VMware Agent Gov.	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2022-G			693	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C422U1			89	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C422U3			267	
	UP ARCserve r11.5 Client Agent Linux Gov	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!		x								U15355-C721-U-G			130	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x			x				U15355-C2023			1352	
	CA ARCserve r12 WIN Central Mgt. Opt Gov	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!		x	x			x				U15355-C2023-G			1041	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C423U1			89	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C423U3			267	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	UP ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!		x								U15355-C720-U-G			206	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C424U1			89	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C424U3			267	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C428U1			360	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C428U3			1081	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C429U1			293	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C429U3			878	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C430U1			764	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C430U3			2272	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C431U1			111	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C431U3			336	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C432U1			225	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C432U3			674	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	ARCserve r11.5 WIN Client Agt. Linux Gov	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!		x								U15355-C721-G			199	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C433U1			225	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C433U3			674	
	ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!		x								U15355-C720-G			275	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C434U1			337	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C434U3			1013	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
OS/Application-SW (Continued)																
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C435U1			225	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C435U3			675	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x								U15355-C436U1			1063	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x								U15355-C436U3			3162	
UPS/Power supply																
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface						x				S26113-F233-L1			31	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence	x			x	x	x	x	x	x	S26113-F80-L10			220	Phased out
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot		x			x	x				S26113-F80-L30			220	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x		x	x	x	T26139-Y1744-L10			13	
Media																
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label	x				x					D:CL-DAT160-MX-01			20	
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label	x	x	x	x	x	x		x	x	D:CL-DAT72-MX-01			5	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives	x			x	x					D:CL-LTO2-FJ-01			38	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives	x			x	x					D:CL-LTO2-FJ-01L			39	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives	x			x	x					D:CL-LTO2-IB-01			47	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO -drives	x			x	x					D:CL-LTO2-IB-01L			47	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives	x			x	x					D:CL-LTO2-MX-01			44	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives	x			x	x					D:CL-LTO2-MX-01L			45	
	LTO cleaning label	label for LTO cleaning cartridges	x			x	x					D:CL-LTO-LAB			1	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives	x			x	x					D:CL-LTO-SY-01			46	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives	x			x	x					D:CL-LTO-SY-01L			47	
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package	x			x	x					D:CL-LTO-SY-EP01			47	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Media (Continued)																
	LTO cleaning cart.Sony single pack&label	1x Cleaning cartridge with label from Sony for LTO drives at a single package	x			x	x					D:CL-LTO-SY-EP01L			48	
	VXA cleaning label	Label for VXA cleaning cartridge	x			x	x		x	x	x	D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge	x			x	x	x	x	x	x	D:CL-VXA2-X-01			20	
	VXA cleaning cartridge with label	VXA cleaning cartridge	x			x	x	x	x	x	x	D:CL-VXA2-X-01L			21	
	DAT160 data cartridge	DAT160 data cartridge without label	x				x					D:CR-DAT160-MX-01			21	
	DAT72 data cartridge	DAT72 data cartridge without label	x	x	x	x	x	x		x	x	D:CR-DAT72-MX-01			10	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity	x			x	x					D:CR-LTO1-FJ-01			24	Phased out
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity	x			x	x					D:CR-LTO1-FJ-01L			25	Phased out
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity	x			x	x					D:CR-LTO1-IB-01			24	
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity	x			x	x					D:CR-LTO1-IB-01L			24	
	LTO 1 barcode label	label for LTO-1 data cartridges	x			x	x					D:CR-LTO1-LAB			1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity	x			x	x					D:CR-LTO1-MX-01			23	Phased out
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity	x			x	x					D:CR-LTO1-MX-01L			24	Phased out
	VXA barcode label	Label for VXA data cartridge	x			x	x		x	x	x	D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x			x	x	x	x	x	x	D:CR-VXA2-X10-01			22	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x			x	x	x	x	x	x	D:CR-VXA2-X10-01L			23	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x			x	x	x	x	x	x	D:CR-VXA2-X23-01			48	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x			x	x	x	x	x	x	D:CR-VXA2-X23-01L			49	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x		x					S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed	x				x					S26361-F3857-L169			859	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x		x					S26361-F3857-L320			134	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x				x					S26361-F3857-L329			1284	
Additional Software																
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x		x			x	x	x	U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C171			991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C177			495	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x		x			x	x	x	U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C186			991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C192			397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x		x			x	x	x	U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x		x			x	x	x	U11081-C201			26	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Additional Software (Continued)																
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C202			1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C203			1741	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C204			3483	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C205			5224	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C206			6966	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x			x			x	x	x	U11081-C207			626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C208			1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C209			2020	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C210			3030	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x		x			x	x	x	U11081-C211			4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x		x			x	x	x	U11081-C212			1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x		x			x	x	x	U11081-C213			1741	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x		x			x	x	x	U11081-C214			3483	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x		x			x	x	x	U11081-C215			5224	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x		x			x	x	x	U11081-C216			6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x		x			x	x	x	U11081-C217			626	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Additional Software (Continued)																
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x		x			x	x	x	U11081-C218			1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x		x			x	x	x	U11081-C219			2020	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x		x			x	x	x	U11081-C220			3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x		x			x	x	x	U11081-C221			4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x		x			x	x	x	U11081-C222			441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x		x			x	x	x	U11081-C223			717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x		x			x	x	x	U11081-C224			1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x		x			x	x	x	U11081-C225			2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x		x			x	x	x	U11081-C226			2843	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C311			1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x	x	U11081-C321			437	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x		x			x	x	x	U11081-C302			1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x		x			x	x	x	U11081-C312			1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x		x			x	x	x	U11081-C322			711	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x		x			x	x	x	U11081-C303			3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x		x			x	x	x	U11081-C313			3483	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x		x			x	x	x	U11081-C323			1422	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Additional Software (Continued)																
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x		x			x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x		x			x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x	x	U10987-C501			1070	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x	x	U10987-C513			1070	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x	x	U10987-C525			437	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x		x			x	x	x	U10987-C502			1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x		x			x	x	x	U10987-C514			1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x		x			x	x	x	U10987-C526			711	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x		x			x	x	x	U10987-C503			3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x		x			x	x	x	U10987-C515			3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x		x			x	x	x	U10987-C527			1422	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x		x			x	x	x	U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x		x			x	x	x	U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x		x			x	x	x	U10987-C528			1646	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x		x			x	x	x	U10987-C505			5224	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x		x			x	x	x	U10987-C517			5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x		x			x	x	x	U10987-C529			2133	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x		x			x	x	x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x		x			x	x	x	U10987-C499			13	

Economy Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services																
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GA2S00Z00GBEC1			22	
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GA2S00Z00GBPE2			48	
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GA2S00Z00GBSFC			21	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GA3S00Z00GBEC1			44	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GA3S00Z00GBPE2			96	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GA3S00Z00GBSFC			38	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GA4S00Z00GBEC1			67	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GA4S00Z00GBPE2			145	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GA4S00Z00GBSFC			63	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GA5S00Z00GBEC1			89	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GA5S00Z00GBPE2			193	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GA5S00Z00GBSFC			84	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GB3S00000GBSFC			42	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIME	x			x	x		x	x	x	FSP:GB3S20Z00GBSFC			61	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GB4S00000GBSFC			63	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 200	x			x	x		x	x	x	FSP:GB4S20000GBSFC			84	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GB4S20Z00GBEC1			67	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIME	x			x	x		x	x	x	FSP:GB4S20Z00GBSFC			92	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GB5S00000GBSFC			84	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 200	x			x	x		x	x	x	FSP:GB5S20000GBSFC			121	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GB5S20Z00GBEC1			89	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIME	x			x	x		x	x	x	FSP:GB5S20Z00GBSFC			121	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD3S00Z00GBEC1			36	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GD3S20Z00GBEC1			46	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PR	x			x	x		x	x	x	FSP:GD3S20Z00GBSFC			61	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 40, ECONEL 50, ECONEL 200	x			x	x		x	x	x	FSP:GD3S60000GBSFC			100	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD3S60Z00GBEC1			182	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 2	x			x	x		x	x	x	FSP:GD3S60Z00GBSFC			179	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD3S63Z00GBEC1			267	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL	x			x	x		x	x	x	FSP:GD3S63Z00GBSFC			345	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GD3SD0Z00GBEC1			107	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200,	x			x	x		x	x	x	FSP:GD3SD0Z00GBSFC			145	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GD3SD3Z00GBEC1			131	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GD3SD3Z00GBSFC			175	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GD3SG0Z00GBEC1			107	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONE	x			x	x		x	x	x	FSP:GD3SG0Z00GBSFC			145	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GD3SG3Z00GBEC1			131	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECON	x			x	x		x	x	x	FSP:GD3SG3Z00GBSFC			175	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GD4S60000GBSFC			248	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD4S60Z00GBEC1			253	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 2	x			x	x		x	x	x	FSP:GD4S60Z00GBSFC			143	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD4S63Z00GBEC1			347	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL	x			x	x		x	x	x	FSP:GD4S63Z00GBSFC			489	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GD5S60000GBSFC			186	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD5S60Z00GBEC1			321	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 2	x			x	x		x	x	x	FSP:GD5S60Z00GBSFC			316	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GD5S63Z00GBEC1			439	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL	x			x	x		x	x	x	FSP:GD5S63Z00GBSFC			631	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GE3S20Z00GBEC1			101	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GE3S20Z00GBSFC			127	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GE4S20Z00GBEC1			149	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMER	x			x	x		x	x	x	FSP:GE4S20Z00GBSFC			186	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GE5S20Z00GBEC1			195	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMER	x			x	x		x	x	x	FSP:GE5S20Z00GBSFC			241	
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GM2S00Z00GBEC1			22	
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GM2S00Z00GBPE2			48	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200 SCSI R	x			x	x		x	x	x	FSP:GM2S00Z00GBSFC			21	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GM3S00Z00GBEC1			44	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GM3S00Z00GBPE2			96	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200 SCSI R	x			x	x		x	x	x	FSP:GM3S00Z00GBSFC			42	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GM4S00Z00GBEC1			67	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GM4S00Z00GBPE2			145	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200 SCSI R	x			x	x		x	x	x	FSP:GM4S00Z00GBSFC			63	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GM5S00Z00GBEC1			89	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 230R S1						x				FSP:GM5S00Z00GBPE2			193	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 S2, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECONEL 200 SCSI R	x			x	x		x	x	x	FSP:GM5S00Z00GBSFC			84	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1		x	x							FSP:GN3S00Z00GBEC1			44	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for Econel 230R S1, PRIMERGY Econel 230R S1						x				FSP:GN3S00Z00GBPE2			96	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GN3S00Z00GBSFC			42	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GN3S20Z00GBEC1			46	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMERGY EC	x			x	x		x	x	x	FSP:GN3S20Z00GBSFC			61	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GN4S00000GBSFC			63	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1		x	x							FSP:GN4S00Z00GBEC1			67	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY Econel 230R S1						x				FSP:GN4S00Z00GBPE2			145	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 200	x			x	x		x	x	x	FSP:GN4S20000GBSFC			84	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GN4S20Z00GBEC1			67	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMERGY EC	x			x	x		x	x	x	FSP:GN4S20Z00GBSFC			92	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 100, ECONEL 200	x			x	x		x	x	x	FSP:GN5S00000GBSFC			84	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1		x	x							FSP:GN5S00Z00GBEC1			89	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY Econel 230R S1						x				FSP:GN5S00Z00GBPE2			193	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 40, ECONEL 50, ECONEL 200	x			x	x		x	x	x	FSP:GN5S20000GBSFC			121	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GN5S20Z00GBEC1			89	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMERGY EC	x			x	x		x	x	x	FSP:GN5S20Z00GBSFC			121	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GP3S20Z00GBEC1			46	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY	x			x	x		x	x	x	FSP:GP3S20Z00GBSFC			61	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GP3S60Z00GBEC1			74	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCS	x			x	x		x	x	x	FSP:GP3S60Z00GBSFC			100	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GP3S63Z00GBEC1			107	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SC	x			x	x		x	x	x	FSP:GP3S63Z00GBSFC			145	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GP3SD0Z00GBEC1			107	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIME	x			x	x		x	x	x	FSP:GP3SD0Z00GBSFC			145	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GP3SD3Z00GBEC1			131	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIM	x			x	x		x	x	x	FSP:GP3SD3Z00GBSFC			175	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GP3SG0Z00GBEC1			107	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GP3SG0Z00GBSFC			145	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, Econel 100 S2, ECONEL 130 S1		x	x							FSP:GP3SG3Z00GBEC1			131	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200	x			x	x		x	x	x	FSP:GP3SG3Z00GBSFC			175	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GP4S60Z00GBEC1			106	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCS	x			x	x		x	x	x	FSP:GP4S60Z00GBSFC			144	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GP4S63Z00GBEC1			151	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SC	x			x	x		x	x	x	FSP:GP4S63Z00GBSFC			204	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GP5S60Z00GBEC1			137	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCS	x			x	x		x	x	x	FSP:GP5S60Z00GBSFC			186	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GP5S63Z00GBEC1			195	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SC	x			x	x		x	x	x	FSP:GP5S63Z00GBSFC			262	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GQ3S20Z00GBEC1			46	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Product related services (Continued)																
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECO	x			x	x		x	x	x	FSP:GQ3S20Z00GBSFC			62	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GQ4S20Z00GBEC1			68	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECO	x			x	x		x	x	x	FSP:GQ4S20Z00GBSFC			91	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for ECONEL 100 S2, ECONEL 130 S1, Econel 100 S2		x	x							FSP:GQ5S20Z00GBEC1			89	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY ECONEL 10, PRIMERGY ECONEL 100, PRIMERGY ECONEL 20, PRIMERGY ECONEL 200, PRIMERGY ECONEL 200 ROHS, PRIMERGY ECONEL 200 SCSI, PRIMERGY ECO	x			x	x		x	x	x	FSP:GQ5S20Z00GBSFC			121	
Software Services																
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601		x	x							FSP:G-SP1L160PRL63			394	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601		x	x							FSP:G-SP1L163PRL63			848	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611						x				FSP:G-SP1L260PRL63			394	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Software Services (Continued)																
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611						x				FSP:G-SP1L263PRL63			848	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP1VC00PRV09			509	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP1VC03PRV09			560	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP1VS00PRV09			841	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP1VS03PRV09			925	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602		x	x							FSP:G-SP3L160PRL63			986	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602		x	x							FSP:G-SP3L163PRL63			2120	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x				FSP:G-SP3L260PRL63			986	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x				FSP:G-SP3L263PRL63			2120	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP3VC00PRV09			1366	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Software Services (Continued)																
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP3VC03PRV09			1503	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP3VS00PRV09			2224	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x				FSP:G-SP3VS03PRV09			2224	
	SP Xtend 1y to 2y vCenter FND,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPAVC00PRV09			424	
	SP Xtend 1y to 2y vCenter FND,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPAVC03PRV09			485	
	SP Xtend 1y to 2y vCenter STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPAVS00PRV09			880	
	SP Xtend 1y to 2y vCenter STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPAVS03PRV09			936	
	SP Xtend 2y to 3y vCenter FND,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPBVC00PRV09			424	
	SP Xtend 2y to 3y vCenter FND,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPBVC03PRV09			485	
	SP Xtend 2y to 3y vCenter STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPBVS00PRV09			880	
	SP Xtend 2y to 3y vCenter STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPBVS03PRV09			936	

Category	Description	Details	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																
Software Services (Continued)																
	SP Xtend 3y to 4y vCenter FND,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPCVC00PRV09			424	
	SP Xtend 3y to 4y vCenter FND,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPCVC03PRV09			485	
	SP Xtend 3y to 4y vCenter STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPCVS00PRV09			880	
	SP Xtend 3y to 4y vCenter STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPCVS03PRV09			936	
	SP Xtend 4y to 5y vCenter FND,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPDVC00PRV09			424	
	SP Xtend 4y to 5y vCenter FND,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPDVC03PRV09			485	
	SP Xtend 4y to 5y vCenter STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPDVS00PRV09			880	
	SP Xtend 4y to 5y vCenter STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND						x				FSP:G-SPDVS03PRV09			936	

Positioning PRIMERGY Tower Servers

PRIMERGY TX100 S1

PRIMERGY TX120

PRIMERGY TX150 S6

PRIMERGY TX200 S4

PRIMERGY TX300 S4

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.

PRIMERGY TX100 S1 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX100 S1 is your entry to the world of servers. It is the perfect system for SMEs looking to centralize their IT infrastructure, and offers a great price-performance ratio. Moreover, the TX100 S1 is very silent and energy efficient making it an excellent choice for any office environment. The 85% efficient power supply unit minimizes costs, as well as the environmental impact. The use of data security features such as ECC memory and RAID 0/1 ensures around-the-clock reliability. Finally, the TX100 S1 offers a choice of Intel® processors suited to the needs of SMEs. Step into the world of PRIMERGY servers.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX100 S1							
	PY TX100S1/4XLFF /XEON 3220/2x2GB ECC/	PY TX100S1/4XLFF /XEON 3220/2x2GB ECC/ DVD-RW SM/2xHD SATA 500GB 3.5"/ NO POWERCORD/ ,	VFY:T1001SX020IN			518	
	PY TX100S1/4XLFF /XEON 3220/2x2GB ECC/	PY TX100S1/4XLFF /XEON 3220/2x2GB ECC/ DVD-RW SM/2xHD SATA 500GB 3.5"/KB500GB/ POW.CORD/ ,	VFY:T1001SX160GB			575	
	PY TX100S1/2XLFF /PENTIUM E5400/2GB ECC/	PY TX100S1/2XLFF /PENTIUM E5400/2GB ECC/ DVD-RW SM/2xHD SATA 250GB 3.5"/KB500GB/ POW.CORD/ ,	VFY:T1001SX170GB			354	
	PY TX100S1/2XLFF /DC XEON E3110/2GB ECC/	PY TX100S1/2XLFF /DC XEON E3110/2GB ECC/ DVD-RW SM/2xHD SATA 500GB 3.5"/KB500GB/ POW.CORD/ ,	VFY:T1001SX180GB			493	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX100 S1							
	PY TX100S1/2xLFF	Floorstand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 800/PC2-6400 ub. ECC; graphics controller 32MB on board; 6 -port SATA controller (4x 3,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; 2 HDD bays for non-hot plug 3,5" SATA HD`s (upgrade to 4 HDD is not possible); mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1326-V101			256	
	PY TX100S1/4xLFF	Floorstand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 800/PC2-6400 ub. ECC; graphics controller 32MB on board; 6 -port SATA controller (4x 3,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; 4 HDD cage for non-hot plug 3,5" SATA HD`s; mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1326-V121			273	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX120 S2							
	PY TX120 S2 /C2D P8400/2GB ECC/	PY TX120 S2 /C2D P8400/2GB ECC/ DVD-RW SM SLIM/KB500GB/POW.CORD/ ,	VFY:T1202SF010GB			749	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX120 S2							
	PY TX120 S2	Floor stand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 667/PC2-5300 reg. ECC; iRMC S2 Server Management with graphics controller and 10/100Mbit Service Lan-Port; 6 - port SATA controller (4x 2,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; Modular 4/8-port SAS RAID Controller optional; 2/4 HDD bays fur hot plug 2,5" SATA/SAS HD`s; mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1239-V101			473	

PRIMERGY TX150 Sx — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX150 S7 tower server delivers new levels of energy efficient performance with Intel® Xeon® Quad-Core processor 3200 / 3300 series. This is achieved with a 1066 / 1333 MHz FSB clock rate and with Intel's new state-of-the-art multi-core optimized microarchitecture. A server with this processor proves to be a particularly powerful system that can respond quickly to your requirements.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX150 S7							
	PY TX150S7F/LFF/STANDARD PSU /	PY TX150S7F/LFF/STANDARD PSU / CORE I3-540/2GB 1333 ECC U/ DVD-RW SM SLIM/DVD/LSP MOUNT/160GB 7.2K/ KB500GB/POW.CORD/LOCALVIEW S2/,	VFY:T1507SF010GB			721	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX150 S7							
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101			400	
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201			459	
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301			444	

PRIMERGY TX150 Sx — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX150 S7 (Continued)							
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401			494	
	PY TX150S7/r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601			476	
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801			511	

PRIMERGY TX200 S5

Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX200 S5 is ideal for offices or branch infrastructures which need dual processor performance, high expandability and top manageability at the right price. With up to 96GB of RAM and redundancy features, you can make a great start into virtualization. The TX200 S5 also lends itself as a departmental server for business critical applications or as an email or web server. A tower to rack conversion kit protects your investment's lifetime.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX200 S5							
	PY TX200S5F/LFF/STANDARD PSU /	PY TX200S5F/LFF/STANDARD PSU / XEON DP E5504/2GB 1066 ECC/DVD-ROM/ KB500GB/POW.CORD/ ,	VFY:T2005SP010GB			1094	
	PY TX200S5F/LFF/HOTPLUG PSU /	PY TX200S5F/LFF/HOTPLUG PSU / XEON DP E5520/2GB 1066 ECC/DVD-RW SM/ KB500GB/POW.CORD/ ,	VFY:T2005SP020GB			1264	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX200 S5							
	PY TX200S5f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V101			649	
	PY TX200S5f/LFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot pug power supply module 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V201			759	
	PY TX200S5f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V301			672	

PRIMERGY TX200 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX200 S5 (Continued)							
	PY TX200S5f/SFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot-plug power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6*) drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1266-V401			781	
	PY TX200S5r/LFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot pug power supply module, RMK optional, 2 redundant hot-plug double fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server manageme	S26361-K1266-V601			759	
	PY TX200S5r/SFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot-plug power supply module, RMK optional, 4 redundant fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graph	S26361-K1266-V801			781	

PRIMERGY TX300 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Are you looking for business continuity, especially for your core business applications? Our PRIMERGY TX300 servers can provide peace of mind for you when you choose a suitable server platform. The new TX300 S5 offers maximum levels of availability and extendability as a result of hot plug, redundant versions. It has powerful performance features as supplied by the leading Intel® Dual, Quad or Turbo Quad-Core Xeon® CPUs in the 5500 series which are integrated in a powerful set up with an 8-port SAS controller as well as fast PCIe Gen2 connections in the new PRIMERGY design. Continuity is ensured as a result of the modular RAID, redundant Dual LAN features and optional redundant hot-plug power supply and fans. The “Cool-safe™” technology in the new honeycomb design ensures optimal temperatures despite peak workloads and thus ensures long-life. Optimal performance and high energy efficiency is ensured in connection with EPA-compliant power supply (89% energy efficiency), a no-cable motherboard wherever possible and new power management features such as power consumption limiting and budgeting. The PRIMERGY TX300 S5 has up to 2 memory boards with 18 DIMM slots for memory mirroring with up to 144 GB DDR3 RAM. The system just needs a few additional options in order to meet the highest demands, such as clustering or disaster-tolerant setup. The PRIMERGY TX300 S5 is exactly the right platform for business-critical remote sites.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX300 S5							
	PY TX300S5F RED. FANS /XEON DP E5520/	PY TX300S5F RED. FANS /XEON DP E5520/ MIRRORED MODE/MM 2X2GB 1066 ECC/ F-D-L-HDD-BOX2/DVD-RW SM SLIM/ RAID 5/6 SAS 512MB/KB500GB/2xPOW.CORD/,	VFY:T3005SF010GB			2100	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX300 S5							
	PY TX300S5f standard fans	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, two lockable front covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1267-V101			1032	
	PY TX300S5f redundant fans	Floorstand BU without processor and RAM, incl. 2 hot plug power supply module, two lockable front covers, 3 redundant hot plug double fans; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1267-V201			1119	

PRIMERGY TX300 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX300 S5 (Continued)							
	PY TX300S5r standard fans	Rack based server 19" (4U), BU without processor and RAM, incl. 1 hot plug power supply module, 3 standard fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1267-V301			1014	
	PY TX300S5r redundant fans	Rack based server 19" (4U), BU without processor and RAM, incl. 2 hot plug power supply module, 3 hot plug double fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1267-V401			1101	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX300 S6							
	PY TX300S6F REDUNDANT FANS /XEON E5620/	PY TX300S6F REDUNDANT FANS /XEON E5620/ 4 GB/FRONT-VGA/DVD-RW SM SLIM/ F-D-L-HDD-BOX2/RAID 6G 5/6 512MB/ KB500GB/2xPOW.CORD/,	VFY:T3006SF010GB			2229	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX300 S6							
	PY TX300S6f standard fans	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, two lockable front covers, 3 standard fans; dual systemboard for Xeon processors and registered DDR3 ECC RAM, registered DDR3 LV ECC RAM, unbuffered DDR3 ECC RAM, unbuffered DDR3 LV ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1345-V101			1075	

PRIMERGY TX300 S6 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY TX300 S6 (Continued)							
	PY TX300S6f redundant fans	Floorstand BU without processor and RAM, incl. 2 hot plug power supply module, two lockable front covers, 3 redundant hot plug double fans; dual systemboard for Xeon processor and registered DDR3 ECC RAM, registered DDR3 LV ECC RAM, unbuffered DDR3 ECC RAM, unbuffered DDR3 LV ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1345-V201			1162	
	PY TX300S6r redundant fans	Rack based server 19" (4U), BU without processor and RAM, incl. 2 hot plug power supply module, 3 hot plug double fans; RMK optional; dual systemboard for Xeon processor and registered DDR3 ECC RAM, registered DDR3 LV ECC RAM, unbuffered DDR3 ECC RAM, unbuffered DDR3 LV ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8*) drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1345-V401			1162	

Tower Servers Accessories **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Processor																																	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																x												S26361-F3276-L200			278	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																x												S26361-F3276-L250			421	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																x												S26361-F3276-L266			564	Phased out
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																	x							x				S26361-F3277-L186			258	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																		x						x				S26361-F3277-L200			258	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																	x							x				S26361-F3278-L200			296	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																	x	x						x	x			S26361-F3278-L213			296	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																		x							x			S26361-F3278-L226			347	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																	x							x				S26361-F3279-L226			481	
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																	x							x				S26361-F3279-L240			669	
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																	x							x				S26361-F3279-L253			927	
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																	x							x				S26361-F3280-L267			1202	
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																								x				S26361-F3280-L280			1460	
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																	x							x				S26361-F3280-L293			1718	
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) inkl. Kühlkörper																	x							x				S26361-F3281-L213			541	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) inkl. Kühlkörper																	x							x				S26361-F3281-L226			669	
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) inkl. Kühlkörper																	x							x				S26361-F3281-L240			927	
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) inkl. Kühlkörper																								x				S26361-F3337-L333			1975	
	Xeon LV DP L5410 2.33 GHz 2x6MB 1333MHz	Intel® Xeon® processor L5410 (4C, 2.33 GHz, SLC: 2 x 6 MB (1333 MHz, 50 W) inkl. Kühlkörper																x												S26361-F3343-L233			408	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																		x						x				S26361-F3618-L240			481	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																		x						x				S26361-F3618-L253			669	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																		x						x				S26361-F3618-L266			927	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																		x						x				S26361-F3619-L266			1202	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																		x						x				S26361-F3619-L280			1460	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																		x						x				S26361-F3619-L293			1718	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) inkl. Kühlkörper																								x				S26361-F3619-L333			1975	
	Intel Xeon L5609 4C/4T 1.86 GHz 4 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) inkl. Kühlkörper																		x						x				S26361-F3621-L186			541	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) inkl. Kühlkörper																		x						x				S26361-F3622-L213			669	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Processor (Continued)																																	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) inkl. Kühlkörper																	x						x					S26361-F3622-L226			1202	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																						x						S26361-F3340-L200			269	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																						x						S26361-F3340-L250			421	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																						x						S26361-F3340-L266			581	Phased out
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5440 (4C, 2.83 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper																						x						S26361-F3340-L283			801	Phased out
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz	Intel® Xeon® processor X5460 (4C, 3.16 GHz, SLC: 2 x 6 MB (1333 MHz, 120 W) inkl. Kühlkörper																						x						S26361-F3340-L316			1353	Phased out
Memory																																	
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533								x	x																			S26361-F3000-L514			47	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533								x	x																			S26361-F3000-L515			87	Phased out
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																				x								S26361-F3072-L522			152	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																				x								S26361-F3072-L523			329	Phased out
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																										x	x	S26361-F3072-L624			715	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC															x						x							S26361-F3230-L522			134	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC															x						x							S26361-F3230-L523			216	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC															x						x							S26361-F3230-L524			356	
	1GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz			x																									S26361-F3237-L514			47	Phased out
	2GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz			x																									S26361-F3237-L515			87	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x									x																	S26361-F3335-L513			39	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x									x																	S26361-F3335-L514			69	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x									x																	S26361-F3335-L515			256	
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz										x																		S26361-F3870-L514			40	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz										x																		S26361-F3870-L515			69	Phased out
	Memory Board 2 for TX300 S4	for additional 4 DIMM pairs, necessary for mirroring																						x						S26361-F3263-L300			134	Phased out
	1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L521			80	Phased out
	1GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz				x																								S26361-F3283-L514			52	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L522			134	Phased out
	~~2GB DDR2-667 PC2-5300 reg ECC 1module~~	~~1 Modul, registered single rank DDR2 667MHz~~				x																								~~S26361-F3283-L515~~			~~82~~	
	2 GB DDR3 1333 MHz PC3-10600 rg d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM											x																	S26361-F3336-L514			91	
	4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz				x																								S26361-F3283-L516			164	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L523			216	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						x						S26361-F3263-L524			356	Phased out
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM											x																	S26361-F3336-L517			175	
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																											S26361-F3373-L413			34	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																											S26361-F3373-L414			69	
Memory Modules																																	
	2 GB DDR3 1333 MHz PC3-10600 ub d																			x						x				69			
	2 GB DDR3 1333 MHz PC3-10600 rg s																			x						x				91			
	4 GB DDR3 1333 MHz PC3-10600 rg d																			x						x				175			
	1GB DDR3-1066 PC3-8500 ub ECC 1 MODULE	1 module 1GB 1066MHz,unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode																	x											S26361-F3970-L512			39	Phased out
	8 GB DDR3 1333 MHz PC3-10600 rg d																			x						x				S26361-F3604-L515			494	
	2GB DDR3-1066 PC3-8500 ub ECC 1 module	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode																	x											S26361-F3970-L513			69	
	2GB DDR3-1066 PC3-8500 rg ECC 1 MODUL	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																	x						x					S26361-F3284-L513			91	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode																	x						x					S26361-F3284-L523			182	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode																	x						x					S26361-F3284-L533			273	
	16 GB DDR3 1066 MHz PC3-8500 rg q																									x				S26361-F3604-L516			1560	
	4GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																	x						x					S26361-F3284-L514			175	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode																	x						x					S26361-F3284-L524			353	
	SP12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode																	x						x					S26361-F3284-L534			528	
	8GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																	x						x					S26361-F3284-L515			636	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode																	x						x					S26361-F3284-L525			1262	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Memory Modules (Continued)																																	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode																	x					x						S26361-F3284-L535			1893	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d																			x					x					S26361-F3605-L514			193	Orderable from: 14/06/2010
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d																			x					x					S26361-F3605-L515			567	Orderable from: 14/06/2010
	2GB DDR3-1333 PC3-10600 rg ECC 1 MODUL	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																	x					x						S26361-F3285-L513			91	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode																	x					x						S26361-F3285-L523			182	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode													x									x						S26361-F3285-L533			273	
	4GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																	x					x						S26361-F3285-L514			175	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode																	x					x						S26361-F3285-L524			353	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode																	x					x						S26361-F3285-L534			528	
	8GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																	x					x						S26361-F3285-L515			636	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode																	x					x						S26361-F3285-L525			988	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode																	x					x						S26361-F3285-L535			1481	
Graphics																																	
	Front-VGA interface	2nd optional VGA interface front side																							x	x				S26361-F2571-L16			18	
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card									x						x						x	x						S26361-F2748-L531			139	Phased out
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card	x	x								x	x						x	x					x	x				S26361-F2748-L533			108	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card				x																								S26361-F2748-L633			108	
Removable Media Drives																																	
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD																x					x	x						S26361-F2826-L101			69	Phased out
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display											x						x	x					x	x				S26361-F2826-L204			21	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD																							x	x				S26361-F2826-L103			71	
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD																	x	x										S26361-F2826-L104			69	
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD									x	x																		S26361-F2826-L102			69	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black				x							x						x	x					x	x				S26361-F3269-L2			80	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black				x							x						x	x					x	x				S26361-F3531-L2			220	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																x						x						S26361-F2826-L113			134	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																	x	x					x	x				S26361-F2826-L114			129	
	FDD-DVD-Box TX200 S3	incl. 3.5" Floppy Disk Drive and mounting kit for SL DVD, 1.6" fitting height, anthracite															x													S26361-F2826-L201			39	Phased out
	Mounting Kit DVD(sl) + FDD/CSS	for FDD/CSS and DVD																x												S26361-F2826-L203			19	
	Floppy Disk Drive 1.44MB slimline	Connector FFC 26pin, 0.5" fitting height																					x	x						S26361-F3059-L2			34	Phased out
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height					x	x	x	x	x			x	x	x	x						x							SNP:SY-F2234L1-A			34	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, anthracite										x						x							x					S26361-F3266-L1			34	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x									x						x	x					x	x				S26361-F3266-L2			34	
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, 1.6" fitting height, anthracite						x	x	x	x					x	x					x	x							S26361-F3148-L1			58	Phased out
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, anthracite										x							x						x					S26361-F3267-L1			56	Phased out
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x									x						x	x					x	x				S26361-F3267-L2			56	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite										x							x						x					S26361-F3269-L1			80	Phased out
	Blu-ray Combo 1.6" SATA	6x BD-ROM, 16x DVD, 40x CD, BD DL and all CD/DVD formats, 1.6" fitting height, anthracite										x							x						x					S26361-F3530-L1			220	Phased out
	Blu-ray Combo 1.6" SATA	6x BD-ROM, 16x DVD, 40x CD, BD DL and all CD/DVD formats, 1.6" fitting height, black bezel	x	x									x						x	x					x	x				S26361-F3530-L2			220	Phased out
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, anthracite, incl. software										x							x						x					S26361-F3531-L1			220	
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)									x	x					x	x					x	x					x	S26361-F3857-L1			144	
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x	x																								S26361-F3857-L2			139	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x									x						x	x					x	x				S26361-F3857-L4			141	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge	x						x	x	x	x				x	x	x	x			x	x	x	x				S26361-F3324-L4			408	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x	x	x																								S26361-F3324-L2			408	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with data and cleaning cartridge									x							x						x					S26361-F3325-L3			605	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Removable Media Drives (Continued)																																	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with data and cleaning cartridge	x										x						x	x					x	x				S26361-F3325-L4			605	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge					x	x	x	x	x	x		x	x	x	x	x			x	x	x	x			x	x	x	S26361-F2848-L3			428	Phased out
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, , with data and cleaning cartridge										x						x						x						S26361-F3225-L3			622	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel,, with data and cleaning cartridge		x															x						x					S26361-F3225-L4			622	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge									x	x						x						x						S26361-F3964-L3			1142	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge																	x						x					S26361-F3964-L4			1142	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge											x						x	x					x	x				S26361-F4009-L4			1142	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge									x	x					x	x					x	x					x	S26361-F3459-L3			1431	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge																	x						x					S26361-F3459-L4			1431	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge										x	x						x	x					x	x				S26361-F3561-L4			1387	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge										x						x						x						S26361-F3963-L3			1928	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge											x						x						x	x				S26361-F3963-L4			1928	
Hard Disks																																	
	HDD Ext. 2x 2.5" hot plug TX120 S1/S2	for 2x 2.5" SAS/SATA HDD hot plug, aktiv termination			x	x																								S26361-F2826-L130			45	
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"								x	x	x					x	x					x							S26361-F3218-L160			71	Phased out
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"	x	x																										S26361-F3219-L160			71	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical										x						x						x						S26361-F3265-L100			389	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical										x						x						x						S26361-F3265-L250			99	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical										x						x						x						S26361-F3265-L500			188	
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 750 GB, 7200 rpm, hot-plug, 3.5-inch, business critical										x						x						x						S26361-F3265-L750			265	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot plug, 3.5-inch, enterprise																	x						x					S26361-F3291-L560			625	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot plug, 2.5-inch, enterprise																	x						x					S26361-F3292-L130			339	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	15.000 UpM																	x						x					S26361-F3292-L514			342	
	HD SATA 3G 160GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot plug, 3.5-inch, economic											x						x						x	x				S26361-F3293-L160			69	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch	x																											S26361-F3574-L250			76	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, hot-plug, 2.5-inch, enterprise				x																								S26361-F3998-L32			533	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, hot-plug, 2.5-inch, enterprise				x																								S26361-F3998-L64			996	
	HD SAS 6GB/s 146GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x																								S26361-F4004-L114			182	
	HD SAS 6GB/s 300GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x																								S26361-F4004-L130			351	
	HD SAS 6GB/s 146GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x																								S26361-F4004-L514			342	
	HD SAS 6GB/s 73GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x														x										S26361-F4004-L573			229	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise											x							x						x				S26361-F4006-L114			182	
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise											x							x						x				S26361-F4006-L130			351	
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise											x							x						x				S26361-F4006-L514			342	
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot plug, 2.5-inch, enterprise											x													x				S26361-F4006-L573			229	
	HD SATA 3G 250GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x																										S26361-F3334-L250			95	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic											x						x	x					x	x				S26361-F3297-L160			142	
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x																										S26361-F3334-L500			188	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	5.400 rpm				x																								S26361-F3515-L160			142	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot plug, 2.5-inch, enterprise																	x						x					S26361-F3292-L114			156	
	HD SATA 3G 750GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 750 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x																										S26361-F3334-L750			256	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic											x						x	x					x	x				S26361-F3297-L320			220	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x																										S26361-F3334-L100			378	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	5.400 rpm				x																								S26361-F3515-L320			220	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot plug, 2.5-inch, enterprise																	x						x					S26361-F3292-L573			236	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x																								S26361-F3600-L160			156	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x																								S26361-F3600-L500			208	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical											x						x	x					x	x				S26361-F3294-L250			99	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical											x						x	x					x	x				S26361-F3294-L500			188	
	HD SATA 3G 750GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 750 GB, 7200 rpm, hot-plug, 3.5-inch, business critical											x						x	x					x	x				S26361-F3294-L750			265	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical											x						x	x					x	x				S26361-F3294-L100			389	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	7.200 rpm, fitting height 1"											x						x	x					x	x				S26361-F3294-L200			587	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, hot-plug, 2.5-inch, enterprise											x						x							x				S26361-F3298-L32			533	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, hot-plug, 2.5-inch, enterprise											x						x							x				S26361-F3298-L64			996	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Hard Disks (Continued)																																	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical											x						x	x					x	x				S26361-F3601-L160			156	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical											x						x	x					x	x				S26361-F3601-L500			208	
	HD SAS 3G 73GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot plug, 3.5-inch, enterprise																	x						x					S26361-F3291-L573			188	
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot plug, 3.5-inch, enterprise											x						x	x					x	x				S26361-F3291-L514			242	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot plug, 3.5-inch, enterprise																	x						x					S26361-F3291-L530			421	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot plug, 3.5-inch, enterprise																	x						x					S26361-F3291-L545			502	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise											x						x	x						x				S26361-F4005-L530			408	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise											x						x	x						x				S26361-F4005-L545			502	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise											x						x	x						x				S26361-F4005-L560			625	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x					x	x					x	x						S26361-F3204-L573			188	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x					x	x					x	x						S26361-F3204-L514			242	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x					x	x					x	x						S26361-F3204-L530			421	
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x					x						x	x						S26361-F3204-L545			502	
	HD SAS 3GB/s 600GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"									x	x					x	x					x	x						S26361-F3204-L560			625	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x						x						x						x						S26361-F3208-L114			156	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x												x						x						S26361-F3208-L130			334	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x																		x						S26361-F3208-L573			236	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug				x																		x						S26361-F3208-L514			342	
SCSI/RAID/SAS controller																																	
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	S26361-F2399-L1			204	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI			x																									S26361-F2737-L201			211	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator															x						x	x	x					S26361-F2814-L12			45	Phased out
	68-Pin Kit for accessible drives	Cable with terminator					x	x	x	x	x	x		x	x				x	x	x	x								S26361-F2814-L6			45	
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	S26361-F3006-L128			696	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller						x	x	x	x					x	x													S26361-F3085-L10			112	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU									x																			S26361-F3085-L2			195	Phased out
	SCSI-Cable for internal Tapes x600 Sx	for connetion of internal Tapes																										x	x	S26361-F3128-L101			69	Phased out
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU,, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.									x						x	x					x	x				x	x	S26361-F3215-L1			546	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP									x						x						x					x	x	S26361-F3215-L10			144	Phased out
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks									x	x					x	x												S26361-F3217-L100			121	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB										x						x						x						S26361-F3257-L10			153	
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI 1078				x							x							x	x					x	x			S26361-F3257-L110			144	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU				x						x						x	x					x	x					S26361-F3257-L256			322	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports				x						x	x					x	x					x	x	x				S26361-F3257-L4			91	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU										x						x	x					x	x					S26361-F3257-L512			361	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports										x	x					x	x	x					x	x				S26361-F3257-L8			112	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI										x	x					x	x	x					x	x	x				S26361-F3270-L1			160	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile				x																									S26361-F3270-L201			160	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068										x	x					x	x	x					x	x	x				S26361-F3271-L1			188	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile				x																									S26361-F3271-L201			182	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port		x		x							x						x	x						x				S26361-F3554-L512			312	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports				x							x														x				S26361-F3554-L8			139	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU											x						x	x						x	x			S26361-F3593-L501			473	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E										x						x						x						S26361-F3890-L11			139	Phased out
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																	x	x						x				S26361-F3890-L13			139	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU										x						x	x	x					x	x				S26361-F3890-L501			473	
Fibre Channel																																	
	FC Ctrl 2GBit/s QLA2340 MMF LC	QLA2340, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC interface														x	x				x	x	x				x	x	x	S26361-F3097-L1			1164	Phased out
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC interface, only for attachment of the subsystem FibreCAT SX60									x					x	x					x	x							S26361-F3122-L1			519	Phased out
	FC Ctrl 2GBit/s LP1050 MMF LC	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC interface														x						x								S26361-F3141-L10			889	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface															x	x	x	x			x	x	x	x		x	x	S26361-F3306-L1			807	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface															x	x	x	x			x	x	x	x		x	x	S26361-F3306-L2			1181	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.															x	x	x	x			x	x	x	x			x	S26361-F3483-L1			825	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.															x	x	x	x			x	x	x	x			x	S26361-F3483-L2			1246	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Fibre Channel (Continued)																																	
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																x	x	x				x	x	x				S26361-F3961-L1			880	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																x	x	x				x	x	x				S26361-F3961-L2			1371	
Communication/Network																																	
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network													x	x	x				x	x	x							S26361-F2610-L3			2754	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter					x	x	x	x	x			x	x	x	x				x	x	x				x			S26361-F3142-L1			54	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter								x	x	x				x	x	x				x	x	x						S26361-F3142-L2			52	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile			x																									S26361-F3142-L202			52	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter								x	x					x	x	x				x	x	x				x	x	S26361-F3227-L2			160	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter	x	x						x	x	x				x	x	x	x	x				x	x	x	x	x	x	S26361-F3228-L1			141	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter			x	x																								S26361-F3228-L201			141	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter	x	x							x	x	x				x	x	x	x				x	x	x			x	S26361-F3241-L1			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter			x	x																								S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter									x	x	x				x	x	x	x				x	x	x			x	S26361-F3242-L1			296	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter				x																								S26361-F3242-L201			296	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket										x	x				x	x	x				x	x	x			x		S26361-F3462-L1			395	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket			x																									S26361-F3462-L201			395	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel GBit CT 1 Port Desktop Adapter	x	x								x	x					x	x	x				x	x	x				S26361-F3516-L1			52	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel GBit CT 1 Port Desktop Adapter lp				x																								S26361-F3516-L201			54	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																									x			S26361-F3592-L2			927	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																									x			S26361-F3592-L108			329	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC	Intel 10 Gigabit XF SR Dual Port Server Adapter																							x	x	x			S26361-F3505-L1			2994	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables											x												x					S26361-F3555-L501			536	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC											x												x	x				S26361-F3555-L900			460	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter					x	x	x	x				x	x	x	x				x	x	x				x	x	x	S26361-F3011-L1			155	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter					x	x	x	x	x			x	x	x	x	x			x	x	x	x			x	x	x	S26361-F3053-L1			91	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile			x										x	x	x				x	x	x							S26361-F3053-L201			91	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter					x							x	x	x	x	x			x	x	x	x			x	x	x	S26361-F3054-L1			296	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC lp	Intel PRO 1000 MF Server Adapter, low profile			x																									S26361-F3054-L201			296	Phased out
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x																											S26361-F2542-L30			8	
Rack-Infrastructure																																	
	Conversion kit 3 Floor -> Rack	for conversion of a floorstand BU to rack BU														x	x				x	x	x							S26361-F1729-L230			82	Phased out
	Conversion kit TX300S5 Floor -> Rack	for conversion of a floorstand BU to rack BU																								x				S26361-F1729-L240			86	Phased out
	Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU																								x				S26361-F1729-L250			82	
	Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU																x												S26361-F1729-L330			86	Phased out
	Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU								x	x	x																		S26361-F2618-L250			54	Phased out
	Conversionkit PRY TX200 S5 Floor -> Rack	for conversion of a floorstand BU to rack BU											x						x	x										S26361-F2618-L260			86	
	RMK 1 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth 735-770mm incl. adapter angle and cable management					x	x	x					x																S26361-F2734-L31			218	Phased out
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management								x	x																			S26361-F2734-L32			160	Phased out
	RMK-TX200-S4	Special-Rackmount-Kit with Rack brackets and base tub, incl. full extraction and cable management																x												S26361-F2734-L90			154	Phased out
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assem, centre screw, max. load 50 kg														x	x				x	x	x	x	x					S26361-F2735-L103			61	
	RMK-F1_TX150-S6	full extraction with vario-carrier, pre-assembled with centre screw								x	x	x																		S26361-F2735-L105			64	Phased out
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg											x						x	x						x				S26361-F2735-L202			56	
	cage nut set, M5, t=2,5mm	Content: 50 pieces								x	x					x	x				x	x	x						x	S26361-F2735-L500			44	
	Cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2										x	x						x	x				x	x	x				S26361-F2735-L7			26	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks								x	x					x	x				x	x							x	S26361-F2735-L8			26	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks					x					x	x		x	x		x	x	x	x	x		x	x	x	x			S26361-F2201-L20			45	
PRIMERGY-Software																																	
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x						x						x						x							S26361-F1790-L240			268	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x						x	x					x	x	x				x	x	x				S26361-F1790-L241			268	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr DIS	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!																							x	x	x			S26361-F2341-D570			11948	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr DIS	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!																							x	x	x			S26361-F2341-D571			11948	
	Win Srv 2008 Fnd TS CAL (5 Device) EmMkt	Win Srv 2008 Fnd TS CAL (5 Device) EmMkt Only for distribution within Selected Countries: India, Argentina, Chile, Columbia, Mexico, Turkey, Indonesia, and Malaysia. OEM Win Srv 2008 Fnd TS CAL 5 Decices for Foundation. COA, License. Maximum of 50 TS-CAL.	x	x																										S26361-F2565-L305			120	
	Win Srv 2008 Foundation English ROK	Win Srv 2008 Foundation English ROK, Only for distribution within Selected Countries. Win Srv 2008 Fnd 1 CPU . OEM DVD, License.	x																											S26361-F2565-L308			167	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
PRIMERGY-Software (Continued)																																	
	Win Srv 2008 Fnd TS CAL (5 User) EmMkt	Win Srv 2008 Fnd TS CAL (5 User) EmMkt Only for distribution within Selected Countries: India, Argentina, Chile, Columbia, Mexico, Turkey, Indonesia, and Malaysia. OEM Win Srv 2008 Fnd TS CAL 5 Users for Foundation. COA, License. Maximum of 50 TS-CAL.	x	x																										S26361-F2565-L309			120	
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license	x			x					x	x						x	x	x				x	x	x				S26361-F2565-L315			499	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license	x			x					x	x						x	x	x				x	x	x				S26361-F2565-L316			499	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x					x	x						x	x	x				x	x	x				S26361-F2565-L317			21	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x					x	x						x	x	x				x	x	x				S26361-F2565-L318			21	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, ROK DVD, license	x			x					x	x						x	x	x				x	x	x				S26361-F2565-L325			1645	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license	x			x					x	x						x	x	x				x	x	x				S26361-F2565-L326			1645	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x					x	x						x	x	x				x	x	x				S26361-F2565-L327			21	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x		x					x	x						x	x	x				x	x	x				S26361-F2565-L328			21	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L341			94	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L343			94	
	Win Server 2008 TS CAL (5 Device)	(5 Device) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual	x		x	x					x	x						x	x	x				x	x					S26361-F2565-L344			322	Phased out
	Win Server 2008 TS CAL (5 User)	(5 User) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual	x		x	x					x	x						x	x	x				x	x					S26361-F2565-L345			322	Phased out
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L346			47	
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L347			47	
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L348			224	
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L349			224	
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L350			539	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
PRIMERGY-Software (Continued)																																	
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x				x	x	x				x	x	x					S26361-F2565-L360			940	
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x						x	x				x	x	x				x	x	x					S26361-F2565-L368			112	
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x						x	x				x	x	x				x	x	x					S26361-F2565-L369			112	
	Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.			x	x						x	x				x	x					x	x	x					S26361-F2565-L370			2776	Phased out
	~~Win EBS 2008 CAL (5 Device)~~	~~Microsoft Windows Essential Business Server~~ 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).			x	x						x	x				x	x					x	x	x					~~S26361-F2565-L378~~			~~254~~	~~Phased out~~
	Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).			x	x						x	x				x	x					x	x	x					S26361-F2565-L379			254	Phased out
	Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.			x	x						x	x				x	x					x	x	x					S26361-F2565-L380			3625	Phased out
	Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.			x	x						x	x				x	x					x	x	x					S26361-F2565-L388			614	Phased out
	Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.			x	x						x	x				x	x					x	x	x					S26361-F2565-L389			614	Phased out
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.	x	x		x						x	x				x	x					x	x	x					S26361-F2567-L20			335	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x		x						x	x																	S26361-F2567-L306			167	
	Win Srv 2008 R2 Foundation 1CPU PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. ROK DVD, License.	x	x		x						x																		S26361-F2567-L308			142	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x		x						x	x						x	x					x	x				S26361-F2567-L310			504	
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.	x	x		x						x																		S26361-F2567-L318			387	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
PRIMERGY-Software (Continued)																																	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x		x					x	x						x	x					x	x				S26361-F2567-L320			1528	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x		x					x	x						x	x					x	x				S26361-F2567-L330			2473	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x	x		x					x	x						x	x	x				x	x	x				S26361-F2567-L340			68	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x	x		x					x	x						x	x	x				x	x	x				S26361-F2567-L341			322	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x	x		x					x	x						x	x	x				x	x	x				S26361-F2567-L342			68	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x	x		x					x	x						x	x	x				x	x	x				S26361-F2567-L343			322	
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L592			381	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L593			758	
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L594			381	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L595			758	
	MS SysCtr Essntls Mgmt Suite ROK	MS System Center Essentials Management Suite. English. ROK DVD, License.	x			x					x	x						x	x					x	x	x				S26361-F2567-L10			21	Phased out
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L590			1192	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x					x	x						x	x	x				x	x	x				S26361-F2565-L591			2389	
	MS SysCtr Essntls Server ML 1-OSE	MS System Center Essentials Managed Server License 1 OSE Pack., OSE = Operating System Environment	x			x					x	x						x	x					x	x	x				S26361-F2567-L11			87	Phased out
	MS SysCtr Essntls Server ML 5-OSE	MS System Center Essentials Managed Server License 5 OSE Pack., OSE = Operating System Environment	x			x					x	x						x	x					x	x	x				S26361-F2567-L12			429	Phased out
	RemoteView Service Board S2 LP 3HU	incl. cables and RV SW; for PRIMERGY RX300 S2, TX200 S2, TX300 S2, TX150 S3, TX150 S4, RX/TX600 S2, RX220, RX/TX600 S3						x	x						x						x						x	x	S26361-F2425-L103			429	Phased out
	MS SysCtr Essntls Client ML 5-Pack	MS System Center Essentials Managed Client License 5 Pack.	x			x					x	x						x	x					x	x	x				S26361-F2567-L13			61	Phased out
	MS SysCtr Essntls Client ML 20-Pack	MS System Center Essentials Managed Client License 20 Pack.	x			x					x	x						x	x					x	x	x				S26361-F2567-L14			239	Phased out
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C176			186	
	~~RemoteDeploy 4.1 Single Upgrade License~~	~~for upgrades of one 3.x single license to~~ version 4.0 - no software!			x		x	x	x	x	x			x	x	x	x					x	x	x			x	x	x	~~U15000-C288~~			~~52~~	~~Phased out~~
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x			x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299			26	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15000-C300			121	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301			52	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal	x	x		x					x	x																		S26361-F2346-L601			126	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal																x	x	x				x	x	x				S26361-F2346-L611			222	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal	x	x		x					x	x						x	x	x				x	x	x				S26361-F2346-L621			432	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3-Years																							x	x				S26361-F2346-L669			886	
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x					x	x			x		x	x	x					x	x	x				S26361-F2346-L411			82	
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x					x	x			x		x	x	x					x	x	x				S26361-F2346-L412			198	
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x					x	x			x		x	x	x					x	x	x				S26361-F2346-L415			213	
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x					x	x			x		x	x	x					x	x	x				S26361-F2346-L416			509	
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x					x	x			x		x	x	x					x	x	x				S26361-F2346-L417			429	
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x					x	x			x		x	x	x					x	x	x				S26361-F2346-L418			1029	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-L500			8	
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-L504			541	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-L505			541	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-L508			1526	
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-L509			1526	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-L512			2376	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
PRIMERGY-Software (Continued)																																	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L513			2376	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L514			592	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L515			592	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L518			1671	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License																x	x	x		x	x	x	x	x	x			x	S26361-F2341-L300			69	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L519			1671	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L520			2140	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L521			2140	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L522			2602	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L523			2602	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L530			1086	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L531			1086	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L540			2020	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L541			2020	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L542			935	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L543			935	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L544			469	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L545			469	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L546			2636	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L547			2636	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L550			7845	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L551			7845	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,																							x	x	x				S26361-F2341-L570			13086	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!																							x	x	x				S26361-F2341-L571			13086	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L554			19641	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L555			19641	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!			x	x						x						x	x	x					x	x	x				S26361-F2341-L556			3391	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!			x	x						x						x	x	x					x	x	x				S26361-F2341-L557			3391	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!			x	x						x						x	x	x					x	x	x				S26361-F2341-L558			1019	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!			x	x						x						x	x	x					x	x	x				S26361-F2341-L559			1019	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L562			2232	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-L563			2232	
	VMware ESXi 4.0 Embedded UFM Device DIS	VMware ESXi 4.0 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required				x													x	x						x	x				S26361-F2341-D431			52	
	VMware ESXi 4 Single SRV w/o SP 1yr DIS	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-D500			8	
	VMware vSphere STD w/o SP 1yr DIS	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x					x	x	x				S26361-F2341-D514			541	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
PRIMERGY-Software (Continued)																																	
	VMware vSphere STD w/o SP 3yr DIS	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D515			541	
	VMware vSphere ADV w/o SP 1yr DIS	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D518			1526	
	VMware vSphere ADV w/o SP 3yr DIS	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D519			1526	
	VMware vSphere ENT w/o SP 1yr DIS	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D520			1953	
	VMware vSphere ENT w/o SP 3yr DIS	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D521			1953	
	VMware vSphere ENT-PL w/o SP 3yr DIS	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D522			2376	
	VMware vSphere ENT-PL w/o SP 1yr DIS	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D523			2376	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr DIS	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D550			7162	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr DIS	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D551			7162	
	VMware ENT-PL AK(8CPU+VCS)w/o SP-1yr DIS	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D554			17934	
	VMware ENT-PL AK(8CPU+VCS)w/o SP-3yr DIS	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D555			17934	
	VMware Essentials-PL w/o SP 1yr DIS	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D562			2036	
	VMware Essentials-PL w/o SP 3yr DIS	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!																	x	x				x	x	x				S26361-F2341-D563			2036	
OS/Application-SW																																	
	CA ARCserve r12.5 Base for Windows	Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htm, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2500			700	
	UP CA ARCserve r12.5 Basis für Windows	Upgrade From BrightStor ARCserve Backup r11.x or r12.0, Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2500-U			525	
	CA ARCserve r12.5 WIN Disaster Recov. O.	CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2503			628	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.	Upgrade from CA ARCserve Backup for Windows Disaster Recovery Option r11.x or r12.0., CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2503-U			471	
	CA ARCserve r12.5 WIN Open Files Agent	CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2505			719	
	UP CA ARCserve r12.5 WIN Open Files Agnt	Upgrade from CA ARCserve Backup Agent for Open Files on Windows r11.x or r12.0, CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2505-U			539	
	CA ARCserve r12.5 WIN MS Exchange Agent	CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2507			900	
	UP CA ARCserve r12.5 WIN MS Exch. Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft Exchcange r11.x or r12.0, CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2507-U			600	
	CA ARCserve r12.5 WIN MS SQL Agent	CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2511			900	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12.5 WIN MS SQL Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft SQL r11.x or r12.0, CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2511-U			675	
	CA ARCserve r12.5 WIN Wind. Client Agent	CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2513			357	
	UP CA ARCserve r12.5 WIN Wind. Client Ag	Upgrade from CA ARCserve Backup Client Agent for Windows r11.x or 12.0, CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2513-U			268	
	CA ARCserve r12.5 WIN MS SBS Premium Edt	**CA ARCserve r12.5 MS SBS Premium Edition** includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	**x**	**x**		**x**						**x**	**x**	**x**				**x**	**x**	**x**				**x**	**x**	**x**			**x**	**U15355-C2514**			**673**	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.	Upgrade from CA ARCserve Backup for Windows for MS SBS Premium Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2514-U			505	
	CA ARCserve r12.5 WIN MS SBS Std. Edt.	CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2516			493	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt	Upgrade from CA ARCserve Backup for Windows for MS SBS Standard Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2516-U			369	
	ARCserve r12.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x		x						x	x	x				x						x					x	U15355-C2999			22	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x		x						x	x	x				x						x					x	U15355-C732			22	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C600			1384	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C616			2109	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000			700	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 Base for Windows Gov.	Basic component of CA ARCserve Backup r12. , For Government Customers, This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000-G			539	
	UP CA ARCserve r12 Basis for Windows	## Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000-U			525	
	UP CA ARCserve r12 Basis für Windows Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12., Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2000-U-G			404	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C400U1			175	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C400U3			526	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x			x						x	x	x				x						x					x	U15355-C750			436	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x		x				x						x					x	U15355-C800			683	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x				x	U15355-C800-U			512	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C800U1			175	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C800U3			525	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x										x															x	U15355-C920			5235	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x		x	U15260-C601			1937	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x		x	U15260-C617			2927	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x		x	U15355-C2001			900	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	ARCserve r12 WIN Tape Lib. Opt. Gov.	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001-G			693	
	UP CA ARCserve r12 WIN Tape Library Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001-U			675	
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2001-U-G			520	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C401U1			225	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C401U3			674	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C751			612	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C801			877	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x				x	U15355-C801-U			657	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C801U1			225	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C801U3			675	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!	x	x										x															x	U15355-C921			523	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x		x	U15260-C602			2109	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x		x	U15260-C618			3005	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x		x	U15355-C2002			1441	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN SAN Option Gov.	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002-G			1110	
	UP CA ARCserve r12 WIN SAN Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002-U			1081	
	UP CA ARCserve r12 WIN SAN Option Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2002-U-G			833	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C402U1			293	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C402U3			878	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C802			877	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C802-U			657	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C802U1			225	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C802U3			675	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!	x	x										x															x	U15355-C922			523	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C603			2927	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C619			4207	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2003			628	
	CA ARCserve r12 WIN Disaster Rec. O. Gov	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2003-G			484	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2003-U			471	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN Disaster Rec. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2003-U-G			363	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C403U1			360	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C403U3			1081	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C803			877	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C803-U			657	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C803U1			225	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C803U3			675	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!	x	x										x															x	U15355-C923			1052	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C604			1318	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers ., It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C620			1977	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2004			900	
	CA ARCserve r12 WIN NDMP NAS Option Gov.	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2004-G			693	
	UP CA ARCserve r12 WIN NDMP NAS Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2004-U			675	
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2004-U-G			520	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C404U1			360	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C404U3			1081	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C751U1			157	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C804			877	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C804-U			657	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C804U1			225	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C804U3			675	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x **Media Kit and 1x License for one server**., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C605			1845	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C621			2744	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005			719	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN Open Files Agent Gov	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005-G			553	
	UP CA ARCserve r12 WIN Open Files Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005-U			539	
	UP CA ARCserve r12 WIN Open File Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2005-U-G			415	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C405U1			157	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C405U3			470	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C751U3			470	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C805			877	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C805-U			657	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C805U1			225	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C805U3			675	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x		x	U15260-C606			1055	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x		x	U15260-C622			1318	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x		x	U15355-C2006			1171	
	CA ARCserve r12 WIN IBM Informix Agt Gov	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x					x	x	x		x	U15355-C2006-G			901	
	UP CA ARCserve r12 WIN IBM Informix Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x		x	U15355-C2006-U			878	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 IBM Informix Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2006-U-G			676	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C406U1			225	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C406U3			674	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C806			348	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C806-U			261	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C806U1			89	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C806U3			268	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C607			1477	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . , The product offers data replication and high availabilityfor Windows File Servers ., It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C623			1845	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007			900	
	CA ARCserve r12 WIN MS Exchange Agt. Gov	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007-G			693	
	UP CA ARCserve r12 WIN MS Exchange Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007-U			675	
	UP CA ARCserve r12 MS Exchange Agt Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2007-U-G			520	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C407U1			225	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C407U3			674	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x					x	U15355-C807			220	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x					x	U15355-C807-U			166	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C807U1			56	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C807U3			169	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C608			2109	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C624			3005	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2008			900	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008-G			693	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008-U			675	
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2008-U-G			520	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C408U1			225	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C408U3			674	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C808			348	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C808-U			261	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C808U1			89	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C808U3			268	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C609			2927	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C625			4207	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009			1171	
	CA ARCserve r12 WIN Sybase Agent Gov.	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009-G			901	
	UP CA ARCserve r12 WIN Sybase Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009-U			878	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN Sybase Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB.r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2009-U-G			676	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C409U1			180	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C409U3			539	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x			x						x		x				x						x					x	U15355-C809			220	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List **(Linux)**, https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C809-U			166	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C809U1			56	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C809U3			169	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C610			3135	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C626			4704	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010			900	
	CA ARCserve r12 WIN Oracle Agent Gov.	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010-G			693	
	UP CA ARCserve r12 WIN Oracle Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010-U			675	
	UP CA ARCserve r12 WIN Oracle Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2010-U-G			520	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C410U1			180	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C410U3			539	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x				x	U15355-C810			1405	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x							x				x	U15355-C810-U			1054	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C810U1			360	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C810U3			1081	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C611			4390	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x					x	x	x			x	U15260-C627			6585	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2011			900	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN MS SQL Agent Gov.	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011-G			693	
	UP CA ARCserve r12 WIN MS SQL Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011-U			675	
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2011-U-G			520	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C411U1			293	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C411U3			878	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C811			1405	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C811-U			1054	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C811U1			360	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C811U3			1081	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C612			1845	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C628			2373	
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012			1804	
	CA ARCserve r12 WIN SAP/R3 Oracl Opt Gov	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012-G			1389	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012-U			1352	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2012-U-G			1041	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C412U1			225	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C412U3			674	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C812			1141	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C812U1			293	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C812U3			878	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C613			2561	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C629			3293	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013			226	
	CA ARCserve r12 WIN Windows Client A Gov	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , Nur für Government Kunden!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013-G			174	
	UP CA ARCserve r12 WIN Windows Client Ag	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013-U			169	
	UP CA ARCserve r12 Windows Client Ag Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2013-U-G			130	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C413U1			360	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C413U3			1081	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C813			436	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C614			1186	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C630			1977	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014			628	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014-G			484	
	UP CA ARCserve r12 WIN MS SBS Premium E.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014-U			471	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB.r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2014-U-G			363	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C414U1			225	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C414U3			674	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x	x	x				x						x					x	U15355-C814			877	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C615			1661	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x						x	x	x				x	x	x				x	x	x			x	U15260-C631			2744	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015			1441	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015-G			1110	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015-U			1081	
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2015-U-G			833	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x						x		x				x						x					x	U15355-C356			2048	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C415U1			225	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C415U3			674	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016			448	
	CA ARCserve r12 WIN MS SBS Std. Edt. Gov	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016-G			344	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016-U			336	
	UP CA ARCserve r12 WIN MS SBS Std Edt Go	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2016-U-G			258	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C416U1			293	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C416U3			878	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server	x	x									x	x					x	x						x	x			x	U15260-C40U1			603	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017			448	
	CA ARCserve r12 WIN DiskToDiskToTape Gov	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017-G			344	
	UP CA ARCserve r12 WIN DiskToDiskToTape	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017-U			336	
	UP CA ARCserve r12 WIN Disk2Dsk2Tape Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2017-U-G			258	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C417U1			225	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C417U3			674	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018			900	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018-G			693	
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018-U			675	
	UP CA ARCserve r12 MS Sharepoint Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2018-U-G			520	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C418U1			225	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C418U3			674	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019			3786	
	CA ARCserve r12 WIN Enterprise Modul Gov	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019-G			2915	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN Enterprise Module	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019-U			3361	
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2019-U-G			2588	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C419U1			352	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C419U3			1057	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020			900	
	CA ARCserve r12 WIN MS DPM Agent Gov.	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020-G			693	
	UP CA ARCserve r12 WIN MS DPM Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020-U			675	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2020-U-G			520	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C420U1			89	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C420U3			267	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x			x						x	x	x				x						x					x	U15355-C720			348	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021			4476	
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021-G			3446	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021-U			3357	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB.r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2021-U-G			2585	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C421U1			89	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C421U3			267	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x						x					x	U15355-C780-U			512	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2022			900	
	CA ARCserve r12 WIN VMware Agent Gov.	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x				x	x	x			x	U15355-C2022-G			693	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x						x					x	U15355-C422U1			89	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x						x					x	U15355-C422U3			267	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	UP ARCserve r11.5 Client Agent Linux Gov	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x			x						x		x				x							x					x	U15355-C721-U-G			130	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2023			1352	
	CA ARCserve r12 WIN Central Mgt. Opt Gov	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!	x	x		x						x	x	x				x	x	x					x	x	x			x	U15355-C2023-G			1041	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C423U1			89	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x					x	U15355-C423U3			267	
	UP ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x			x						x		x				x							x					x	U15355-C720-U-G			206	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C424U1			89	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x					x	U15355-C424U3			267	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x					x	U15355-C428U1			360	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C428U3			1081	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C429U1			293	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C429U3			878	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C430U1			764	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C430U3			2272	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C431U1			111	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C431U3			336	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C432U1			225	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C432U3			674	
	ARCserve r11.5 WIN Client Agt. Linux Gov	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x	x		x						x	x	x				x							x				x	U15355-C721-G			199	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x						x	x	x				x							x				x	U15355-C433U1			225	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x						x	x	x				x							x				x	U15355-C433U3			674	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!	x	x		x					x	x	x				x							x					x	U15355-C720-G			275	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x					x	x	x				x							x					x	U15355-C434U1			337	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x					x	x	x				x							x					x	U15355-C434U3			1013	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x					x	x	x				x							x					x	U15355-C435U1			225	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x					x	x	x				x							x					x	U15355-C435U3			675	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x					x	x	x				x							x					x	U15355-C436U1			1063	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x					x	x	x				x							x					x	U15355-C436U3			3162	
UPS/Power supply																																	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface					x								x	x	x				x	x	x				x			S26113-F233-L1			31	
	Power Supply Module 600W (hot plug)	for PS redundancy, incl. power cord														x	x						x	x						S26113-F453-L30			134	Phased out
	Power Supply Conversion Kit 600W	hot plug PS upgrade kit , incl. 2 PS modules														x														S26113-F453-L33			351	Phased out
	Power Supply Module 450W (hot plug)	for PS redundancy						x	x	x	x	x																		S26113-F483-L11			132	Phased out
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module						x	x	x	x	x																		S26113-F483-L6			242	Phased out
	Power Supply Module 700W (hot plug)	for optional PS redundancy																x						x						S26113-F525-L10			99	Phased out
	Fan and PSU upgrade kit	conversion standard PSU into hot plug PSU and standard into redundant fans, incl. 1 hot plug PS module, fan kit and 1 redundant fan																x												S26113-F525-L11			348	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and standard into hot plug fans, incl.1 PS module, fan kit and 2 hot plug fans																							x					S26113-F525-L22			402	Phased out
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU and conversion standard into redundant fans											x																	S26113-F540-L1			191	
	Power Supply Module 450W (hot plug)	for optional PS redundancy											x																	S26113-F540-L11			129	
	Power Supply Module 800W (hot plug)	for optional PS redundancy																	x							x				S26113-F541-L10			153	
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																	x	x										S26113-F541-L11			389	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																		x						x				S26113-F556-L10			148	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence					x	x	x	x	x			x	x	x	x					x	x	x				x	x	x	S26113-F80-L10			220	Phased out
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x			x			x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L30			220	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																										x	x	S26361-F3151-L300			26	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1744-L10			13	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko																										x	x	S26361-F3151-L100			26	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																										x	x	S26361-F3151-L200			26	
Miscellaneous																																	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan redundancy																								x	x			S26361-F2544-L83			105	
	LocalView Option Kit S2	LCD display with adapter											x						x	x						x	x			S26361-F2557-L105			56	
	LocalView Option Kit S2	LCD display with installation kit																									x			S26361-F2557-L106			56	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter											x						x	x						x	x			S26361-F2557-L202			18	
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit																	x	x						x	x			S26361-F2557-L205			18	
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface																	x	x										S26361-F3120-L3			34	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!		x									x						x	x						x	x			S26361-F3552-L1			44	
	Serial port option	Cable with 9 pin D-SUB interface									x	x	x																	S26361-F2571-L10			26	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface									x	x			x						x									S26361-F2571-L8			19	Phased out
	ServerView Local Service Panel	Support for Customer Self Service (CSS)										x						x												S26361-F2557-L201			26	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Miscellaneous (Continued)																																	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)										x						x						x						S26361-F2557-L204			21	Phased out
Media																																	
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label	x								x	x	x					x	x	x	x			x	x	x	x			D:CL-DAT160-MX-01			20	
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01			5	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01			38	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01L			39	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01			47	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L			47	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01			44	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01L			45	
	LTO cleaning label	label for LTO cleaning cartridges							x	x	x	x				x	x	x	x			x	x	x	x			x	x	D:CL-LTO-LAB			1	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01			46	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01L			47	
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-EP01			47	
	LTO cleaning cart.Sony single pack&label	1x Cleaning cartridge with label from Sony for LTO drives at a single package						x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-EP01L			48	
	VXA cleaning label	Label for VXA cleaning cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-X-01			20	
	VXA cleaning cartridge with label	VXA cleaning cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-X-01L			21	
	DAT160 data cartridge	DAT160 data cartridge without label	x								x	x	x					x	x	x				x	x	x				D:CR-DAT160-MX-01			21	
	DAT72 data cartridge	DAT72 data cartridge without label	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01			10	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01			24	Phased out
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01L			25	Phased out
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01			24	
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01L			24	
	LTO 1 barcode label	label for LTO-1 data cartridges						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-LAB			1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01			23	Phased out
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity						x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01L			24	Phased out
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity							x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01			21	
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity							x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01L			22	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity							x	x	x	x				x	x	x	x			x	x	x	x			x	x	x	D:CR-LTO2-IB-01			23	
	LTO 2 data cartridge with label IBM	LTO 2 data cartridge with label from IBM, 200 GB native capacity							x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L			24	
	LTO 2 barcode label	label for LTO-2 data cartridges							x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-LAB			1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity							x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01			20	
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity							x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L			21	
	LTO 5 barcode label	label for LTO-5 data cartridges								x			x						x	x	x				x	x	x			D:CR-LTO5-LAB			3	
	VXA barcode label	Label for VXA data cartridge					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01			22	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01L			23	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01			48	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB					x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01L			49	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed	x		x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L169			859	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L320			134	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x		x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L329			1284	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed	x	x	x	x					x	x	x					x	x	x	x			x	x	x	x			x	S26361-F3857-L500			169	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01			20	
	LTO 4 data cartridge Fuji	LTO-4 data cartridge without label from Fuji, 800 GB native capacity										x	x					x	x	x				x	x	x				D:CR-LTO4-FJ-01			24	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-IB-01			22	
	LTO 4 data cartridge IBM	LTO-4 data cartridge without label from IBM, 800 GB native capacity								x			x					x	x	x				x	x	x				D:CR-LTO4-IB-01			28	
	LTO 4 data cartridge Sony	LTO-4 data cartridge without label from Sony, 800 GB native capacity								x			x					x	x	x				x	x	x				D:CR-LTO4-SY-01			26	
	LTO-3 data cartridge single pack Sony	1x LTO-3 data cartridges without label from Sony at a single package , 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-EP01			23	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01L			21	
	LTO 4 data cartridge with label Fuji	LTO-4 data cartridge with label from Fuji, 800 GB native capacity								x								x						x						D:CR-LTO4-FJ-01L			26	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity									x	x				x	x	x				x	x	x				x	x	D:CR-LTO3-IB-01L			23	
	LTO 4 data cartridge with label IBM	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native								x			x					x	x	x				x	x	x				D:CR-LTO4-IB-01L			28	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-01L			22	
	LTO4 cartridge with label Sony	LTO-4-- Data cartridges with Label from Sony, Kapazity 800 GByte native								x			x					x	x	x				x	x	x				D:CR-LTO4-SY-01L			26	
	LTO-3 data cart. single pack Sony label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-EP01L			22	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data									x	x				x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01W			23	
	LTO 4 WORM data cartridge Fuji	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data								x								x	x	x				x	x	x				D:CR-LTO4-FJ-01W			33	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Media (Continued)																																	
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data									x	x				x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01WL			24	
	LTO4 WORM data cartridge with label Fuji	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries								x								x	x	x				x	x	x				D:CR-LTO4-FJ-01WL			34	
	LTO 3 barcode label	label for LTO-3 data cartridges									x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-LAB			1	
	LTO 4 barcode label	label for LTO-4 data cartridges								x			x					x	x	x				x	x	x				D:CR-LTO4-LAB			1	
Cables																																	
	Cable powercord rack, 4m	with Euro socket connector					x								x	x					x	x					x			T26139-Y1968-L10			13	
	Console switch cable 3,5m	cable for keyboard, monitor and mouse					x	x	x	x				x	x	x	x				x	x	x				x	x	x	SNP:SY-F2293L12-P			65	Phased out
Additional Software																																	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C171			991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C177			495	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C186			991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C192			397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C202			1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C203			1741	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C204			3483	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system **extendable up to 64 CPUs**; **required: U11081-**C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C205			5224	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C206			6966	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201					x	x	x	x				x	x	x					x	x					x	x		U11081-C207			626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C208			1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C209			2020	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C210			3030	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C211			4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C212			1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C213			1741	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C214			3483	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C215			5224	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C216			6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C217			626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C218			1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C219			2020	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Additional Software (Continued)																																	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C220			3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C221			4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C222			441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C223			717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C224			1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C225			2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C226			2843	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C311			1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C321			437	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x				x	x	x		U11081-C302			1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x				x	x	x		U11081-C312			1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x				x	x	x		U11081-C322			711	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C303			3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U11081-C313			3483	
	~~OPENFT-FTP-3 (WINDOWS) V11.0~~	~~License openFT-FTP (WINDOWS) V11.0; for~~ using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		~~U11081-C323~~			~~1422~~	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C501			1070	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C513			1070	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C525			437	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x				x	x	x		U10987-C502			1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x				x	x	x		U10987-C514			1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x				x	x	x					x	x				x	x	x		U10987-C526			711	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C503			3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C515			3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C527			1422	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C528			1646	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C505			5224	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C517			5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x				x	x	x					x	x					x	x		U10987-C529			2133	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	U10987-C499			13	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services																																	
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GA2S00Z00GBPA1			40	
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GA2S00Z00GBPY1			42	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GA3S00Z00GBPA1			65	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GA3S00Z00GBPY1			71	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GA3S00Z00GBY09			65	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GA4S00Z00GBPA1			120	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GA4S00Z00GBPA2			61	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GA4S00Z00GBPA3			89	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GA4S00Z00GBPA6			198	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GA4S00Z00GBPY1			126	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GA4S00Z00GBPY2			64	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																							x	x	x			FSP:GA4S00Z00GBPY3			93	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GA5S00Z00GBPA1			161	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GA5S00Z00GBPA2			123	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GA5S00Z00GBPA3			179	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GA5S00Z00GBPA6			396	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GA5S00Z00GBPY1			168	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GA5S00Z00GBPY2			128	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																							x	x	x			FSP:GA5S00Z00GBPY3			186	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GB3S00000GBPA1			80	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GB3S00Z00GBPY1			84	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GB4S00000GBPA1			120	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200-Serie													x	x	x													FSP:GB4S00000GBPA2			61	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300-Serie																			x	x	x							FSP:GB4S00000GBPA3			89	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2, PRIMERGY TX600 S3																									x	x	x	FSP:GB4S00000GBPA6			198	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GB4S20000GBPA1			225	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GB4S20000GBPA2			390	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300 S2																			x	x	x							FSP:GB4S20000GBPA3			617	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GB4S20000GBPA6			463	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150 S6										x	x																	FSP:GB4S20Z00GBPY1			245	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GB5S00000GBPA1			161	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200-Serie													x	x	x												FSP:GB5S00000GBPA2			123	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300-Serie																			x	x	x							FSP:GB5S00000GBPA3			179	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2, PRIMERGY TX600 S3																									x	x	x	FSP:GB5S00000GBPA6			396	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x			x																	FSP:GB5S20000GBPA1			292	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GB5S20000GBPA2			629	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300 S2																			x	x	x							FSP:GB5S20000GBPA3			1008	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GB5S20000GBPA6			823	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150 S6										x	x																	FSP:GB5S20Z00GBPY1			321	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3S20Z00GBPA1			153	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3S20Z00GBPA2			151	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3S20Z00GBPA3			226	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GD3S20Z00GBPA6			179	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GD3S20Z00GBPY1			167	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GD3S20Z00GBPY2			151	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GD3S20Z00GBPY3			226	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD3S20Z00GBY09			153	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX100 S1	x	x																										FSP:GD3S20Z00GBY12			153	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GD3S60000GBPA1			235	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GD3S60000GBPA2			228	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S2																			x	x	x							FSP:GD3S60000GBPA3			378	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GD3S60000GBPA6			355	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3S60Z00GBPA1			192	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3S60Z00GBPA2			220	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3S60Z00GBPA3			378	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GD3S60Z00GBPA6			355	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GD3S60Z00GBPY1			235	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GD3S60Z00GBPY2			212	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GD3S60Z00GBPY3			371	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD3S60Z00GBY09			235	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX100 S1	x	x																										FSP:GD3S60Z00GBY12			235	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GD3S63000GBPA1			333	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GD3S63000GBPA2			417	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S2																			x	x	x							FSP:GD3S63000GBPA3			694	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GD3S63000GBPA6			602	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3S63Z00GBPA1			281	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3S63Z00GBPA2			416	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3S63Z00GBPA3			694	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GD3S63Z00GBPA6			602	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GD3S63Z00GBPY1			333	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GD3S63Z00GBPY2			378	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GD3S63Z00GBPY3			655	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD3S63Z00GBY09			333	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3SD0Z00GBPA1			281	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3SD0Z00GBPA2			416	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3SD0Z00GBPA3			694	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GD3SD0Z00GBPA6			602	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GD3SD0Z00GBPY1			281	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GD3SD0Z00GBPY2			416	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GD3SD0Z00GBPY3			694	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3SD3Z00GBPA1			519	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3SD3Z00GBPA2			529	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3SD3Z00GBPA3			981	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GD3SD3Z00GBPA6			747	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GD3SD3Z00GBPY1			519	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GD3SD3Z00GBPY2			529	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GD3SD3Z00GBPY3			981	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3SG0Z00GBPA1			281	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3SG0Z00GBPA2			416	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3SG0Z00GBPA3			694	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																										x	x	x	FSP:GD3SG0Z00GBPA6			602	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																		FSP:GD3SG0Z00GBPY1			281	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x											FSP:GD3SG0Z00GBPY2			416	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																							x	x	x				FSP:GD3SG0Z00GBPY3			694	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3SG3000GBPA1			469	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3SG3000GBPA2			529	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3SG3000GBPA3			981	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600 Floor, PRIMERGY TX600 Rack, PRIMERGY TX600 S2 Floor, PRIMERGY TX600 S2 Rack, PRIMERGY TX600 S2 ROHS, PRIMERGY TX600 S3, PRIMERGY H450 Floor, PRIMERGY H450 Rack																										x	x	x	FSP:GD3SG3000GBPA6			747	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD3SG3Z00GBPA1			508	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD3SG3Z00GBPA2			529	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD3SG3Z00GBPA3			981	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																										x	x	x	FSP:GD3SG3Z00GBPA6			747	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																		FSP:GD3SG3Z00GBPY1			508	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x											FSP:GD3SG3Z00GBPY2			529	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																							x	x	x				FSP:GD3SG3Z00GBPY3			981	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD3SG3Z00GBY09			469	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD4S20Z00GBY09			225	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GD4S60000GBPA1			327	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GD4S60000GBPA2			483	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S2																			x	x	x							FSP:GD4S60000GBPA3			823	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GD4S60000GBPA6			823	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GD4S60Z00GBPY1			327	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GD4S60Z00GBPY2			405	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GD4S60Z00GBPY3			666	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD4S60Z00GBY09			327	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GD4S63000GBPA1			459	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GD4S63000GBPA2			749	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S2																			x	x	x							FSP:GD4S63000GBPA3			1250	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GD4S63000GBPA6			1158	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GD4S63Z00GBPY1			459	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4																x	x	x										FSP:GD4S63Z00GBPY2			620	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GD4S63Z00GBPY3			1075	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD4S63Z00GBY09			459	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GD4SG3000GBPA1			652	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD4SG3000GBPA2			902	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD4SG3000GBPA3			1640	

Tower Servers Services — **Data Sheets: http://ts.fujitsu.com/primergy**

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600 Floor, PRIMERGY TX600 Rack, PRIMERGY TX600 S2 Floor, PRIMERGY TX600 S2 Rack, PRIMERGY TX600 S2 ROHS, PRIMERGY TX600 S3, PRIMERGY H450 Floor, PRIMERGY H450 Rack																									x	x	x	FSP:GD4SG3000GBPA6			1354	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																							FSP:GD4SG3Z00GBY09			652	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																							FSP:GD5S20Z00GBY09			292	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x															FSP:GD5S60000GBPA1			415	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x												FSP:GD5S60000GBPA2			746	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S2																			x	x	x						FSP:GD5S60000GBPA3			1268	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GD5S60000GBPA6			1290	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																FSP:GD5S60Z00GBPY1			415	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x									FSP:GD5S60Z00GBPY2			587	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GD5S60Z00GBPY3			966	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																							FSP:GD5S60Z00GBY09			415	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x															FSP:GD5S63000GBPA1			581	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x												FSP:GD5S63000GBPA2			1069	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S2																			x	x	x						FSP:GD5S63000GBPA3			1807	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GD5S63000GBPA6			1713	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																FSP:GD5S63Z00GBPY1			581	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4																x	x	x									FSP:GD5S63Z00GBPY2			868	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GD5S63Z00GBPY3			1508	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																							FSP:GD5S63Z00GBY09			581	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x															FSP:GD5SG3000GBPA1			827	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GD5SG3000GBPA2			1274	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GD5SG3000GBPA3			2298	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600 Floor, PRIMERGY TX600 Rack, PRIMERGY TX600 S2 Floor, PRIMERGY TX600 S2 Rack, PRIMERGY TX600 S2 ROHS, PRIMERGY TX600 S3, PRIMERGY H450 Floor, PRIMERGY H450 Rack																									x	x	x	FSP:GD5SG3000GBPA6			1960	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX120				x																								FSP:GD5SG3Z00GBY09			827	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150-Serie			x		x	x	x	x				x																FSP:GE3S20Z00GBPA1			158	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX200-Serie													x	x	x													FSP:GE3S20Z00GBPA2			132	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX300-Serie																			x	x	x							FSP:GE3S20Z00GBPA3			226	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX600, PRIMERGY TX600 S2, PRIMERGY TX600 S3																									x	x	x	FSP:GE3S20Z00GBPA6			178	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next **business day response**, **5x9**, , **service partner** specified, contact Fujitsu, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GE3S20Z00GBPY1			153	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GE3S20Z00GBPY2			151	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GE3S20Z00GBPY3			226	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150 S6										x	x																	FSP:GE4S20Z00GBPY1			225	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GE4S20Z00GBPY2			391	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GE4S20Z00GBPY3			617	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150 S6										x	x																	FSP:GE5S00Z00GBPY1			168	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150 S6										x	x																	FSP:GE5S20Z00GBPY1			292	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GE5S20Z00GBPY2			629	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GE5S20Z00GBPY3			1008	
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GM2S00Z00GBPA1			40	
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GM2S00Z00GBPY1			42	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GM3S00Z00GBPA1			80	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GM3S00Z00GBPY1			84	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GM4S00Z00GBPA1			120	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GM4S00Z00GBPA2			61	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GM4S00Z00GBPA3			89	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GM4S00Z00GBPA6			198	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GM4S00Z00GBPY1			126	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GM4S00Z00GBPY2			64	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GM4S00Z00GBPY3			93	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GM5S00Z00GBPA1			161	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GM5S00Z00GBPA2			123	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GM5S00Z00GBPA3			179	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GM5S00Z00GBPA6			396	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GM5S00Z00GBPY1			168	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GM5S00Z00GBPY2			128	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GM5S00Z00GBPY3			186	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GN3S00000GBPA1			80	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GN3S00Z00GBPA1			80	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150 S6										x	x																	FSP:GN3S20Z00GBPY1			167	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GN4S00000GBPA1			120	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200-Serie													x	x	x													FSP:GN4S00000GBPA2			61	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300-Serie																			x	x	x							FSP:GN4S00000GBPA3			89	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2, PRIMERGY TX600 S3																									x	x	x	FSP:GN4S00000GBPA6			198	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GN4S20000GBPA1			244	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GN4S20000GBPA2			390	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300 S2																			x	x	x							FSP:GN4S20000GBPA3			617	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GN4S20000GBPA6			463	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150 S6										x	x																	FSP:GN4S20Z00GBPY1			245	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GN5S00000GBPA1			161	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200-Serie													x	x	x													FSP:GN5S00000GBPA2			123	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300-Serie																			x	x	x							FSP:GN5S00000GBPA3			179	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2, PRIMERGY TX600 S3																									x	x	x	FSP:GN5S00000GBPA6			396	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150-Serie			x		x	x	x	x	x			x																FSP:GN5S20000GBPA1			321	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX200, PRIMERGY TX200 S2													x	x	x													FSP:GN5S20000GBPA2			629	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX300 S2																			x	x	x							FSP:GN5S20000GBPA3			1008	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX600, PRIMERGY TX600 S2																									x	x	x	FSP:GN5S20000GBPA6			823	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY TX150 S6										x	x																	FSP:GN5S20Z00GBPY1			321	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3S20Z00GBPA1			167	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3S20Z00GBPA2			151	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3S20Z00GBPA3			226	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3S20Z00GBPA6			179	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GP3S20Z00GBPY1			167	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GP3S20Z00GBPY2			151	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GP3S20Z00GBPY3			226	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3S60Z00GBPA1			192	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3S60Z00GBPA2			220	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3S60Z00GBPA3			378	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3S60Z00GBPA6			355	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GP3S60Z00GBPY1			192	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GP3S60Z00GBPY2			220	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GP3S60Z00GBPY3			378	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3S63Z00GBPA1			281	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3S63Z00GBPA2			416	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3S63Z00GBPA3			694	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3S63Z00GBPA6			602	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GP3S63Z00GBPY1			281	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GP3S63Z00GBPY2			416	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GP3S63Z00GBPY3			694	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3SD0Z00GBPA1			281	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3SD0Z00GBPA2			416	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3SD0Z00GBPA3			694	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3SD0Z00GBPA6			602	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GP3SD0Z00GBPY1			281	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GP3SD0Z00GBPY2			416	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																							x	x	x				FSP:GP3SD0Z00GBPY3			694	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3SD3Z00GBPA1			519	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3SD3Z00GBPA2			529	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3SD3Z00GBPA3			981	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3SD3Z00GBPA6			747	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GP3SD3Z00GBPY1			519	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GP3SD3Z00GBPY2			529	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GP3SD3Z00GBPY3			981	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3SG0Z00GBPA1			281	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3SG0Z00GBPA2			416	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3SG0Z00GBPA3			694	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3SG0Z00GBPA6			602	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GP3SG0Z00GBPY1			281	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (Incl. CRU)																x	x	x										FSP:GP3SG0Z00GBPY2			416	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GP3SG0Z00GBPY3			694	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150-Serie (without CRU)			x		x	x	x	x	x			x																FSP:GP3SG3Z00GBPA1			508	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie (without CRU)													x	x	x													FSP:GP3SG3Z00GBPA2			529	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300-Serie (without CRU)																			x	x	x							FSP:GP3SG3Z00GBPA3			981	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX600-Serie (without CRU)																									x	x	x	FSP:GP3SG3Z00GBPA6			747	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX1xx-Serie (incl. CRU)										x	x																	FSP:GP3SG3Z00GBPY1			508	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX2xx-Serie (incl. CRU)																x	x	x										FSP:GP3SG3Z00GBPY2			529	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX3xx-Serie (incl. CRU)																						x	x	x				FSP:GP3SG3Z00GBPY3			981	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie													x	x	x													FSP:GP4S60Z00GBPA2			482	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Product related services (Continued)																																	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GP4S60Z00GBPY1			276	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GP4S60Z00GBPY2			482	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GP4S60Z00GBPY3			824	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200-Serie													x	x	x													FSP:GP4S63Z00GBPA2			749	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GP4S63Z00GBPY1			398	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GP4S63Z00GBPY2			749	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GP4S63Z00GBPY3			1251	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GP5S60Z00GBPY1			362	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GP5S60Z00GBPY2			746	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GP5S60Z00GBPY3			1268	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX150 S6										x	x																	FSP:GP5S63Z00GBPY1			515	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GP5S63Z00GBPY2			1082	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GP5S63Z00GBPY3			1807	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150 S6										x	x																	FSP:GQ3S20Z00GBPY1			167	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GQ3S20Z00GBPY2			151	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GQ3S20Z00GBPY3			226	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150 S6										x	x																	FSP:GQ4S20Z00GBPY1			244	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GQ4S20Z00GBPY2			390	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GQ4S20Z00GBPY3			617	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX150 S6										x	x																	FSP:GQ5S20Z00GBPY1			321	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX200 S4, Primergy TX200 S5																x	x	x										FSP:GQ5S20Z00GBPY2			498	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY TX300 S4, Primergy TX300 S5																						x	x	x				FSP:GQ5S20Z00GBPY3			1008	
Software Services																																	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1AD00PRV05			1629	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1AD03PRV05			1791	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1AE00PRV07			632	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1AE03PRV07			695	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1E800PRV07			3830	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1E803PRV07			4213	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1EA00PRV05			466	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1EA03PRV05			513	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1EE00PRV07			632	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1EE03PRV07			695	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL											x					x	x				x	x	x				FSP:G-SP1EP00PRV08			563	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL											x					x	x				x	x	x				FSP:G-SP1EP03PRV08			619	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x					x	x				x	x	x				FSP:G-SP1EX00PRV01			450	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x					x	x				x	x	x				FSP:G-SP1EX03PRV01			495	
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x		x						x	x																FSP:G-SP1L160PRL63			394	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x		x						x	x																FSP:G-SP1L163PRL63			848	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611											x					x	x	x				x	x	x				FSP:G-SP1L260PRL63			394	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611											x					x	x	x				x	x	x				FSP:G-SP1L263PRL63			848	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1SA00PRV05			466	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1SA03PRV05			513	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1SD00PRV05			466	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP1SD03PRV05			513	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT											x					x	x				x	x	x				FSP:G-SP1SE00PRV06			546	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT											x					x	x				x	x	x				FSP:G-SP1SE03PRV06			601	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1SL00PRV07			632	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1SL03PRV07			695	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP1ST00PRV04			332	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP1ST03PRV04			365	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1US00PRV07			632	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1US03PRV07			695	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND											x					x	x				x	x	x				FSP:G-SP1UV00PRV09			841	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND											x					x	x				x	x	x				FSP:G-SP1UV03PRV09			925	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP1VC00PRV09			509	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP1VC03PRV09			560	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP1VS00PRV09			841	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP1VS03PRV09			925	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase									x	x	x				x	x	x	x			x	x	x	x				FSP:G-SP1X300PRXTN			271	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase									x	x	x				x	x	x	x			x	x	x	x				FSP:G-SP1X500PRXTN			213	
	SP 1y 1,2,3 x10sure IS base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase											x						x											FSP:G-SP1X700PRXTN			485	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1XE00PRV07			632	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP1XE03PRV07			695	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP1XS00PRV04			332	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP1XS03PRV04			365	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP3AD00PRV05			4163	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x						x	x				x	x	x				FSP:G-SP3AD03PRV05			4579	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x						x	x				x	x	x				FSP:G-SP3AE00PRV07			1671	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x						x	x				x	x	x				FSP:G-SP3AE03PRV07			1839	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x						x	x				x	x	x				FSP:G-SP3E800PRV07			9820	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x						x	x				x	x	x				FSP:G-SP3E803PRV07			10802	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x						x	x				x	x	x				FSP:G-SP3EA00PRV05			1254	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x						x	x				x	x	x				FSP:G-SP3EA03PRV05			1379	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x						x	x				x	x	x				FSP:G-SP3EE00PRV07			1671	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x						x	x				x	x	x				FSP:G-SP3EE03PRV07			1839	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x			x						x	x					x	x	x				x	x	x				FSP:G-SP3EP00PRV08			1527	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x			x						x	x					x	x	x				x	x	x				FSP:G-SP3EP03PRV08			1679	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x	x	x						x	x																	FSP:G-SP3L160PRL63			986	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x	x	x						x	x																	FSP:G-SP3L163PRL63			2120	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612											x					x	x	x				x	x	x				FSP:G-SP3L260PRL63			986	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612											x					x	x	x				x	x	x				FSP:G-SP3L263PRL63			2120	
	SP 3y L5,4h Rt,5x9	Service Pack classic 3 years Software Service, 4h remote response time, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																							x	x				FSP:G-SP3L560PRL63			1176	
	SP 3y L5,4h Rt,7x24	Service Pack classic 3 years Software Service, 2h remote response time 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																							x	x				FSP:G-SP3L563PRL63			2235	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x						x	x				x	x	x				FSP:G-SP3SA00PRV05			1254	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x						x	x				x	x	x				FSP:G-SP3SA03PRV05			1379	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x						x	x				x	x	x				FSP:G-SP3SD00PRV05			1254	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV											x					x	x				x	x	x				FSP:G-SP3SD03PRV05			1379	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT											x					x	x				x	x	x				FSP:G-SP3SE00PRV06			1479	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT											x					x	x				x	x	x				FSP:G-SP3SE03PRV06			1626	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP3SL00PRV07			1671	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP3SL03PRV07			1839	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP3ST00PRV04			330	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP3ST03PRV04			900	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP3US00PRV07			1671	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP3US03PRV07			1839	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND											x					x	x				x	x	x				FSP:G-SP3UV00PRV09			2224	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND											x					x	x				x	x	x				FSP:G-SP3UV03PRV09			2224	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP3VC00PRV09			1366	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP3VC03PRV09			1503	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP3VS00PRV09			2224	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SP3VS03PRV09			2224	
	SP 3y 1,2,3 x10sure base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase									x	x	x				x	x	x	x			x	x	x	x				FSP:G-SP3X300PRXTN			814	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 3 years 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase									x	x	x				x	x	x	x			x	x	x	x				FSP:G-SP3X500PRXTN			640	
	SP 3y 1,2,3 x10sure IS base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase											x						x											FSP:G-SP3X700PRXTN			1454	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP3XE00PRV07			1671	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL											x					x	x				x	x	x				FSP:G-SP3XE03PRV07			1839	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP3XS00PRV04			330	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD											x					x	x				x	x	x				FSP:G-SP3XS03PRV04			900	
	SP Xtend 1y to 2y ADV Acceleration Kit,5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPAAD00PRV05			401	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 1y to 2y ADV Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPAAD03PRV05			413	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAAE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAAE03PRV07			658	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,5x9	SP Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase											x					x	x				x	x	x				FSP:G-SPAE600PRV07			3193	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAE603PRV07			3924	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAE800PRV07			3985	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAE803PRV07			4960	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPAEA00PRV05			401	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPAEA03PRV05			413	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAEE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAEE03PRV07			658	
	SP Xtend 1y to 2y Essentials PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x					x	x				x	x	x				FSP:G-SPAEP00PRV08			524	
	SP Xtend 1y to 2y Essentials PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x					x	x				x	x	x				FSP:G-SPAEP03PRV08			558	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x					x	x				x	x	x				FSP:G-SPAEX00PRV01			395	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x					x	x				x	x	x				FSP:G-SPAEX03PRV01			446	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 1y to 2y Upgrade STD to ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPASA00PRV05			401	
	SP Xtend 1y to 2y Upgrade STD to ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPASA03PRV05			413	
	SP Xtend 1y to 2y vSphere ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPASD00PRV05			401	
	SP Xtend 1y to 2y vSphere ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPASD03PRV05			413	
	SP Xtend 1y to 2y vSphere ENT,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x					x	x				x	x	x				FSP:G-SPASE00PRV06			507	
	SP Xtend 1y to 2y vSphere ENT,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x					x	x				x	x	x				FSP:G-SPASE03PRV06			535	
	SP Xtend 1y to 2y vSphere ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPASL00PRV07			607	
	SP Xtend 1y to 2y vSphere ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPASL03PRV07			658	
	SP Xtend 1y to 2y vSphere STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x					x	x				x	x	x				FSP:G-SPAST00PRV04			212	
	SP Xtend 1y to 2y vSphere STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x					x	x				x	x	x				FSP:G-SPAST03PRV04			240	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAUS00PRV07			607	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPAUS03PRV07			658	
	SP Xtend 1y to 2y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x					x	x				x	x	x				FSP:G-SPAUV00PRV09			880	
	SP Xtend 1y to 2y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x					x	x				x	x	x				FSP:G-SPAUV03PRV09			936	
	SP Xtend 1y to 2y vCenter FND,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPAVC00PRV09			424	
	SP Xtend 1y to 2y vCenter FND,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPAVC03PRV09			485	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 1y to 2y vCenter STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPAVS00PRV09			880	
	SP Xtend 1y to 2y vCenter STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPAVS03PRV09			936	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPAXE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPAXE03PRV07			658	
	SP Xtend 1y to 2y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPAXS00PRV04			552	
	SP Xtend 1y to 2y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPAXS03PRV04			619	
	SP Xtend 2y to 3y ADV Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBAD00PRV05			401	
	SP Xtend 2y to 3y ADV Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBAD03PRV05			413	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBAE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBAE03PRV07			658	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBE600PRV07			3193	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBE603PRV07			3924	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBE800PRV07			3985	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBE803PRV07			4960	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBEA00PRV05			401	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBEA03PRV05			413	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBEE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBEE03PRV07			658	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 2y to 3y Essentials PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x						x	x				x	x	x				FSP:G-SPBEP00PRV08			524	
	SP Xtend 2y to 3y Essentials PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x						x	x				x	x	x				FSP:G-SPBEP03PRV08			558	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 2 years to 3 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x				x	x	x				FSP:G-SPBEX00PRV01			395	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 2 years to 3 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x				x	x	x				FSP:G-SPBEX03PRV01			446	
	SP Xtend 2y to 3y Upgrade STD to ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBSA00PRV05			401	
	SP Xtend 2y to 3y Upgrade STD to ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBSA03PRV05			413	
	SP Xtend 2y to 3y vSphere ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBSD00PRV05			401	
	SP Xtend 2y to 3y vSphere ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPBSD03PRV05			413	
	SP Xtend 2y to 3y vSphere ENT,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x						x	x				x	x	x				FSP:G-SPBSE00PRV06			507	
	~~SP Xtend 2y to 3y vSphere ENT,7x24~~	~~Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT~~											~~x~~						~~x~~	~~x~~				~~x~~	~~x~~	~~x~~				~~FSP:G-SPBSE03PRV06~~			~~535~~	
	SP Xtend 2y to 3y vSphere ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBSL00PRV07			607	
	SP Xtend 2y to 3y vSphere ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBSL03PRV07			658	
	SP Xtend 2y to 3y vSphere STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPBST00PRV04			212	
	SP Xtend 2y to 3y vSphere STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPBST03PRV04			240	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBUS00PRV07			607	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBUS03PRV07			658	
	SP Xtend 2y to 3y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x						x	x				x	x	x				FSP:G-SPBUV00PRV09			880	
	SP Xtend 2y to 3y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x						x	x				x	x	x				FSP:G-SPBUV03PRV09			936	
	SP Xtend 2y to 3y vCenter FND,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPBVC00PRV09			424	
	SP Xtend 2y to 3y vCenter FND,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPBVC03PRV09			485	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 2y to 3y vCenter STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPBVS00PRV09			880	
	SP Xtend 2y to 3y vCenter STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPBVS03PRV09			936	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBXE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPBXE03PRV07			658	
	SP Xtend 2y to 3y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPBXS00PRV04			552	
	SP Xtend 2y to 3y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPBXS03PRV04			619	
	SP Xtend 3y to 4y ADV Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPCAD00PRV05			401	
	SP Xtend 3y to 4y ADV Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPCAD03PRV05			413	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCAE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCAE03PRV07			658	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCE600PRV07			3193	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCE603PRV07			3924	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCE800PRV07			3985	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCE803PRV07			4960	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPCEA00PRV05			401	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPCEA03PRV05			413	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCEE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCEE03PRV07			658	
	SP Xtend 3y to 4y Essentials PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x						x	x				x	x	x				FSP:G-SPCEP00PRV08			524	
	SP Xtend 3y to 4y Essentials PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x						x	x				x	x	x				FSP:G-SPCEP03PRV08			558	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 3 years to 4 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x					x	x				x	x	x				FSP:G-SPCEX00PRV01			395	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 3 years to 4 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x					x	x				x	x	x				FSP:G-SPCEX03PRV01			446	
	SP Xtend 3y to 4y Upgrade STD to ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPCSA00PRV05			401	
	SP Xtend 3y to 4y Upgrade STD to ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPCSA03PRV05			413	
	SP Xtend 3y to 4y vSphere ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPCSD00PRV05			401	
	SP Xtend 3y to 4y vSphere ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x					x	x				x	x	x				FSP:G-SPCSD03PRV05			413	
	SP Xtend 3y to 4y vSphere ENT,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x					x	x				x	x	x				FSP:G-SPCSE00PRV06			507	
	SP Xtend 3y to 4y vSphere ENT,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x					x	x				x	x	x				FSP:G-SPCSE03PRV06			535	
	SP Xtend 3y to 4y vSphere ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPCSL00PRV07			607	
	SP Xtend 3y to 4y vSphere ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPCSL03PRV07			658	
	SP Xtend 3y to 4y vSphere STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x					x	x				x	x	x				FSP:G-SPCST00PRV04			212	
	SP Xtend 3y to 4y vSphere STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x					x	x				x	x	x				FSP:G-SPCST03PRV04			240	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPCUS00PRV07			607	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x					x	x				x	x	x				FSP:G-SPCUS03PRV07			658	
	SP Xtend 3y to 4y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x					x	x				x	x	x				FSP:G-SPCUV00PRV09			880	
	SP Xtend 3y to 4y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x					x	x				x	x	x				FSP:G-SPCUV03PRV09			936	
	SP Xtend 3y to 4y vCenter FND,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPCVC00PRV09			424	
	SP Xtend 3y to 4y vCenter FND,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPCVC03PRV09			485	
	SP Xtend 3y to 4y vCenter STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPCVS00PRV09			880	
	SP Xtend 3y to 4y vCenter STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPCVS03PRV09			936	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCXE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPCXE03PRV07			658	
	SP Xtend 3y to 4y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPCXS00PRV04			552	
	SP Xtend 3y to 4y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPCXS03PRV04			619	
	SP Xtend 4y to 5y ADV Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDAD00PRV05			401	
	SP Xtend 4y to 5y ADV Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDAD03PRV05			413	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDAE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDAE03PRV07			658	
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDE600PRV07			3193	
	~~SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,7x24~~	~~Service Pack Prolongation from 4 years to 5~~ years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				~~FSP:G-SPDE603PRV07~~			3924	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDE800PRV07			3985	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDE803PRV07			4960	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDEA00PRV05			401	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDEA03PRV05			413	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDEE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDEE03PRV07			658	
	SP Xtend 4y to 5y Essentials PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x						x	x				x	x	x				FSP:G-SPDEP00PRV08			524	
	SP Xtend 4y to 5y Essentials PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL											x						x	x				x	x	x				FSP:G-SPDEP03PRV08			558	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 4 years to 5 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x				x	x	x				FSP:G-SPDEX00PRV01			395	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 4 years to 5 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x				x	x	x				FSP:G-SPDEX03PRV01			446	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 4y to 5y Upgrade STD to ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDSA00PRV05			401	
	SP Xtend 4y to 5y Upgrade STD to ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDSA03PRV05			413	
	SP Xtend 4y to 5y vSphere ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDSD00PRV05			401	
	SP Xtend 4y to 5y vSphere ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV											x						x	x				x	x	x				FSP:G-SPDSD03PRV05			413	
	SP Xtend 4y to 5y vSphere ENT,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x						x	x				x	x	x				FSP:G-SPDSE00PRV06			507	
	SP Xtend 4y to 5y vSphere ENT,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT											x						x	x				x	x	x				FSP:G-SPDSE03PRV06			535	
	SP Xtend 4y to 5y vSphere ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDSL00PRV07			607	
	SP Xtend 4y to 5y vSphere ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDSL03PRV07			658	
	SP Xtend 4y to 5y vSphere STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPDST00PRV04			212	
	~~SP Xtend 4y to 5y vSphere STD,7x24~~	~~Service Pack Prolongation from 4 years to 5 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD~~											~~x~~						~~x~~	~~x~~				~~x~~	~~x~~	~~x~~				~~FSP:G-SPDST03PRV04~~			~~240~~	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDUS00PRV07			607	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDUS03PRV07			658	
	SP Xtend 4y to 5y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x						x	x				x	x	x				FSP:G-SPDUV00PRV09			880	
	SP Xtend 4y to 5y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND											x						x	x				x	x	x				FSP:G-SPDUV03PRV09			936	
	SP Xtend 4y to 5y vCenter FND,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPDVC00PRV09			424	
	SP Xtend 4y to 5y vCenter FND,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPDVC03PRV09			485	
	SP Xtend 4y to 5y vCenter STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPDVS00PRV09			880	
	SP Xtend 4y to 5y vCenter STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND			x	x						x	x					x	x	x				x	x	x				FSP:G-SPDVS03PRV09			936	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDXE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL											x						x	x				x	x	x				FSP:G-SPDXE03PRV07			658	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP Xtend 4y to 5y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPDXS00PRV04			552	
	SP Xtend 4y to 5y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD											x						x	x				x	x	x				FSP:G-SPDXS03PRV04			619	

Positioning PRIMERGY Rack Servers

PRIMERGY RX100 S5

PRIMERGY RX100 S5 is a low-cost, easily-implemented platform with a Dual- or Quad-Core Intel® Xeon® UP 3000 sequence processor, integrated SAS or SATA RAID 0, 1 and a memory of up to 8 GB with a 1U space-saving depth of less than 60 cm. Integrated network and management functions make it ideal for data center infrastructure solutions.

PRIMERGY RX200 S5

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.

PRIMERGY RX300 S5

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.

PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for availability features and virtualization focus. With 2 Dual-Core AMD Opteron™ proc-essors of the 2000 series and up to 32 Gbytes DDR2-667 direct addressable memory the PRIMERGY RX330 S1 matches your business application requirements perfectly and is ready for next generation AMD Quad-Core processors. Therefore the PRIMERGY RX330 S1 with up to 6 hot-plug SAS or SATA hard disks in combination with disk mirroring function, sufficient free PCI slots for heavy I/O requirements, a redundant power supply option, provides you with a budget saving platform.

PRIMERGY RX600 S4

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-inclass“ efficiency.

PRIMECENTER SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

PRIMERGY RX100 Sx — Data Sheets: http://ts.fujitsu.com/primergy

Business processes and customer bases are becoming more and more comprehensive as they rely on Internet technology. Consequently, data centers are faced with the challenge of making flexible and fast enhancements to their front-end infrastructure services. Increasingly they are looking for a platform solution that has minimum impact on their budgets, yet is easy to deploy and simple to operate. The PRIMERGY RX100 S6 has the appropriate answer.
The technical developments, such as Quad-Core Intel® Xeon® CPU in the 3200/3300 series, integrated SAS or SATA RAID 0, 1 data protection, easy to replace 2 x 3.5-inch hot-plug SATA or SAS hard disks and 8GB RAM - all make the PRIMERGY RX100 S6 ideal for your business applications. It combines the advantages of cost-optimized SATA or SAS hard disk technology in just one height unit with an installation depth of less than 60 cm. This makes it easy to integrate into any rack enclosures. The standard iRMC S2 (integrated Remote Management Controller) offers comprehensive system management based on IPMI 2.0 technology. The integrated network and management functions make it a good choice for infrastructure solutions even if budgets are limited.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY RX100 S6							
	PY RX100S6/LFF/STANDARD PSU /	PY RX100S6/LFF/STANDARD PSU / CORE I3-540/2GB 1333 ECC U/ DVD-RW SM SLIM/RMK-F1_1-2U SERVER/ 1 U CABLE ARM/E-STAR FAM1/,	VFY:R1006SF010GB			695	
	PY RX100S6/LFF/STANDARD PSU /XEON X3430/	PY RX100S6/LFF/STANDARD PSU /XEON X3430/ 4GB 1066 ECC R/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/1 U CABLE ARM/ E-STAR FAM2/,	VFY:R1006SF020GB			894	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX100 S6							
	PY RX100S6/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN and 6-Port SATA controller onboard; 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1264-V101			432	
	PY RX100S6/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN and 6-Port SATA controller onboard; 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1264-V201			432	

PRIMERGY RX200 S5

Data Sheets: http://ts.fujitsu.com/primergy

The new RX200 offers the seemingly impossible: more performance, higher extendability and greater reliability packed in a flat rack housing of only 1 U – with a significantly improved performance / power consumption ratio. In other words, more for less with regard to energy efficiency in data centers. Energy consumption and ventilation in data centers are a burning issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 rack server generation provides the right answers. Hot-pluggable, redundant power supply units, whose efficiency has been increased to 89%, ensure efficient energy utilization. Depending on the load, sensorcontrolled, hot-pluggable and redundant fans are used to maintain an optimal temperature in the server at all times; all supported by an innovative, extremely air-permeable honeycomb design and barrier-free, internal air-flow channels. The result is a sustainable high server performance, longlife components and fewer data center cooling requirements.
The integrated ServerView Power Management enables the monitoring and active planning of maximum consumption loads, thus ensuring cost efficiency. Cool-safe™ provides the security so that you can make maximum use of the full performance of the new Intel® Xeon® Dual-Core, Quad-Core and Turbo-Quad-Core processor generation with its high memory and hard disk configurations in this 1U rack server.

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	DVD-ROM	CD-RW DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD_SUPERMULTI	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Option	Miscellaneous	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Standard products																															
PRIMERGY RX200 S5																															
	Intel® Xeon® E5520		Rack	6 GB, DDR3, 1066 MHz + 1 x	1 x						x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot).									VFY:R2005SF010GB			1472	
	Intel® Xeon® E5504		Rack	2 GB, DDR3, 1066 MHz	1 x						x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot).									VFY:R2005SP010GB			1321	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX200 S5							
	PY RX200S5	Rack based server 19" (1U), BU without processor and RAM, incl. 1 hot pug power supply module, RMK optional, 6 redundant hot plug fans; dual systemboard for Xeon DP processors and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM or unbuffered DDR3-1066 PC3-8500 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2 GBit Ethernet LAN and 4-Port SATA controller onboard; Modular 4 or 8-Port RAID controller optional; Options for 6x 2.5" SAS / SATA HDD bays or 8x 2.5" SAS / SATA HDD bays for hot plug 2.5" SAS/SATA HDs.; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1272-V101			909	Phased out

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY RX200 S5							
	PY RX200S5 /XEON DP E5520/	PY RX200S5 /XEON DP E5520/ PERFORMANCE MODE/SP 3X2GB 1066 ECC/ DVD-RW SM SLIM/6X2.5" HDD + ODD/ RMK-F1_1-2U SERVER/1 U CABLE ARM/,	VFY:R2005SF010GB			1472	
	PY RX200S5 /XEON DP E5504/2GB 1066 ECC/	PY RX200S5 /XEON DP E5504/2GB 1066 ECC/ DVD-RW SM SLIM/6X2.5" HDD + ODD/ RMK-F1_1-2U SERVER/1 U CABLE ARM/ ,	VFY:R2005SP010GB			1321	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX200 S5							
	PY RX200S5	Rack based server 19" (1U), BU without processor and RAM, incl. 1 hot pug power supply module, RMK optional, 6 redundant hot plug fans; dual systemboard for Xeon DP processors and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM or unbuffered DDR3-1066 PC3-8500 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2 GBit Ethernet LAN and 4-Port SATA controller onboard; Modular 4 or 8-Port RAID controller optional; Options for 6x 2.5" SAS / SATA HDD bays or 8x 2.5" SAS / SATA HDD bays for hot plug 2.5" SAS/SATA HDs.; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1272-V101			909	Phased out

PRIMERGY RX300 S5

Data Sheets: http://ts.fujitsu.com/primergy

The consolidation of dedicated servers and the use of efficient virtualized run environments provide measurable benefits and new flexibility regarding IT operations management. Virtual servers can thus be moved to other servers during ongoing operations and enable maintenance work to the hardware platform without any operational interruption. Active virtual servers can be flexibly moved to systems with higher performance for operation during peak-load times. Test systems can be easily converted to productive systems via live migration. Virtualized environments are the main application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, it is essential to have several operating systems plus the installed applications running simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization:
- High, scalable I/O performances with PCIe Gen2, x4/x8 Turbo mode, up to 7 free PCIe slots - so that disk I/O and network/SAN accesses do not become a bottleneck!
- The generosity of the maximum 144 GB main memory for a high-performance determinable, optimal sizing of the virtual server environment so that the main memory does not become the point of contention for the virtualization software as well as the consolidated applications and the operating systems.
- Top performance with state-of-the-art Dual, Quad or Turbo Quad-Core Intel® Xeon® 5500 series CPUs as well as double I/O performance with PCIe Gen2.0 - so that every virtual system can work at a higher performance level than before.
- The reliability of a premium server system in a space-saving 2 U design so that the cost benefits arising from standardized rack servers and virtual systems do not become a survival risk!

The reliability of the RX300 server platform also leaves nothing to be desired in other application areas, e.g. as database servers or application servers for business-critical processes.

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD_SUPERMULTI	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Option	Miscellaneous	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Standard products																														
PRIMERGY RX300 S5																														
	Intel® Xeon® E5520		Rack	6 GB, DDR3, 1066 MHz + 1 x							x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).									VFY:R300S5F010GB			1656	
	Intel® Xeon® E5504		Rack	2 GB, DDR3, 1066 MHz							x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).									VFY:R300S5F020GB			1433	
	Intel® Xeon® E5504		Rack	2 GB, DDR3, 1333 MHz							x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R300S5F030GB			1448	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX300 S5							
	SAG Medium - RX300S5 - LFF	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V111			3101	
	SAG Small - RX300S5 - 1TB		S26361-K1237-V112			2731	
	SAG Small - RX300S5 - 250GB		S26361-K1237-V113			2325	
	PY RX300S5 6x3.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V101			988	Phased out
	PY RX300S5 8x2.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V201			988	Phased out
	PY RX300S5 12x2.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V301			1022	
	PY RX300S5 6x3.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V501			1014	Phased out
	PY RX300S5 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V601			1014	Phased out
	PY RX300S5 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC	S26361-K1237-V701			1048	

Model	Processor	Operating System	Cabinet	Memory	DVD-RW Dual DL / DVD RAM	DVD ,SUPERMULTI'	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	Backup Units	Miscellaneous	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Standard products																										
PRIMERGY RX300 S6																										
	Intel® Xeon® E5620		Rack	4 GB, DDR3, 1333 MHz		x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SF010GB			1824	
	Intel® Xeon® X5650		Rack	1 x + 12 GB, DDR3, 1333 MHz		x			2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SF020GB			2565	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX300 S6							
	PY RX300S6 6x3.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and unbuffered or registered DDR3 ECC RAM as „Standard-Voltage" or „Low Voltage"; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard; Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V101			1084	
	PY RX300S6 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and unbuffered or registered DDR3 ECC RAM as ?Standard-Voltage? or ?Low Voltage?; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard; Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V201			1084	
	PY RX300S6 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and unbuffered or registered DDR3 ECC RAM as „Standard-Voltage" or „Low Voltage"; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard; Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V301			1113	Orderable from: 30/06/2010

PRIMERGY RX330 S1 — Data Sheets: http://ts.fujitsu.com/primergy

Corporate applications in data center server farms which are centrally implemented and controlled require constantly increasing performance. The low-priced PRIMERGY RX330 S1 (Large TLC) is a new basic unit from the previous RX330 S1 with a Standard TLC of 2 MB. The PRIMERGY RX330 S1 can be ordered based on a new basic unit with Quad-Core Opteron™ processors with 6 MB Third Level Cache (TLC). The new basic unit is only released with the new 2300 series processors with 6 MB TLC. It is not possible to convert or upgrade the existing RX330 S1 basic unit to this new processsor generation. Only the faster DDR2 memory modules with 800 MHz are released for the new basic unit (Large TLC) with the new processors. The new basic unit in the RX330 S1 has a motherboard with a new D number.
RX330 offers enough local storage capacity for use as a stand-alone application server and for server farms in scale-out environments with average requirements regarding availability features and virtualization. The PRIMERGY RX330 S1 with its two Quad-Core AMD Opteron™ processors in the 2300 series and up to 32 Gbytes DDR2-800 memory is perfect for your business application requirements. The PRIMERGY RX330 S1 with its combination of up to 6 hot-plug SAS or SATA hard disks, integrated disk mirroring, 4 PCI slots for heavy I/O requirements and a redundant power supply option is indeed a budget-saving platform.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX330 S1							
	PY RX330 S1/QC6	Rack mountable server 19" (2U) incl. 1 hot plug power supply module, RMK optional, 3 fans, dual systemboard for Opteron 2000 processors, DDR2 800 RAM PC2-6400 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1311-V201			811	Phased out

PRIMERGY RX600 S4 Data Sheets: http://ts.fujitsu.com/primergy

Primergy RX600 S4 4-Socket, Dual-, Quad- and Six-Core Xeon MP based Rack Server (4U)

Very special criteria apply when selecting the hardware platform for the really critical corporate applications:
Easy-to-scale performance, high capacity levels to use memory as required, I/O and local memory, as well as high reliability and operational consistency levels typical for data centers, all of which improve the IT production quality on a long-term basis. With up to 256 GB linear addressable main memory capacity and the state-of-the-art Intel Xeon Multi-Core processors , the 4-socket server RX600 S4 is the perfect platform to operate performance-hungry back-end services, such as large database systems, ERP and CRM applications, e-commerce systems or as a corporate messaging platform. Its integrated redundancy functions mean high-availability and constant efficient IT production - the main feature of this server platform. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class“ efficiency.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX600 S4							
	SAG Large - RX600S4		S26361-K998-V111			10761	Phased out
	PY RX600S4	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); hot plug fans (redundant); 4-way system board for Xeon MP Dual Core or Quad Core CPUs; 2x memory board for max. 16x FBD667 / PC2-5300F modules; 8 drive bays for hot plug 2.5" SAS HDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4 GBit LAN Ports) WOL capable; SAS RAID Controller with 512MB on-board (supporting RAID level 0, 1, 5, 6, 10, 50, 60); LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K998-V200			2741	

PRIMERGY RX600 S5 **Data Sheets: http://ts.fujitsu.com/primergy**

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX600 S5							
	PY RX600S5	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); 8x hot plug fans (redundant); system board for XEON 7500 CPUs; 2x memory board for max. 4x4 DDR3 DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4x GBit LAN Ports) WOL capable; SAS RAID Controller optional; LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.,	S26361-K1287-V400			2989	

PRIMECENTER — Data Sheets: http://ts.fujitsu.com/primergy

PRIMECENTER - 19-inch rack system
19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, SPARC Enterprise, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard
PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for SPARC Enterprise, PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here;
this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.
New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack							
	PRIMECENTER COM Rack, 38HE	19" rack (38U) for structured network cabling, stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, with add. 100mm side space, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V253			4174	
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101			1388	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102			1519	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103			1829	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104			2098	
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1649	
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213			1964	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			2172	
	PCR LC-RACK 38U Byp CTRL	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V130			11162	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PCR LC-RACK 38U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V135			12599	
	PCR LC-RACK 46U Byp CTRL	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V230			11293	
	PCR LC-RACK 46U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V235			12729	

PRIMECENTER SME Rack

Data Sheets: http://ts.fujitsu.com/primergy

Industry Standard Rack
19-inch PRIMECENTER SME in Height of 42 and 24 units
The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

- **Asymmetrical design for ideal cable routing and best air flow**
- **Capacity 24 or 42 height units, no extra vertical height units**
- **Capacity 24 or 42 are now also available in 1100mm depth, instead of only 1000mm.**
- **Full serviceability of servers thanks to telescopic rails for servers with hot-replace components**
- **All released components for PRIMECENTER rack family can be used as well**
- **All Fujitsu Siemens rack servers and subsystems, as well as 3rd party rack servers (which fits into PRIMECENTER Racks) can be installed under the same conditions and restrictions (specially for servers with higher weight)**
- **No anti tilt protection as standard, rack has to be fixed at the ground floor**
- **Options available on demand at supplier**

Anti tilt protection, roll base, combination lock with numbers, etc

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Rack-Infrastructure							
	Starter-kit 1 for SME rack	PDU, dummy panels, screws, delivery without fixtures es factory	S26361-F2735-L300			175	
	SME Rack 24 U, 1000mm deep, 700mm wide	SME Rack 24 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L24			672	
	SME Rack 42 U, 1000mm deep, 700mm wide	SME Rack 42 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L42			758	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Processor																																			
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB																		x													S26361-F3277-L186			258	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB																			x												S26361-F3277-L200			258	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB																		x													S26361-F3278-L200			296	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB																		x	x												S26361-F3278-L213			296	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB																			x												S26361-F3278-L226			347	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB																		x													S26361-F3279-L226			481	
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB																		x													S26361-F3279-L240			669	
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB																		x													S26361-F3279-L253			927	
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB																		x													S26361-F3280-L267			1202	
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB																		x													S26361-F3280-L280			1460	
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB																		x													S26361-F3280-L293			1718	
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB																		x													S26361-F3281-L213			541	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB																		x													S26361-F3281-L226			669	
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB																		x													S26361-F3281-L240			927	
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB											x																				S26361-F3286-L186			258	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB												x																			S26361-F3286-L200			258	Orderable from: 15/06/2010
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB											x																				S26361-F3287-L200			296	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB											x																				S26361-F3287-L213			296	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB											x																				S26361-F3288-L226			481	
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB											x																				S26361-F3288-L240			669	
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB											x																				S26361-F3288-L253			927	
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB											x																				S26361-F3289-L266			1202	
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB											x																				S26361-F3289-L280			1460	
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB											x																				S26361-F3289-L293			1718	
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB											x																				S26361-F3290-L213			541	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB											x																				S26361-F3290-L226			669	
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB											x																				S26361-F3290-L240			927	
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB																		x													S26361-F3337-L333			1975	
	Xeon MP E7220 2.93GHz 2x4MB 1066MHz																									x						S26361-F3487-L220			1426	Phased out
	Xeon MP E7310 1.60GHz 2x2MB 1066MHz																									x						S26361-F3487-L310			1065	Phased out
	Xeon MP E7330 2.40GHz 2x3MB 1066MHz																									x						S26361-F3487-L330			1684	Phased out
	Xeon MP E7430 2.13GHz 12MB 1066MHz																									x						S26361-F3487-L430			1684	Phased out
	Xeon MP E7450 2.40GHz 12MB 1066MHz																									x						S26361-F3487-L450			2706	Phased out
	Xeon MP X7460 2.67GHz 16MB 1066MHz																									x						S26361-F3487-L460			3307	Phased out
	Opteron 2380 2.5GHz 6MB																					x										S26361-F3551-L380			408	
	Opteron 2372 HE 2.1GHz 6MB																					x										S26361-F3553-L372			216	Phased out
	Opteron 2376 HE 2.3GHz 6MB																					x										S26361-F3553-L376			408	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB																			x												S26361-F3618-L240			481	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB																			x												S26361-F3618-L253			669	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB																			x												S26361-F3618-L266			927	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB																			x												S26361-F3619-L266			1202	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB																			x												S26361-F3619-L280			1460	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB																			x												S26361-F3619-L293			1718	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB																			x												S26361-F3619-L333			1975	
	Intel Xeon L5609 4C/4T 1.86 GHz 4 MB																			x												S26361-F3621-L186			541	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB																			x												S26361-F3622-L213			669	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB																			x												S26361-F3622-L226			1202	
	Opteron 2344 HE 1.7GHz 2MB																					x										S26361-F3862-L170			239	Phased out
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz										x																					S26361-F3880-L200			278	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz										x																					S26361-F3880-L250			421	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz										x																					S26361-F3880-L266			564	Phased out
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz										x																					S26361-F3880-L283			801	Phased out
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz										x																					S26361-F3880-L550			459	Phased out
	Xeon DP E5205 1.86 GHz 6MB 1066MHz										x																					S26361-F3881-L186			251	Phased out
	Xeon DP X5260 3.33 GHz 6MB 1333MHz										x																					S26361-F3881-L333			988	Phased out
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz																	x														S26361-F3882-L200			278	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz																	x														S26361-F3882-L250			421	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz																	x														S26361-F3882-L266			581	Phased out
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz																	x														S26361-F3882-L316			1353	Phased out
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz																	x														S26361-F3882-L550			459	Phased out
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB																									x						S26361-F3999-L520			1065	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB																									x						S26361-F3999-L530			1684	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB																									x						S26361-F3999-L540			2405	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB																									x						S26361-F3999-L542			2405	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB																									x						S26361-F3999-L545			2620	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB																									x						S26361-F3999-L550			3307	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB																									x						S26361-F3999-L555			3822	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB																									x						S26361-F3999-L560			4467	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB												x																			S26361-F4417-L266			1202	Orderable from: 15/06/2010
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB												x																			S26361-F4417-L280			1460	Orderable from: 15/06/2010
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB												x																			S26361-F4417-L293			1718	Orderable from: 15/06/2010
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB												x																			S26361-F4417-L333			1975	Orderable from: 15/06/2010
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB												x																			S26361-F4419-L240			481	Orderable from: 15/06/2010
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB												x																			S26361-F4419-L253			669	Orderable from: 15/06/2010
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB												x																			S26361-F4419-L266			927	Orderable from: 15/06/2010
	Intel Xeon L5609 4C/4T 1.86 GHz 4 MB												x																			S26361-F4420-L186			541	Orderable from: 15/06/2010
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB												x																			S26361-F4421-L213			669	Orderable from: 15/06/2010
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB												x																			S26361-F4421-L240			1202	Orderable from: 15/06/2010
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB												x																			S26361-F4479-L213			296	Orderable from: 15/06/2010
Memory																																			
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)			x	x																											S26361-F3000-L514			47	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)			x	x																											S26361-F3000-L515			87	Phased out
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC								x							x																S26361-F3072-L522			152	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC								x							x																S26361-F3072-L523			329	Phased out
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC																							x	x							S26361-F3072-L624			715	Phased out
	Memory Board Kit RX600 S4																									x						S26361-F3125-L440			191	Phased out
	MEM 1GB 2x512 DDR400 PC3200 rg ECC													x																		S26361-F3166-L521			226	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC									x							x															S26361-F3230-L522			134	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC									x							x															S26361-F3230-L523			216	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC									x							x															S26361-F3230-L524			356	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC						x																									S26361-F3335-L513			39	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC						x																									S26361-F3335-L514			69	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC						x																									S26361-F3335-L515			256	
	2GB 2x1GB DDR2-800 PC2-6400 rg ECC																				x											S26361-F3550-L511			105	Phased out
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC																				x											S26361-F3550-L512			165	
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC																				x											S26361-F3550-L513			356	
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL					x																										S26361-F3870-L514			40	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL					x																										S26361-F3870-L515			69	Phased out
	Memory Board																		x													S26361-F3263-L310			99	Phased out
	1GB 2x512MB FBD667 PC2-5300F ECC										x								x													S26361-F3263-L521			80	Phased out
	2GB 2x1GB FBD667 PC2-5300F d ECC																		x													S26361-F3263-L522			134	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC																									x						S26361-F3263-L623			216	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC																		x													S26361-F3263-L523			216	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC																									x						S26361-F3263-L624			356	Phased out
	16GB 2x8GB FBD667 PC2-5300F d ECC																									x						S26361-F3263-L625			1327	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC																		x													S26361-F3263-L524			356	Phased out
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC						x																									S26361-F3336-L517			175	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Memory (Continued)																																			
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC																											x	x			S26361-F3072-L824			715	Phased out
Memory Modules																																			
	2 GB DDR3 1333 MHz PC3-10600 ub d												x							x												S26361-F3606-L513			69	
	2 GB DDR3 1333 MHz PC3-10600 rg s												x							x												S26361-F3604-L513			91	
	4 GB DDR3 1333 MHz PC3-10600 rg d												x							x												S26361-F3604-L514			175	
	1GB DDR3-1066 PC3-8500 ub ECC 1 MODULE											x																				S26361-F3970-L512			39	Phased out
	8 GB DDR3 1333 MHz PC3-10600 rg d												x							x												S26361-F3604-L515			494	
	2GB DDR3-1066 PC3-8500 ub ECC 1 module											x																				S26361-F3970-L513			69	
	2GB DDR3-1066 PC3-8500 rg ECC 1 MODUL											x								x												S26361-F3284-L513			91	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC											x								x												S26361-F3284-L523			182	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC											x								x												S26361-F3284-L533			273	
	16 GB DDR3 1066 MHz PC3-8500 rg q												x							x												S26361-F3604-L516			1560	
	4GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL											x								x												S26361-F3284-L514			175	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC											x								x												S26361-F3284-L524			353	
	SP12GB 3x4 DDR3-1066 PC3-8500 rg d ECC											x								x												S26361-F3284-L534			528	
	8GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL											x								x												S26361-F3284-L515			636	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC											x								x												S26361-F3284-L525			1262	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC											x								x												S26361-F3284-L535			1893	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d												x							x												S26361-F3605-L514			193	Orderable from: 14/06/2010
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d												x							x												S26361-F3605-L515			567	Orderable from: 14/06/2010
	2GB DDR3-1333 PC3-10600 rg ECC 1 MODUL											x								x												S26361-F3285-L513			91	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC											x								x												S26361-F3285-L523			182	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC											x								x												S26361-F3285-L533			273	
	4GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL											x								x												S26361-F3285-L514			175	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC											x								x												S26361-F3285-L524			353	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC											x								x												S26361-F3285-L534			528	
	8GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL											x								x												S26361-F3285-L515			636	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC											x								x												S26361-F3285-L525			988	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC											x								x												S26361-F3285-L535			1481	
Graphics																																			
	Front-VGA interface																			x	x											S26361-F2571-L16			18	
	PY VGA Card 128MB PCI-e			x					x																							S26361-F2748-L531			139	Phased out
	PY VGA Card 256MB PCI-e 1										x	x																				S26361-F2748-L533			108	
	PY LP VGA Card 256MB PCI-e 1				x	x														x		x										S26361-F2748-L633			108	
Removable Media Drives																																			
	DVD-RW supermulti slimline SATA					x					x	x								x	x											S26361-F3269-L2			80	
	Blu-ray Combo slimeline SATA					x					x	x								x	x					x						S26361-F3531-L2			220	
	Floppy Disk Drive 1.44MB slimline															x	x	x														S26361-F3059-L2			34	Phased out
	DVD-ROM ATAPI																				x											SNP:SY-F2234L1-A			34	
	DVD-RW DL\DVD-RAM ATAPI																				x											S26361-F3148-L1			58	Phased out
	DVD-RW supermulti slimline SATA				x					x									x						x							S26361-F3269-L1			80	Phased out
	Blu-ray Combo slimeline SATA				x					x									x						x							S26361-F3531-L1			220	
	RDX Drive USB 25MB/s 5.25" int																							x								S26361-F3857-L1			144	
	RDX Drive USB 25MB/s 5.25" internal																									x						S26361-F3857-L4			141	
	RDX Drive USB 25MB/s 3.5" internal																			x	x											S26361-F3857-L5			139	
	RDX Drive USB 25MB/s 3.5" internal																			x	x											S26361-F3857-L7			188	
	Tape Kit DDS Gen5 36GB USB 5.25" int.																									x						S26361-F3324-L4			408	
	Tape Kit DDS Gen5 36GB USB 3.5" int.																			x	x											S26361-F3324-L5			408	
	Tape Kit DDS Gen5 36GB USB 3.5" int.																			x	x											S26361-F3324-L7			452	
	Tape Kit DDS Gen6 80GB USB 5.25" int.												x																			S26361-F3325-L4			605	
	Tape Kit DDS Gen5 36GB 3MB/s int.																					x		x	x	x						S26361-F2848-L3			428	Phased out
	Tape Kit DDS Gen6 80GB 6MB/s SCSI																					x				x						S26361-F3225-L3			622	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS																										x					S26361-F4009-L4			1142	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI																								x	x						S26361-F3459-L3			1431	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS																										x					S26361-F3561-L4			1387	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS																									x						S26361-F3963-L3			1928	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS																										x					S26361-F3963-L4			1928	
Hard Disks																																			
	HD SAS 73GB 15k 3GB/s hot plug 2.5"																											x	x			S26361-F3176-L573			229	
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"			x	x				x	x			x			x															S26361-F3218-L160			71	Phased out
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"			x	x								x																			S26361-F3219-L160			71	Phased out
	HD SATA 3GB/s 500GB 7.2k hot pl 3.5"				x																x											S26361-F3256-L500			188	
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"					x					x							x			x											S26361-F3265-L100			389	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"					x					x							x			x											S26361-F3265-L250			99	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"					x					x							x			x											S26361-F3265-L500			188	
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"					x					x							x			x											S26361-F3265-L750			265	
	HD SATA 3GB/s 1TB 7.2k non hot pl 3.5"					x																										S26361-F3272-L100			378	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"					x																										S26361-F3272-L250			95	
	HD SATA 3GB/s 500GB 7.2k non hot pl 3.5"					x																										S26361-F3272-L500			182	
	HD SATA 3GB/s 750GB 7.2k non hot pl 3.5"					x																										S26361-F3272-L750			256	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP																			x												S26361-F3291-L560			625	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP											x								x												S26361-F3292-L130			339	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP											x								x												S26361-F3292-L514			342	
	HD SATA 3G 160GB 7.2K HOT PLUG 3.5" ECO						x													x	x											S26361-F3293-L160			69	
	8x 2.5" HDD Upgrade Option											x	x																			S26361-F3317-L500			71	
	HD SATA 3GB/s 160GB 7.2k nhp 3.5" tray					x																										S26361-F3461-L160			69	Phased out
	HDD SATA 160GB 7.2k hot plug 3.5" M					x																x										S26361-F3861-L160			69	
	HDD SATA 500GB 7.2k hot plug 3.5" M																					x										S26361-F3861-L500			182	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP						x						x							x	x					x						S26361-F4006-L114			182	
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP						x						x							x	x					x						S26361-F4006-L130			351	
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP						x						x							x	x					x						S26361-F4006-L514			342	
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP						x						x							x	x					x						S26361-F4006-L573			229	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO																			x												S26361-F3297-L160			142	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"									x																						S26361-F3515-L160			142	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP											x								x												S26361-F3292-L114			156	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO																			x												S26361-F3297-L320			220	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"									x																						S26361-F3515-L320			220	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP											x								x												S26361-F3292-L573			236	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC						x													x	x											S26361-F3294-L250			99	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC						x													x	x											S26361-F3294-L500			188	
	HD SATA 3G 750GB 7.2K HOT PLUG 3.5" BC						x													x	x											S26361-F3294-L750			265	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC						x													x	x											S26361-F3294-L100			389	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC						x													x	x											S26361-F3294-L200			587	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP						x					x	x							x	x					x						S26361-F3298-L32			533	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP						x					x	x							x	x					x						S26361-F3298-L64			996	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC						x					x	x							x	x					x						S26361-F3601-L160			156	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC						x					x	x							x	x					x						S26361-F3601-L500			208	
	HD SAS 3G 73GB 15K HOT PLUG 3.5" EP																			x												S26361-F3291-L573			188	
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP						x													x	x											S26361-F3291-L514			242	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP																			x												S26361-F3291-L530			421	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP																			x												S26361-F3291-L545			502	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP						x													x	x											S26361-F4005-L530			408	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP						x													x	x											S26361-F4005-L545			502	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP						x													x	x											S26361-F4005-L560			625	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"			x	x				x	x							x	x			x											S26361-F3204-L573			188	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"			x	x				x	x							x	x			x											S26361-F3204-L514			242	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"			x	x				x	x							x	x			x											S26361-F3204-L530			421	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Hard Disks (Continued)																																			
	HD SAS 3GB/s 450GB 15k hot plug 3.5"				x	x				x	x						x	x			x											S26361-F3204-L545			502	
	HD SAS 3GB/s 600GB 15k hot plug 3.5"				x	x				x	x						x	x			x											S26361-F3204-L560			625	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"									x	x						x	x						x	x							S26361-F3208-L114			156	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"									x	x						x	x						x	x							S26361-F3208-L130			334	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"									x	x						x	x						x	x							S26361-F3208-L573			236	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"																	x							x							S26361-F3208-L514			342	
SCSI/RAID/SAS controller																																			
	SCSI Ctrl U160 1- ch int/ext													x	x	x	x				x	x	x	x			x	x	x		x	S26361-F2399-L1			204	Phased out
	Risercard 2xPCI-X 1xPCIe option																				x											S26361-F2622-L11			21	
	SCSI Ctrl U160 1- ch int/ext lp	x	x	x	x			x	x						x	x	x															S26361-F2737-L201			211	Phased out
	RAID Ctrl 2-Channel 128MB BBU LSI						x	x	x					x	x	x	x				x	x	x	x			x		x	x	x	S26361-F3006-L128			696	Phased out
	BBU Modul for RAID Controller							x													x											S26361-F3085-L10			112	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI																				x											S26361-F3085-L2			195	Phased out
	68-Pin Kit for int. access. SCSI drives																				x											S26361-F3120-L30			34	
	SCSI-Cable for internal Tapes x600 Sx																						x	x	x							S26361-F3128-L101			69	Phased out
	BBU Module RAID Contr. RX600 S4																								x							S26361-F3128-L420			165	
	RAID Ctrl SAS 8 Port 256MB LSI										x										x		x	x	x							S26361-F3215-L1			546	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI																				x		x	x	x							S26361-F3215-L10			144	Phased out
	RAID Ctrl SAS 8 Port 256MB LP LSI																x	x														S26361-F3215-L201			546	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LP LSI																x	x														S26361-F3215-L210			144	Phased out
	RAID Contr BBU Upgrade for RAID 5/6										x							x			x											S26361-F3257-L10			153	
	RAID Contr BBU Upgrade for RAID 5/6						x					x	x						x	x						x						S26361-F3257-L110			144	
	4-Port SAS cable for ports 5 and 6											x	x																			S26361-F3257-L250			22	
	RAID 5/6 SAS based on LSI MegaRAID 256MB										x	x						x	x													S26361-F3257-L256			322	
	RAID 5/6 SAS based on LSI MegaRAID 256MB																				x											S26361-F3257-L258			312	
	RAID 0/1 SAS based on LSI MegaRAID 4Port						x				x	x	x												x	x						S26361-F3257-L4			91	
	RAID 5/6 SAS based on LSI MegaRAID 512MB										x	x						x	x													S26361-F3257-L512			361	
	RAID 0/1 SAS based on LSI MegaRAID 8Port											x						x	x	x												S26361-F3257-L8			112	
	SCSI Ctrl U320 1ch int/ext PCIe																									x	x					S26361-F3270-L1			160	
	SCSI Ctrl U320 1ch int/ext PCIe lp					x	x				x	x	x						x	x	x											S26361-F3270-L201			160	
	SAS Ctrl 3GB/s 4int/4ext PCIe																									x	x					S26361-F3271-L1			188	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp					x	x				x	x	x						x	x	x	x										S26361-F3271-L201			182	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)						x						x							x	x						x					S26361-F3554-L512			312	
	RAID Ctrl SAS 6G 0/1 (D2607)						x						x							x	x						x					S26361-F3554-L8			139	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI						x					x	x							x	x					x	x					S26361-F3593-L501			473	
	RAID Ctrl SAS 8Port opt remote BBU LSI										x							x														S26361-F3890-L11			139	Phased out
	RAID Ctrl SAS 8Port opt Onboard BBU LSI																									x						S26361-F3890-L12			139	
	RAID Ctrl SAS 8Port opt remote BBU LSI											x								x												S26361-F3890-L13			139	
	RAID Ctrl SAS 8Port 512M FH/LP LSI										x	x						x	x							x						S26361-F3890-L501			473	
Fibre Channel																																			
	FC Ctrl 2GBit/s QLA2340 MMF LC													x	x	x	x				x	x	x	x			x	x	x			S26361-F3097-L1			1164	Phased out
	FC Ctrl 2GBit/s QLA2340 MMF LC LP								x	x					x	x	x															S26361-F3097-L201			1164	Phased out
	FC Ctrl 2GBit/s LP101 MMF LC														x						x											S26361-F3122-L1			519	Phased out
	FC Ctrl 2GBit/s LP1050 MMF LC													x		x												x	x	x	x	S26361-F3141-L10			889	Phased out
	FC Ctrl 2GBit/s LP1050 MMF LC LP								x							x																S26361-F3141-L210			889	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC													x							x		x	x	x	x						S26361-F3306-L1			807	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC													x							x		x	x	x	x						S26361-F3306-L2			1181	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP									x	x	x	x			x	x	x	x	x	x											S26361-F3306-L201			807	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP									x	x	x	x			x	x	x	x	x	x											S26361-F3306-L202			1181	
	FC Ctrl 4GBit/s QLE2460 MMF LC																				x			x	x	x						S26361-F3483-L1			825	
	FC Ctrl 4GBit/s QLE2462 MMF LC																				x			x	x	x						S26361-F3483-L2			1246	
	FC Ctrl 4GBit/s QLE2460 MMF LC LP									x	x	x	x			x	x	x	x	x	x											S26361-F3483-L201			825	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP									x	x	x	x			x	x	x	x	x	x											S26361-F3483-L202			1246	
	FC CTRL 8GBIT/S LPE1250 MMF LC FH																									x	x					S26361-F3961-L1			880	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC																									x	x					S26361-F3961-L2			1371	
	FC CTRL 8GBIT/S LPE1250 MMF LC LP										x	x	x					x	x	x												S26361-F3961-L201			880	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP										x	x	x					x	x	x												S26361-F3961-L202			1371	
Communication/Network																																			
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)														x	x	x															S26361-F2610-L3			2754	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu							x						x	x	x	x					x	x					x	x	x		S26361-F3142-L1			54	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu								x					x			x					x								x		S26361-F3142-L2			52	Phased out
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp			x	x				x	x						x	x															S26361-F3142-L202			52	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu													x		x	x						x	x								S26361-F3227-L2			160	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp			x	x				x	x						x	x															S26361-F3227-L202			155	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu													x							x		x	x	x	x						S26361-F3228-L1			141	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp				x	x	x			x	x	x	x					x	x	x	x											S26361-F3228-L201			141	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu													x							x				x							S26361-F3241-L1			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp				x	x	x			x	x	x	x					x	x	x	x											S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC													x							x			x	x	x						S26361-F3242-L1			296	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp				x	x	x			x	x	x	x					x	x	x	x											S26361-F3242-L201			296	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu																								x	x	x					S26361-F3462-L1			395	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp					x	x				x	x	x					x	x	x	x	x										S26361-F3462-L201			395	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu																				x											S26361-F3516-L1			52	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp					x	x				x	x	x					x	x	x	x											S26361-F3516-L201			54	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF											x	x						x	x												S26361-F3592-L202			927	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF																									x	x					S26361-F3592-L2			927	
	SFP+ Modul Multi Mode Fibre 10GB FCoE											x	x							x	x					x	x					S26361-F3592-L108			329	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC																									x						S26361-F3505-L1			2994	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC lp											x	x							x	x											S26361-F3505-L201			2994	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+						x						x								x						x					S26361-F3555-L501			536	
	Intel SFP+ Module MMF 10GBE LC						x						x								x						x					S26361-F3555-L900			460	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	x						x						x	x	x	x				x	x	x	x				x	x	x	x	x	S26361-F3011-L1			155	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu							x						x	x	x	x				x	x	x	x				x	x	x	x	x	S26361-F3053-L1			91	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	x	x	x	x			x	x	x					x	x	x	x														S26361-F3053-L201			91	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC							x						x	x	x	x				x	x	x	x				x	x	x	x	x	S26361-F3054-L1			296	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC lp	x	x	x	x			x	x	x					x	x	x	x														S26361-F3054-L201			296	Phased out
Rack-Infrastructure																																			
	RMK-F1_1-2U Server (new)					x	x				x	x	x					x	x	x	x											S26361-F2735-L101			48	
	RMK-F1_RX600 S4																								x							S26361-F2735-L106			66	
	RMK-P_1-2U servers (new)					x	x				x	x	x					x	x	x	x											S26361-F2735-L110			40	
	Cable carrying plate DC-/PC-racks																				x											S26361-F2735-L20			35	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails																										x					S26361-F2735-L202			56	
	cage nut set, M5, t=2,5mm			x	x					x				x			x				x			x	x			x				S26361-F2735-L500			44	
	Cable magmt. for 19" PC- Rack					x	x				x							x	x	x	x				x	x						S26361-F2735-L7			26	
	1 U cable arm, dragged			x	x	x	x			x	x	x	x	x		x					x			x				x				S26361-F2735-L8			26	
	Cable management arm for 3rd party racks	x						x						x				x	x	x		x			x	x	x				x	S26361-F2201-L20			45	
	RMK 19" CR RX200		x					x	x					x											x	x	x					S26361-F2611-L20			129	Phased out
PRIMERGY-Software																																			
	iRMC advanced pack				x					x						x					x											S26361-F1790-L240			268	
	iRMC S2 advanced pack					x	x				x	x	x					x	x	x						x	x					S26361-F1790-L241			268	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr DIS										x	x	x					x	x	x	x					x	x					S26361-F2341-D570			11948	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr DIS										x	x	x					x	x	x	x					x	x					S26361-F2341-D571			11948	
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK					x	x				x	x	x					x	x	x	x					x	x					S26361-F2565-L315			499	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR ROK					x	x				x	x	x					x	x	x	x					x	x					S26361-F2565-L316			499	Phased out
	Win Srv 2003 R2 Standard DVD Media Only					x	x					x	x					x	x	x	x					x	x					S26361-F2565-L317			21	
	Win Srv 2008 SP2 Standard DVD Media Only					x	x					x	x					x	x	x	x					x	x					S26361-F2565-L318			21	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK					x	x				x	x	x					x	x	x	x					x	x					S26361-F2565-L325			1645	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L326			1645	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl					x	x					x	x					x	x	x	x				x	x						S26361-F2565-L327			21	
	Win Srv 2008 SP2 Enterprise DVD Media On					x	x					x	x					x	x	x	x				x	x						S26361-F2565-L328			21	
	Win Server 2008 CAL (1 Device)					x	x				x	x	x					x	x	x	x				x	x			x			S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)					x	x				x	x	x					x	x	x	x				x	x			x			S26361-F2565-L341			94	
	Win Server 2008 CAL (1 User)					x	x				x	x	x					x	x	x	x				x	x			x			S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)					x	x				x	x	x					x	x	x	x				x	x			x			S26361-F2565-L343			94	
	Win Server 2008 TS CAL (5 Device)					x	x				x	x	x					x	x		x				x				x			S26361-F2565-L344			322	Phased out
	Win Server 2008 TS CAL (5 User)					x	x				x	x	x					x	x		x				x				x			S26361-F2565-L345			322	Phased out
	Win SBS 2008 CAL (1 Device)					x	x					x	x					x	x	x	x											S26361-F2565-L346			47	
	Win SBS 2008 CAL (1 User)					x	x					x	x					x	x	x	x											S26361-F2565-L347			47	
	Win SBS 2008 CAL (5 Device)					x	x					x	x					x	x	x	x											S26361-F2565-L348			224	
	Win SBS 2008 CAL (5 User)					x	x					x	x					x	x	x	x											S26361-F2565-L349			224	
	Win SBS 2008 Standard ROK, GB					x	x					x	x					x	x	x	x											S26361-F2565-L350			539	
	Win SBS 2008 Premium ROK, GB					x	x					x	x					x	x	x	x											S26361-F2565-L360			940	
	Win SBS 2008 Premium CAL (1 Device)					x	x					x	x					x	x	x	x											S26361-F2565-L368			112	
	Win SBS 2008 Premium CAL (1 User)					x	x					x	x					x	x	x	x											S26361-F2565-L369			112	
	Win EBS 2008 Standard ROK, GB										x	x	x					x	x	x												S26361-F2565-L370			2776	Phased out
	Win EBS 2008 CAL (5 Device)										x	x	x					x	x	x												S26361-F2565-L378			254	Phased out
	Win EBS 2008 CAL (5 User)										x	x	x					x	x	x												S26361-F2565-L379			254	Phased out
	Win EBS 2008 Premium ROK, GB										x	x	x					x	x	x												S26361-F2565-L380			3625	Phased out
	Win EBS 2008 Premium CAL (5 Device)										x	x	x					x	x	x												S26361-F2565-L388			614	Phased out
	Win EBS 2008 Premium CAL (5 User)										x	x	x					x	x	x												S26361-F2565-L389			614	Phased out
	iSCSI SW Target 3.2 (64-bit) EMB																		x	x												S26361-F2565-L564			9	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK					x	x				x	x	x					x	x	x	x				x	x						S26361-F2567-L20			335	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK					x	x																									S26361-F2567-L306			167	
	Win Srv 2008 R2 Foundation 1CPU PRC ROK					x	x																									S26361-F2567-L308			142	
	Win Srv 2008 R2 Standard 5CAL MULI ROK					x	x				x	x	x						x	x	x				x	x						S26361-F2567-L310			504	
	Win Srv 2008 R2 Standard 5CAL PRC ROK					x	x												x							x						S26361-F2567-L318			387	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK					x	x				x	x	x						x	x	x				x	x						S26361-F2567-L320			1528	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK					x	x				x	x	x						x	x	x				x							S26361-F2567-L330			2473	
	Win Server 2008 RDS CAL (1 Device)					x	x				x	x	x					x	x	x	x				x	x						S26361-F2567-L340			68	
	Win Server 2008 RDS CAL (5 Device)					x	x				x	x	x					x	x	x	x				x	x						S26361-F2567-L341			322	
	Win Server 2008 RDS CAL (1 User)					x	x				x	x	x					x	x	x	x				x	x						S26361-F2567-L342			68	
	Win Server 2008 RDS CAL (5 User)					x	x				x	x	x					x	x	x	x				x	x						S26361-F2567-L343			322	
	FF4O-RE-AN Mono Server 2-Core										x						x	x							x	x						U26004-C401			1747	
	FF4O-RE-AN Mono Server 4-Core										x						x	x							x	x						U26004-C402			3493	
	FF4O-RE-AN Dual Server 2-Core										x						x	x							x	x						U26004-C403			3493	
	FF4O-RE-AN Dual Server 4-Core										x						x	x							x	x						U26004-C404			6114	
	FF4O-RE Spare Mono Server 2-Core										x						x	x							x	x						U26004-C405			881	
	FF4O-RE Spare Mono Server 4-Core										x						x	x							x	x						U26004-C406			1747	
	FF4O-RE Spare Dual Server 2-Core										x						x	x							x	x						U26004-C407			1747	
	FF4O-RE Spare Dual Server 4-Core										x						x	x							x	x						U26004-C408			3057	
	PRIMERGY MultiPath MPIO Upgrade to 5.0					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L592			381	
	PRIMERGY MultiPath MPIO 5.0					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L593			758	
	PRIMERGY MultiPath Upgrade to 5.0					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L594			381	
	PRIMERGY MultiPath 5.0					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L595			758	
	MS SysCtr Essntls Mgmt Suite ROK					x	x				x	x	x					x	x	x	x				x							S26361-F2567-L10			21	Phased out
	PRIMERGY DuplexDataManager Upgr. to 5.0					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L590			1192	
	PRIMERGY DuplexDataManager 5.0					x	x				x	x	x					x	x	x	x				x	x						S26361-F2565-L591			2389	
	MS SysCtr Essntls Server ML 1-OSE					x	x				x	x	x					x	x	x	x				x							S26361-F2567-L11			87	Phased out
	MS SysCtr Essntls Server ML 5-OSE					x	x				x	x	x					x	x	x	x				x							S26361-F2567-L12			429	Phased out
	RemoteView Service Board S2 LP 3HU													x		x							x	x								S26361-F2425-L103			429	Phased out
	MS SysCtr Essntls Client ML 5-Pack					x	x				x	x	x					x	x	x	x				x							S26361-F2567-L13			61	Phased out
	MS SysCtr Essntls Client ML 20-Pack					x	x				x	x	x					x	x	x	x				x							S26361-F2567-L14			239	Phased out
	PRIMERGY ServerView Suite subscription.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x						U15000-C176			186	
	RemoteDeploy 4.1 Single Upgrade License	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x	U15000-C288			52	Phased out
	ServerView Suite, latest version	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x						U15000-C289			21	
	ServerView Deployment Manager V5	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299			26	
	ServerView Deployment Mgr 5 Single Lic.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C300			121	
	ServerView Depl. Mgr. 5 Single Upgrade	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301			52	
	SUSE Linux ES 1-CPU 1Y					x	x																									S26361-F2346-L601			126	
	SUSE Linux ES 32-CPU 1Y										x	x	x					x	x	x	x				x	x						S26361-F2346-L611			222	
	SUSE Linux E 11 HAE 32-CPU +1Y					x	x				x	x	x					x	x	x	x				x	x						S26361-F2346-L621			432	
	SUSE Linux ES SAP All-in-One 3Y																	x														S26361-F2346-L669			886	
	Debian FSE Basic Support 1Y				x	x				x	x	x					x	x			x											S26361-F2346-L411			82	
	Debian FSE Basic Support 3Y				x	x				x	x	x					x	x	x		x											S26361-F2346-L412			198	
	Debian FSE Standard Support 1Y				x	x				x	x	x					x	x	x		x											S26361-F2346-L415			213	
	Debian FSE Standard Support 3Y				x	x				x	x	x					x	x	x		x											S26361-F2346-L416			509	
	Debian FSE Premium Support 1Y				x	x				x	x	x					x	x	x		x											S26361-F2346-L417			429	
	Debian FSE Premium Support 3Y				x	x				x	x	x					x	x	x		x											S26361-F2346-L418			1029	
	VMware ESXi 4.0 Single SRV w/o SP-1yr											x	x					x	x	x	x				x	x						S26361-F2341-L500			8	
	VMware Upgrade ESXi to STD w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L504			541	
	VMware Upgrade ESXi to STD w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L505			541	
	VMware Upgrade ESXi to ADV w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L508			1526	
	VMware Upgrade ESXi to ADV w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L509			1526	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L512			2376	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L513			2376	
	VMware vSphere STD w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L514			592	
	VMware vSphere STD w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L515			592	
	VMware vSphere ADV w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L518			1671	
	VMware vSphere 4 Media Kit OEM									x	x	x	x			x	x	x	x	x	x			x	x	x			x	x			S26361-F2341-L300			69	
	VMware vSphere ADV w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L519			1671	
	VMware vSphere ENT w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L520			2140	
	VMware vSphere ENT w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L521			2140	
	VMware vSphere ENT-PL w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L522			2602	
	VMware vSphere ENT-PL w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L523			2602	
	VMware Upgrade STD to ADV w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L530			1086	
	VMware Upgrade STD to ADV w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L531			1086	
	VMware Upgrade STD to ENT-PL w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L540			2020	
	VMware Upgrade STD to ENT-PL w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L541			2020	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L542			935	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L543			935	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L544			469	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L545			469	
	VMware Upgrade VC FND to STD w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L546			2636	
	VMware Upgrade VC FND to STD w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L547			2636	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L550			7845	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L551			7845	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L570			13086	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L571			13086	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L554			19641	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L555			19641	
	VMware vCenter STD w/o SP-1yr					x					x	x	x					x	x	x	x				x	x						S26361-F2341-L556			3391	
	VMware vCenter STD w/o SP-3yr					x					x	x	x					x	x	x	x				x	x						S26361-F2341-L557			3391	
	VMware vCenter FND w/o SP-1yr					x					x	x	x					x	x	x	x				x	x						S26361-F2341-L558			1019	
	VMware vCenter FND w/o SP-3yr					x					x	x	x					x	x	x	x				x	x						S26361-F2341-L559			1019	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
	VMware Essentials-PL w/o SP-1yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L562			2232	
	VMware Essentials-PL w/o SP-3yr										x	x	x					x	x	x	x				x	x						S26361-F2341-L563			2232	
	VMware ESXi 4.0 Embedded UFM Device DIS											x	x						x	x												S26361-F2341-D431			52	
	VMware ESXi 4 Single SRV w/o SP 1yr DIS											x	x					x	x	x	x				x	x						S26361-F2341-D500			8	
	VMware vSphere STD w/o SP 1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D514			541	
	VMware vSphere STD w/o SP 3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D515			541	
	VMware vSphere ADV w/o SP 1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D518			1526	
	VMware vSphere ADV w/o SP 3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D519			1526	
	VMware vSphere ENT w/o SP 1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D520			1953	
	VMware vSphere ENT w/o SP 3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D521			1953	
	VMware vSphere ENT-PL w/o SP 3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D522			2376	
	VMware vSphere ENT-PL w/o SP 1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D523			2376	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D550			7162	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D551			7162	
	VMware ENT-PL AK(8CPU+VCS)w/o SP-1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D554			17934	
	VMware ENT-PL AK(8CPU+VCS)w/o SP-3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D555			17934	
	VMware Essentials-PL w/o SP 1yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D562			2036	
	VMware Essentials-PL w/o SP 3yr DIS										x	x	x					x	x	x	x				x	x						S26361-F2341-D563			2036	
OS/Application-SW																																			
	CA ARCserve r12.5 Base for Windows				x	x					x	x	x					x	x	x	x				x	x						U15355-C2500			700	
	UP CA ARCserve r12.5 Basis für Windows				x	x					x	x	x					x	x	x	x				x	x						U15355-C2500-U			525	
	CA ARCserve r12.5 WIN Disaster Recov. O.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2503			628	
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2503-U			471	
	CA ARCserve r12.5 WIN Open Files Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2505			719	
	UP CA ARCserve r12.5 WIN Open Files Agnt				x	x					x	x	x					x	x	x	x				x	x						U15355-C2505-U			539	
	CA ARCserve r12.5 WIN MS Exchange Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2507			900	
	UP CA ARCserve r12.5 WIN MS Exch. Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2507-U			600	
	CA ARCserve r12.5 WIN MS SQL Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2511			900	
	UP CA ARCserve r12.5 WIN MS SQL Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2511-U			675	
	CA ARCserve r12.5 WIN Wind. Client Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2513			357	
	UP CA ARCserve r12.5 WIN Wind. Client Ag				x	x					x	x	x					x	x	x	x				x	x						U15355-C2513-U			268	
	CA ARCserve r12.5 WIN MS SBS Premium Edt				x	x					x	x	x					x	x	x	x				x	x						U15355-C2514			673	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2514-U			505	
	CA ARCserve r12.5 WIN MS SBS Std. Edt.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2516			493	
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt				x	x					x	x	x					x	x	x	x				x	x						U15355-C2516-U			369	
	ARCserve r12.5 Media Kit				x	x					x							x			x				x	x						U15355-C2999			22	
	ARCserve r11.5 Media Kit				x	x					x							x			x				x	x						U15355-C732			22	
	XOsoft r12 Replication FS Std. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C600			1384	
	XOsoft r12 HighAvailability FS Std. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C616			2109	
	CA ARCserve r12 Base for Windows				x	x					x	x	x					x	x	x	x				x	x						U15355-C2000			700	
	CA ARCserve r12 Base for Windows Gov.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2000-G			539	
	UP CA ARCserve r12 Basis for Windows				x	x					x	x	x					x	x	x	x				x	x						U15355-C2000-U			525	
	UP CA ARCserve r12 Basis für Windows Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2000-U-G			404	
	1Yr Mnt ARCserve WIN (Basic)				x	x					x							x	x	x	x				x	x						U15355-C400U1			175	
	3Yr Mnt ARCserve WIN (Basic)				x	x					x							x	x	x	x				x	x						U15355-C400U3			526	
	ARCserve r11.5 for MS SBS Standard				x	x					x							x			x				x	x						U15355-C750			436	
	ARCserve r11.5 for Linux				x	x					x							x			x				x	x						U15355-C800			683	
	UP ARCserve r11.5 for Linux				x	x					x							x							x	x						U15355-C800-U			512	
	1Yr Mnt ARCserve LX (Basis)				x	x					x							x	x	x	x				x	x						U15355-C800U1			175	
	3Yr Mnt ARCserve LX (Basis)				x	x					x							x	x	x	x				x	x						U15355-C800U3			525	
	XOsoft r12 Replication FS Std. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C601			1937	
	XOsoft r12 HighAvailability FS Std. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C617			2927	
	CA ARCserve r12 WIN Tape Library Option				x	x					x	x	x					x	x	x	x				x	x						U15355-C2001			900	
	ARCserve r12 WIN Tape Lib. Opt. Gov.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2001-G			693	
	UP CA ARCserve r12 WIN Tape Library Opt.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2001-U			675	
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2001-U-G			520	
	1Yr Mnt ARCserve WIN Tape Library Opt.				x	x					x							x	x	x	x				x	x						U15355-C401U1			225	
	3Yr Mnt ARCserve WIN Tape Library Opt.				x	x					x							x	x	x	x				x	x						U15355-C401U3			674	
	ARCserve r11.5 for MS SBS Premium				x	x					x							x			x				x	x						U15355-C751			612	
	ARCserve r11.5 LX Tape Library Option				x	x					x							x			x				x	x						U15355-C801			877	
	UP ARCserve r11.5 LX Tape Library Option				x	x					x							x							x	x						U15355-C801-U			657	
	1Yr Mnt ARCserve LX Tape Library Opt.				x	x					x							x	x	x	x				x	x						U15355-C801U1			225	
	3Yr Mnt ARCserve LX Tape Library Opt.				x	x					x							x	x	x	x				x	x						U15355-C801U3			675	
	XOsoft r12 Replication FS Ent. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C602			2109	
	XOsoft r12 HighAvailability FS Ent. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C618			3005	
	CA ARCserve r12 WIN SAN Option				x	x					x	x	x					x	x	x	x				x	x						U15355-C2002			1441	
	CA ARCserve r12 WIN SAN Option Gov.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2002-G			1110	
	UP CA ARCserve r12 WIN SAN Option				x	x					x	x	x					x	x	x	x				x	x						U15355-C2002-U			1081	
	UP CA ARCserve r12 WIN SAN Option Gov.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2002-U-G			833	
	1Yr Mnt ARCserve WIN Optical Library Opt				x	x					x							x	x	x	x				x	x						U15355-C402U1			293	
	3Yr Mnt ARCserve WIN Optical Library Opt				x	x					x							x	x	x	x				x	x						U15355-C402U3			878	
	ARCserve r11.5 LX NAS Option				x	x					x							x			x				x	x						U15355-C802			877	
	UP ARCserve r11.5 LX NAS Option				x	x					x							x							x	x						U15355-C802-U			657	
	1Yr Mnt ARCserve LX NDMP NAS Opt.				x	x					x							x	x	x	x				x	x						U15355-C802U1			225	
	3Yr Mnt ARCserve LX NDMP NAS Opt.				x	x					x							x	x	x	x				x	x						U15355-C802U3			675	
	XOsoft r12 Replication FS Ent. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C603			2927	
	XOsoft r12 HighAvailability FS Ent. OS				x	x					x	x	x					x	x	x	x				x	x						U15260-C619			4207	
	CA ARCserve r12 WIN Disaster Recovery O.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2003			628	
	CA ARCserve r12 WIN Disaster Rec. O. Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2003-G			484	
	UP CA ARCserve r12 WIN Disaster Rec. Op.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2003-U			471	
	UP CA ARCserve r12 WIN Disaster Rec. Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2003-U-G			363	
	1Yr Mnt ARCserve WIN SAN Opt.				x	x					x							x	x	x	x				x	x						U15355-C403U1			360	
	3Yr Mnt ARCserve WIN SAN Opt.				x	x					x							x	x	x	x				x	x						U15355-C403U3			1081	
	ARCserve r11.5 LX Oracle Agent				x	x					x							x			x				x	x						U15355-C803			877	
	UP ARCserve r11.5 LX Oracle Agent				x	x					x							x							x	x						U15355-C803-U			657	
	1Yr Mnt ARCserve LX Oracle Agent				x	x					x							x	x	x	x				x	x						U15355-C803U1			225	
	3Yr Mnt ARCserve LX Oracle Agent				x	x					x							x	x	x	x				x	x						U15355-C803U3			675	
	XOsoft r12 Replication FS Cluster				x	x					x	x	x					x	x	x	x				x	x						U15260-C604			1318	
	XOsoft r12 HighAvailability FS Cluster				x	x					x	x	x					x	x	x	x				x	x						U15260-C620			1977	
	CA ARCserve r12 WIN NDMP NAS Option				x	x					x	x	x					x	x	x	x				x	x						U15355-C2004			900	
	CA ARCserve r12 WIN NDMP NAS Option Gov.				x	x					x	x	x					x	x	x	x				x	x						U15355-C2004-G			693	
	UP CA ARCserve r12 WIN NDMP NAS Option				x	x					x	x	x					x	x	x	x				x	x						U15355-C2004-U			675	
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2004-U-G			520	
	1Yr Mnt ARCserve WIN Serverless Backup				x	x					x							x	x	x	x				x	x						U15355-C404U1			360	
	3Yr Mnt ARCserve WIN Serverless Backup				x	x					x							x	x	x	x				x	x						U15355-C404U3			1081	
	1Yr Mnt ARCserve WIN SBS Premium				x	x					x							x	x	x	x				x	x						U15355-C751U1			157	
	ARCserve r11.5 LX SQL Agent				x	x					x							x			x				x	x						U15355-C804			877	
	UP ARCserve r11.5 LX SQL Agent				x	x					x							x							x	x						U15355-C804-U			657	
	1Yr Mnt ARCserve LX mySQL Agent				x	x					x							x	x	x	x				x	x						U15355-C804U1			225	
	3Yr Mnt ARCserve LX mySQL Agent				x	x					x							x	x	x	x				x	x						U15355-C804U3			675	
	XOsoft r12 Replication FS Cluster				x	x					x	x	x					x	x	x	x				x	x						U15260-C605			1845	
	XOsoft r12 HighAvailability FS Cluster				x	x					x	x	x					x	x	x	x				x	x						U15260-C621			2744	
	CA ARCserve r12 WIN Open Files Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2005			719	
	CA ARCserve r12 WIN Open Files Agent Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2005-G			553	
	UP CA ARCserve r12 WIN Open Files Agent				x	x					x	x	x					x	x	x	x				x	x						U15355-C2005-U			539	
	UP CA ARCserve r12 WIN Open File Agt Gov				x	x					x	x	x					x	x	x	x				x	x						U15355-C2005-U-G			415	
	1Yr Mnt ARCserve WIN Disaster Recovery				x	x					x							x	x	x	x				x	x						U15355-C405U1			157	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	3Yr Mnt ARCserve WIN Disaster Recovery					x	x				x							x	x	x	x				x	x						U15355-C405U3			470	
	3Yr Mnt ARCserve WIN SBS Premium					x	x				x							x	x	x	x				x	x						U15355-C751U3			470	
	ARCserve r11.5 LX Apache Web Server Agt.					x	x				x							x			x				x	x						U15355-C805			877	
	UP ARCserve r11.5 LX Apache Web Server					x	x				x							x							x	x						U15355-C805-U			657	
	1Yr Mnt ARCserve LX Apache Agent					x	x				x							x	x	x	x				x	x						U15355-C805U1			225	
	3Yr Mnt ARCserve LX Apache Agent					x	x				x							x	x	x	x				x	x						U15355-C805U3			675	
	XOsoft r12 Replication FS Virt. Machine					x	x				x	x	x					x	x	x	x				x	x						U15260-C606			1055	
	XOsoft r12 HighAvailability FS Virt. Ma.					x	x				x	x	x					x	x	x	x				x	x						U15260-C622			1318	
	CA ARCserve r12 WIN IBM Informix Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2006			1171	
	CA ARCserve r12 WIN IBM Informix Agt Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2006-G			901	
	UP CA ARCserve r12 WIN IBM Informix Ag.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2006-U			878	
	UP CA ARCserve r12 IBM Informix Ag. Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2006-U-G			676	
	1Yr Mnt ARCserve WIN Image Opt.					x	x				x							x	x	x	x				x	x						U15355-C406U1			225	
	3Yr Mnt ARCserve WIN Image Opt.					x	x				x							x	x	x	x				x	x						U15355-C406U3			674	
	ARCserve r11.5 LX Client Agent for UNIX					x	x				x							x			x				x	x						U15355-C806			348	
	UP ARCserve r11.5 LX Client Agent UNIX					x	x				x							x							x	x						U15355-C806-U			261	
	1Yr Mnt ARCserve LX Client Agent UNIX					x	x				x							x	x	x	x				x	x						U15355-C806U1			89	
	3Yr Mnt ARCserve LX Client Agent UNIX					x	x				x							x	x	x	x				x	x						U15355-C806U3			268	
	XOsoft r12 Replication FS Virt. Machine					x	x				x	x	x					x	x	x	x				x	x						U15260-C607			1477	
	XOsoft r12 HighAvailability FS Virt. Ma.					x	x				x	x	x					x	x	x	x				x	x						U15260-C623			1845	
	CA ARCserve r12 WIN MS Exchange Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2007			900	
	CA ARCserve r12 WIN MS Exchange Agt. Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2007-G			693	
	UP CA ARCserve r12 WIN MS Exchange Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2007-U			675	
	UP CA ARCserve r12 MS Exchange Agt Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2007-U-G			520	
	1Yr Mnt ARCserve WIN NAS Opt.					x	x				x							x	x	x	x				x	x						U15355-C407U1			225	
	3Yr Mnt ARCserve WIN NAS Opt.					x	x				x							x	x	x	x				x	x						U15355-C407U3			674	
	ARCserve r11.5 LX Client Agent for Linux					x	x				x							x			x				x	x						U15355-C807			220	
	UP ARCserve r11.5 LX Client Agent Linux					x	x				x							x							x	x						U15355-C807-U			166	
	1Yr Mnt ARCserve LX Client Agent Linux					x	x				x							x	x	x	x				x	x						U15355-C807U1			56	
	3Yr Mnt ARCserve LX Client Agent Linux					x	x				x							x	x	x	x				x	x						U15355-C807U3			169	
	XOsoft r12 Replication APP Std. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C608			2109	
	XOsoft r12 HighAvailability APP Std. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C624			3005	
	CA ARCserve r12 WIN Lotus/Domino Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2008			900	
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2008-G			693	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2008-U			675	
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2008-U-G			520	
	1Yr Mnt ARCserve WIN RAID Opt.					x	x				x							x	x	x	x				x	x						U15355-C408U1			225	
	3Yr Mnt ARCserve WIN RAID Opt.					x	x				x							x	x	x	x				x	x						U15355-C408U3			674	
	ARCserve r11.5 LX Client Agent NetWare					x	x				x							x			x				x	x						U15355-C808			348	
	UP ARCserve r11.5 LX Client AgentNetWare					x	x				x							x							x	x						U15355-C808-U			261	
	1Yr Mnt ARCserve LX Client Agent NW					x	x				x							x	x	x	x				x	x						U15355-C808U1			89	
	3Yr Mnt ARCserve LX Client Agent NW					x	x				x							x	x	x	x				x	x						U15355-C808U3			268	
	XOsoft r12 Replication APP Std. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C609			2927	
	XOsoft r12 HighAvailability APP Std. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C625			4207	
	CA ARCserve r12 WIN Sybase Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2009			1171	
	CA ARCserve r12 WIN Sybase Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2009-G			901	
	UP CA ARCserve r12 WIN Sybase Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2009-U			878	
	UP CA ARCserve r12 WIN Sybase Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2009-U-G			676	
	1Yr Mnt ARCserve WIN Open File Agent WIN					x	x				x							x	x	x	x				x	x						U15355-C409U1			180	
	3Yr Mnt ARCserve WIN Open File Agent WIN					x	x				x							x	x	x	x				x	x						U15355-C409U3			539	
	ARCserve r11.5 Client Agent for Windows					x	x				x							x			x				x	x						U15355-C809			220	
	UP ARCserve r11.5 LX Client AgentWindows					x	x				x							x							x	x						U15355-C809-U			166	
	1Yr Mnt ARCserve LX Client Agent WIN					x	x				x							x	x	x	x				x	x						U15355-C809U1			56	
	3Yr Mnt ARCserve LX Client Agent WIN					x	x				x							x	x	x	x				x	x						U15355-C809U3			169	
	XOsoft r12 Replication APP Ent. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C610			3135	
	XOsoft r12 HighAvailability APP Ent. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C626			4704	
	CA ARCserve r12 WIN Oracle Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2010			900	
	CA ARCserve r12 WIN Oracle Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2010-G			693	
	UP CA ARCserve r12 WIN Oracle Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2010-U			675	
	UP CA ARCserve r12 WIN Oracle Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2010-U-G			520	
	1Yr Mnt ARCserve WIN Open File Agent NW					x	x				x							x	x	x	x				x	x						U15355-C410U1			180	
	3Yr Mnt ARCserve WIN Open File Agent NW					x	x				x							x	x	x	x				x	x						U15355-C410U3			539	
	ARCserve r11.5 LX SAN Option					x	x				x							x			x				x	x						U15355-C810			1405	
	UP ARCserve r11.5 LX SAN Option					x	x				x							x							x	x						U15355-C810-U			1054	
	1Yr Mnt ARCserve LX SAN Option					x	x				x							x	x	x	x				x	x						U15355-C810U1			360	
	3Yr Mnt ARCserve LX SAN Option					x	x				x							x	x	x	x				x	x						U15355-C810U3			1081	
	XOsoft r12 Replication APP Ent. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C611			4390	
	XOsoft r12 HighAvailability APP Ent. OS					x	x				x	x	x					x	x	x	x				x	x						U15260-C627			6585	
	CA ARCserve r12 WIN MS SQL Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2011			900	
	CA ARCserve r12 WIN MS SQL Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2011-G			693	
	UP CA ARCserve r12 WIN MS SQL Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2011-U			675	
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2011-U-G			520	
	1Yr Mnt ARCserve WIN Informix Agent					x	x				x							x	x	x	x				x	x						U15355-C411U1			293	
	3Yr Mnt ARCserve WIN Informix Agent					x	x				x							x	x	x	x				x	x						U15355-C411U3			878	
	ARCserve r11.5 LX SAN SecondarySrvBundle					x	x				x							x			x				x	x						U15355-C811			1405	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle					x	x				x							x							x	x						U15355-C811-U			1054	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle					x	x				x							x	x	x	x				x	x						U15355-C811U1			360	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle					x	x				x							x	x	x	x				x	x						U15355-C811U3			1081	
	XOsoft r12 Replication APP Cluster					x	x				x	x	x					x	x	x	x				x	x						U15260-C612			1845	
	XOsoft r12 HighAvailability APP Cluster					x	x				x	x	x					x	x	x	x				x	x						U15260-C628			2373	
	CA ARCserve r12 WIN SAP/R3 Oracle Option					x	x				x	x	x					x	x	x	x				x	x						U15355-C2012			1804	
	CA ARCserve r12 WIN SAP/R3 Oracl Opt Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2012-G			1389	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2012-U			1352	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2012-U-G			1041	
	1Yr Mnt ARCserve WIN Exchange Agent					x	x				x							x	x	x	x				x	x						U15355-C412U1			225	
	3Yr Mnt ARCserve WIN Exchange Agent					x	x				x							x	x	x	x				x	x						U15355-C412U3			674	
	ARCserve r11.5 LX Advantage IngresOption					x	x				x							x			x				x	x						U15355-C812			1141	
	1Yr Mnt ARCserve LX Advantage Ingres Opt					x	x				x							x	x	x	x				x	x						U15355-C812U1			293	
	3Yr Mnt ARCserve LX Advantage Ingres Opt					x	x				x							x	x	x	x				x	x						U15355-C812U3			878	
	XOsoft r12 Replication APP Cluster					x	x				x	x	x					x	x	x	x				x	x						U15260-C613			2561	
	XOsoft r12 HighAvailability APP Cluster					x	x				x	x	x					x	x	x	x				x	x						U15260-C629			3293	
	CA ARCserve r12 WIN Windows Client Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2013			226	
	CA ARCserve r12 WIN Windows Client A Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2013-G			174	
	UP CA ARCserve r12 WIN Windows Client Ag					x	x				x	x	x					x	x	x	x				x	x						U15355-C2013-U			169	
	UP CA ARCserve r12 Windows Client Ag Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2013-U-G			130	
	1Yr Mnt ARCserve WIN Exchange Bundle					x	x				x							x			x				x	x						U15355-C413U1			360	
	3Yr Mnt ARCserve WIN Exchange Bundle					x	x				x							x	x	x	x				x	x						U15355-C413U3			1081	
	ARCserve r11.5 LX Disk Staging Option					x	x				x							x			x				x	x						U15355-C813			436	
	XOsoft r12 Replication APP Virt. Machine					x	x				x	x	x					x	x	x	x				x	x						U15260-C614			1186	
	XOsoft r12 HighAvailability APP Virt. M.					x	x				x	x	x					x	x	x	x				x	x						U15260-C630			1977	
	CA ARCserve r12 WIN MS SBS Premium Edt.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2014			628	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2014-G			484	
	UP CA ARCserve r12 WIN MS SBS Premium E.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2014-U			471	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2014-U-G			363	
	1Yr Mnt ARCserve WIN Exchange Add On					x	x				x							x	x	x	x				x	x						U15355-C414U1			225	
	3Yr Mnt ARCserve WIN Exchange Add On					x	x				x							x	x	x	x				x	x						U15355-C414U3			674	
	ARCserve r11.5 LX Lotus / Domino Agent					x	x				x							x			x				x	x						U15355-C814			877	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 Replication APP Virt. Machine					x	x				x	x	x					x	x	x	x				x	x						U15260-C615			1661	
	XOsoft r12 HighAvailability APP Virt. M.					x	x				x	x	x					x	x	x	x				x	x						U15260-C631			2744	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle					x	x				x	x	x					x	x	x	x				x	x						U15355-C2015			1441	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2015-G			1110	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd					x	x				x	x	x					x	x	x	x				x	x						U15355-C2015-U			1081	
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G					x	x				x	x	x					x	x	x	x				x	x						U15355-C2015-U-G			833	
	ARCserve r11.1 LX FlexFrame Agent					x	x				x							x			x				x	x						U15355-C356			2048	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent					x	x				x							x			x				x	x						U15355-C415U1			225	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent					x	x				x							x	x	x	x				x	x						U15355-C415U3			674	
	CA ARCserve r12 WIN MS SBS Standard Edt.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2016			448	
	CA ARCserve r12 WIN MS SBS Std. Edt. Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2016-G			344	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt					x	x				x	x	x					x	x	x	x				x	x						U15355-C2016-U			336	
	UP CA ARCserve r12 WIN MS SBS Std Edt Go					x	x				x	x	x					x	x	x	x				x	x						U15355-C2016-U-G			258	
	1Yr Mnt ARCserve WIN Sybase Agent					x	x				x							x	x	x	x				x	x						U15355-C416U1			293	
	3Yr Mnt ARCserve WIN Sybase Agent					x	x				x							x	x	x	x				x	x						U15355-C416U3			878	
	1 Yr Mnt. WANSyncHA Std Srv						x					x	x						x	x												U15260-C40U1			603	
	CA ARCserve r12 WIN DiskToDiskToTape Op.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2017			448	
	CA ARCserve r12 WIN DiskToDiskToTape Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2017-G			344	
	UP CA ARCserve r12 WIN DiskToDiskToTape					x	x				x	x	x					x	x	x	x				x	x						U15355-C2017-U			336	
	UP CA ARCserve r12 WIN Disk2Dsk2Tape Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2017-U-G			258	
	1Yr Mnt ARCserve WIN Oracle Agent					x	x				x							x	x	x	x				x	x						U15355-C417U1			225	
	3Yr Mnt ARCserve WIN Oracle Agent					x	x				x							x	x	x	x				x	x						U15355-C417U3			674	
	CA ARCserve r12 WIN MS Sharepoint Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2018			900	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2018-G			693	
	UP CA ARCserve r12 WIN MS Sharepoint Ag.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2018-U			675	
	UP CA ARCserve r12 MS Sharepoint Agt Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2018-U-G			520	
	1Yr Mnt ARCserve WIN SQL Agent					x	x				x							x	x	x	x				x	x						U15355-C418U1			225	
	3Yr Mnt ARCserve WIN SQL Agent					x	x				x							x	x	x	x				x	x						U15355-C418U3			674	
	CA ARCserve r12 WIN Enterprise Module					x	x				x	x	x					x	x	x	x				x	x						U15355-C2019			3786	
	CA ARCserve r12 WIN Enterprise Modul Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2019-G			2915	
	UP CA ARCserve r12 WIN Enterprise Module					x	x				x	x	x					x	x	x	x				x	x						U15355-C2019-U			3361	
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2019-U-G			2588	
	1Yr Mnt ARCserve WIN SAP R/3 Agent					x	x				x							x	x	x	x				x	x						U15355-C419U1			352	
	3Yr Mnt ARCserve WIN SAP R/3 Agent					x	x				x							x	x	x	x				x	x						U15355-C419U3			1057	
	CA ARCserve r12 WIN MS DPM Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2020			900	
	CA ARCserve r12 WIN MS DPM Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2020-G			693	
	UP CA ARCserve r12 WIN MS DPM Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2020-U			675	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2020-U-G			520	
	1Yr Mnt ARCserve WIN Client Agent UNIX					x	x				x							x	x	x	x				x	x						U15355-C420U1			89	
	3Yr Mnt ARCserve WIN Client Agent UNIX					x	x				x							x	x	x	x				x	x						U15355-C420U3			267	
	ARCserve r11.5 WIN Client Agent UNIX					x	x				x							x			x				x							U15355-C720			348	
	CA ARCserve r12 WIN VSS-HW Snap. Option					x	x				x	x	x					x	x	x	x				x	x						U15355-C2021			4476	
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2021-G			3446	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2021-U			3357	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G					x	x				x	x	x					x	x	x	x				x	x						U15355-C2021-U-G			2585	
	1Yr Mnt ARCserve WIN Client Agent Linux					x	x				x							x			x				x	x						U15355-C421U1			89	
	3Yr Mnt ARCserve WIN Client Agent Linux					x	x				x							x	x	x	x				x	x						U15355-C421U3			267	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.					x	x				x							x							x	x						U15355-C780-U			512	
	CA ARCserve r12 WIN VMware Agent					x	x				x	x	x					x	x	x	x				x	x						U15355-C2022			900	
	CA ARCserve r12 WIN VMware Agent Gov.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2022-G			693	
	1Yr Mnt ARCserve WIN Client AgentNetware					x	x				x							x	x	x	x				x	x						U15355-C422U1			89	
	3Yr Mnt ARCserve WIN Client Agent NW					x	x				x							x	x	x	x				x	x						U15355-C422U3			267	
	UP ARCserve r11.5 Client Agent Linux Gov					x	x				x							x							x	x						U15355-C721-U-G			130	
	CA ARCserve r12 WIN Central Mngmt. Opt.					x	x				x	x	x					x	x	x	x				x	x						U15355-C2023			1352	
	CA ARCserve r12 WIN Central Mgt. Opt Gov					x	x				x	x	x					x	x	x	x				x	x						U15355-C2023-G			1041	
	1Yr Mnt ARCserve WIN Client Agent WIN					x	x				x							x			x				x	x						U15355-C423U1			89	
	3Yr Mnt ARCserve WIN Client Agent WIN					x	x				x							x	x	x	x				x	x						U15355-C423U3			267	
	UP ARCserve r11.5 Client Agent UNIX Gov.					x	x				x							x							x	x						U15355-C720-U-G			206	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X					x	x				x							x	x	x	x				x	x						U15355-C424U1			89	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X					x	x				x							x	x	x	x				x	x						U15355-C424U3			267	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle					x	x				x							x	x	x	x				x	x						U15355-C428U1			360	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle					x	x				x							x	x	x	x				x	x						U15355-C428U3			1081	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot					x	x				x							x			x				x	x						U15355-C429U1			293	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot					x	x				x							x	x	x	x				x	x						U15355-C429U3			878	
	1Yr Mnt ARCserve WIN Enterprise Module					x	x				x							x	x	x	x				x	x						U15355-C430U1			764	
	3Yr Mnt ARCserve WIN Enterprise Modul					x	x				x							x	x	x	x				x	x						U15355-C430U3			2272	
	1Yr Mnt ARCserve WIN DiskStaging Option					x	x				x							x			x				x	x						U15355-C431U1			111	
	3Yr Mnt ARCserve WIN DiskStaging Option					x	x				x							x	x	x	x				x	x						U15355-C431U3			336	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt					x	x				x							x	x	x	x				x	x						U15355-C432U1			225	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt					x	x				x							x	x	x	x				x	x						U15355-C432U3			674	
	ARCserve r11.5 WIN Client Agt. Linux Gov					x	x				x							x			x				x	x						U15355-C721-G			199	
	1Yr Mnt ARCserve WIN DPM Agent					x	x				x							x	x	x	x				x	x						U15355-C433U1			225	
	3Yr Mnt ARCserve WIN DPM Agent					x	x				x							x	x	x	x				x	x						U15355-C433U3			674	
	ARCserve r11.5 Client Agent UNIX Gov.					x	x				x							x			x				x	x						U15355-C720-G			275	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.					x	x				x							x			x				x	x						U15355-C434U1			337	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.					x	x				x							x	x	x	x				x	x						U15355-C434U3			1013	
	1Yr Mnt ARCserve WIN VMware Agent					x	x				x							x	x	x	x				x	x						U15355-C435U1			225	
	3Yr Mnt ARCserve WIN VMware Agent					x	x				x							x	x	x	x				x	x						U15355-C435U3			675	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS					x	x				x							x	x	x	x				x	x						U15355-C436U1			1063	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS					x	x				x							x	x	x	x				x	x						U15355-C436U3			3162	
UPS/Power supply																																			
	APC-UPS COM Cable extension	x	x	x	x									x	x	x	x				x											S26113-F233-L1			31	
	Power Supply Module 600W (hot plug)															x	x															S26113-F453-L30			134	Phased out
	Power Supply Module 600W (hot plug)																x															S26113-F453-L40			129	Phased out
	Power Supply Upgrade 650W for RX200S3									x																						S26113-F509-L1			147	Phased out
	Power Supply Upgrade 650W for RX200S4										x																					S26113-F527-L1			144	Phased out
	Power Supply Module 700W (hot plug)																	x														S26113-F529-L10			99	Phased out
	Power Supply Module 770W silver hp											x	x																			S26113-F539-L1			169	
	Power Supply Module 800W (hot plug)																		x													S26113-F543-L10			153	Phased out
	Power Supply Module 800W gold hp																		x	x												S26113-F555-L10			182	
	Power Supply Module 850W																									x						S26113-F561-L10			269	
	Power Supply Module 450W gold hp												x																			S26113-F570-L1			125	Orderable from: 30/06/2010
	Power Supply Module 625W (hot plug)																				x											S26113-F604-L1			129	
	APC-UPS WEB Management Adapter	x	x	x	x			x	x	x				x	x	x	x				x	x	x	x			x	x	x			S26113-F80-L10			220	Phased out
	APC-UPS WEB Management Adapter		x	x	x	x	x		x	x	x	x	x			x	x	x	x	x	x		x	x	x	x			x	x		S26113-F80-L30			220	
	Cable powercord (UK, IR), 1.8m, grey					x	x				x	x	x					x	x	x	x				x	x						T26139-Y1744-L10			13	
Miscellaneous																																			
	LocalView Option Kit S2																		x	x												S26361-F2557-L106			56	
	Customer Self Service Modul RX Server																		x	x												S26361-F2557-L205			18	
	Fan upgrade kit hot-plug redundancy																		x													S26361-F2621-L5			76	Phased out
	cable Parallelport Option Centronics															x	x	x														S26361-F3120-L2			19	Phased out
	cable Serial port option															x	x	x														S26361-F3120-L3			34	
	TPM Module add-on kit						x					x	x						x	x						x						S26361-F3552-L1			44	
	Opt. Front VGA + add. USB						x																									S26361-F3577-L1			26	
	T-HANDLES RX300S6																			x												S26361-F4000-L1			18	
	RAID Upgrade Kit RX100 S6						x																									S26361-F4414-L1			34	
	Fan upgrade kit hot-plug redundancy															x	x	x														S26361-F2621-L4			67	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Miscellaneous (Continued)																																			
	Parallelport Option Centronics														x																	S26361-F2571-L8			19	Phased out
	ServerView Local Service Panel Kit					x	x				x							x														S26361-F2557-L204			21	Phased out
Media																																			
	DAT160 cleaning cartridge																								x	x						D:CL-DAT160-MX-01			20	
	DAT72 cleaning cartridge														x	x	x	x	x	x	x	x	x	x	x	x						D:CL-DAT72-MX-01			5	
	LTO cleaning cartridge Fuji																								x	x						D:CL-LTO2-FJ-01			38	
	LTO cleaning cartridge Fuji with label																								x	x						D:CL-LTO2-FJ-01L			39	
	LTO cleaning cartridge IBM																								x	x						D:CL-LTO2-IB-01			47	
	LTO cleaning cartridge IBM with label																								x	x						D:CL-LTO2-IB-01L			47	
	LTO cleaning cartridge Maxell																								x	x						D:CL-LTO2-MX-01			44	
	LTO cleaning cartridge Maxell with label																								x	x						D:CL-LTO2-MX-01L			45	
	LTO cleaning label																								x	x						D:CL-LTO-LAB			1	
	LTO cleaning cartridge Sony																								x	x						D:CL-LTO-SY-01			46	
	LTO cleaning cartridge Sony with label																								x	x						D:CL-LTO-SY-01L			47	
	LTO cleaning cart. Sony single pack																								x	x						D:CL-LTO-SY-EP01			47	
	LTO cleaning cart.Sony single pack&label																								x	x						D:CL-LTO-SY-EP01L			48	
	VXA cleaning label																						x	x								D:CL-VXA2-LAB			1	
	VXA cleaning cartridge																					x		x	x							D:CL-VXA2-X-01			20	
	VXA cleaning cartridge with label																					x		x	x							D:CL-VXA2-X-01L			21	
	DAT160 data cartridge																									x	x					D:CR-DAT160-MX-01			21	
	DAT72 data cartridge														x	x	x	x	x	x	x	x	x	x	x	x						D:CR-DAT72-MX-01			10	
	LTO 2 data cartridge Fuji																								x							D:CR-LTO2-FJ-01			21	
	LTO 2 data cartridge with label Fuji																								x							D:CR-LTO2-FJ-01L			22	
	LTO 2 data cartridge IBM											x	x						x	x					x							D:CR-LTO2-IB-01			23	
	LTO 2 data cartridge with label IBM																								x							D:CR-LTO2-IB-01L			24	
	LTO 2 barcode label																								x							D:CR-LTO2-LAB			1	
	LTO 2 data cartridge Maxell																								x							D:CR-LTO2-MX-01			20	
	LTO 2 data cartridge with label Maxell																								x							D:CR-LTO2-MX-01L			21	
	LTO 5 barcode label																									x	x					D:CR-LTO5-LAB			3	
	VXA barcode label																						x	x								D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB																							x	x							D:CR-VXA2-X10-01			22	
	VXA-2/320 data cartr. 40/80GB with label																					x		x	x							D:CR-VXA2-X10-01L			23	
	VXA-2/320 data cartridge 80/160GB																					x		x	x							D:CR-VXA2-X23-01			48	
	VXA-2/320 data cartr 80/160GB with label																					x		x	x							D:CR-VXA2-X23-01L			49	
	RDX Cartridge 160/320GB																	x	x	x	x				x	x						S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB																	x	x	x	x				x	x						S26361-F3857-L169			859	
	RDX Cartridge 320/640GB																	x	x	x	x				x	x						S26361-F3857-L320			134	
	RDX Cartridge Pack 10x 320/640GB																	x	x	x	x				x	x						S26361-F3857-L329			1284	
	RDX Cartridge 500GB/1000GB																	x	x	x	x				x	x						S26361-F3857-L500			169	
	LTO 3 data cartridge Fuji																	x								x						D:CR-LTO3-FJ-01			20	
	LTO 4 data cartridge Fuji																									x						D:CR-LTO4-FJ-01			24	
	LTO 3 data cartridge IBM																								x	x						D:CR-LTO3-IB-01			22	
	LTO 4 data cartridge IBM																									x						D:CR-LTO4-IB-01			28	
	LTO 4 data cartridge Sony																									x						D:CR-LTO4-SY-01			26	
	LTO-3 data cartridge single pack Sony																								x	x						D:CR-LTO3-SY-EP01			23	
	LTO 3 data cartridge with label																								x	x						D:CR-LTO3-FJ-01L			21	
	LTO 4 data cartridge with label Fuji											x	x						x	x						x						D:CR-LTO4-FJ-01L			26	
	LTO 3 data cartridge with label IBM											x	x						x	x					x	x						D:CR-LTO3-IB-01L			23	
	LTO 4 data cartridge with label IBM																									x						D:CR-LTO4-IB-01L			28	
	LTO 3 data cartridge with label Sony																								x	x						D:CR-LTO3-SY-01L			22	
	LTO4 cartridge with label Sony																									x						D:CR-LTO4-SY-01L			26	
	LTO-3 data cart. single pack Sony label																								x	x						D:CR-LTO3-SY-EP01L			22	
	LTO 3 WORM data cartridge											x	x						x	x					x	x						D:CR-LTO3-FJ-01W			23	
	LTO 4 WORM data cartridge Fuji											x	x													x						D:CR-LTO4-FJ-01W			33	
	LTO3 WORM data cartridge with label Fuji											x	x						x	x						x						D:CR-LTO3-FJ-01WL			24	
	LTO4 WORM data cartridge with label Fuji											x	x						x	x						x						D:CR-LTO4-FJ-01WL			34	
	LTO 3 barcode label																								x	x						D:CR-LTO3-LAB			1	
	LTO 4 barcode label																									x						D:CR-LTO4-LAB			1	
Cables																																			
	Cable powercord rack, 4m	x	x	x	x									x	x																	T26139-Y1968-L10			13	
	Console switch cable 3,5m	x	x	x				x	x	x				x	x	x	x										x	x	x			SNP:SY-F2293L12-P			65	Phased out
Additional Software																																			
	OPENFT-CR (WINDOWS) V8.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C171			991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C177			495	
	OPENFT-SW-CD (WINDOWS) V8.1	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C186			991	
	OPENFT-2-U (WINDOWS) V8.1	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C192			397	
	OPENFT-CR (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	x	x	x				x	x					x	x	x				x	x	x	x				x	x		x	x	U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C202			1079	
	OPENFT-2 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C203			1741	
	OPENFT-3 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C204			3483	
	OPENFT-4 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C205			5224	
	OPENFT-5 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C206			6966	
	OPENFT-1-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C207			626	
	OPENFT-2-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C208			1019	
	OPENFT-3-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C209			2020	
	OPENFT-4-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C210			3030	
	OPENFT-5-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C211			4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C212			1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C213			1741	
	OPENFT-FTAM-3 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C214			3483	
	OPENFT-FTAM-4 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C215			5224	
	OPENFT-FTAM-5 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C216			6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C217			626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C218			1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C219			2020	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C220			3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C221			4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C222			441	
	OPENFT-FTP-2 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C223			717	
	OPENFT-FTP-3 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C224			1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C225			2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U11081-C226			2843	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x		x	x	U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x		x	x	U11081-C311			1070	
	OPENFT-FTP-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x		x	x	U11081-C321			437	
	OPENFT-2 (WINDOWS) V11.0	x	x	x				x	x				x	x	x	x				x		x	x				x	x		x	x	U11081-C302			1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	x	x	x				x	x			x	x	x	x					x		x	x				x	x		x	x	U11081-C312			1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	x	x	x				x	x			x	x	x	x					x		x	x				x	x		x	x	U11081-C322			711	
	OPENFT-3 (WINDOWS) V11.0	x	x	x				x	x				x	x	x							x	x		x	x	x	x		x	x	U11081-C303			3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	x	x	x				x	x				x	x	x							x	x		x	x	x	x		x	x	U11081-C313			3483	
	OPENFT-FTP-3 (WINDOWS) V11.0	x	x	x				x	x				x	x	x							x	x		x	x	x	x		x	x	U11081-C323			1422	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x		x	x	x				x	x		x	x	U10987-C501			1070	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Additional Software (Continued)																																			
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x		x	x	U10987-C513			1070	
	OPENFT-FTP-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x		x	x	U10987-C525			437	
	OPENFT-2 (UNIX systems) V11.0	x	x	x				x	x				x	x	x	x				x		x	x				x	x		x	x	U10987-C502			1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	x	x	x				x	x				x	x	x	x				x		x	x				x	x		x	x	U10987-C514			1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	x	x	x				x	x				x	x	x	x				x		x	x				x	x		x	x	U10987-C526			711	
	OPENFT-3 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x	x	x	x	x	x		x	x	U10987-C503			3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x	x	x	x	x	x		x	x	U10987-C515			3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x	x	x	x	x	x		x	x	U10987-C527			1422	
	OPENFT-4 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U10987-C528			1646	
	OPENFT-5 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U10987-C505			5224	
	OPENFT-FTAM-5 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U10987-C517			5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	x	x	x				x	x					x	x	x						x	x				x	x		x	x	U10987-C529			2133	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	U10987-C499			13	
Software Services																																			
	SP 1y ADV Acceleration Kit,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1AD00PRV05			1629	
	SP 1y ADV Acceleration Kit,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1AD03PRV05			1791	
	SP 1y Upgrade ADV to ENT PL,5x9										x	x	x					x	x	x	x	x			x	x	x					FSP:G-SP1AE00PRV07			632	
	SP 1y Upgrade ADV to ENT PL,7x24										x	x	x					x	x	x	x	x			x	x	x					FSP:G-SP1AE03PRV07			695	
	SP 1y ENT PL 8 Acceleration Kit,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1E800PRV07			3830	
	SP 1y ENT PL 8 Acceleration Kit,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1E803PRV07			4213	
	SP 1y Upgrade ESXi to ADV,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1EA00PRV05			466	
	SP 1y Upgrade ESXi to ADV,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1EA03PRV05			513	
	SP 1y Upgrade ENT to ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1EE00PRV07			632	
	SP 1y Upgrade ENT to ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1EE03PRV07			695	
	SP 1y Essentials PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1EP00PRV08			563	
	SP 1y Essentials PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1EP03PRV08			619	
	SP 1y ESXi 4.0 Single Server,5x9											x	x					x	x	x	x				x	x						FSP:G-SP1EX00PRV01			450	
	SP 1y ESXi 4.0 Single Server,7x24											x	x					x	x	x	x				x	x						FSP:G-SP1EX03PRV01			495	
	SP 1y L1,4h Rt,5x9					x	x																									FSP:G-SP1L160PRL63			394	
	SP 1y L1,4h Rt,7x24					x	x																									FSP:G-SP1L163PRL63			848	
	SP 1y L2,4h Rt,5x9					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1L260PRL63			394	
	SP 1y L2,4h Rt,7x24					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1L263PRL63			848	
	SP 1y Upgrade STD to ADV,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1SA00PRV05			466	
	SP 1y Upgrade STD to ADV,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1SA03PRV05			513	
	SP 1y vSphere ADV,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1SD00PRV05			466	
	SP 1y vSphere ADV,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1SD03PRV05			513	
	SP 1y vSphere ENT,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1SE00PRV06			546	
	SP 1y vSphere ENT,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1SE03PRV06			601	
	SP 1y vSphere ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1SL00PRV07			632	
	SP 1y vSphere ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1SL03PRV07			695	
	SP 1y vSphere STD,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1ST00PRV04			332	
	SP 1y vSphere STD,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1ST03PRV04			365	
	SP 1y Upgrade STD to ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1US00PRV07			632	
	SP 1y Upgrade STD to ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1US03PRV07			695	
	SP 1y Upgrade VC FND to STD,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1UV00PRV09			841	
	SP 1y Upgrade VC FND to STD,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1UV03PRV09			925	
	SP 1y vCenter FND,5x9					x					x	x	x					x	x	x	x				x	x						FSP:G-SP1VC00PRV09			509	
	SP 1y vCenter FND,7x24					x					x	x	x					x	x	x	x				x	x						FSP:G-SP1VC03PRV09			560	
	SP 1y vCenter STD,5x9					x					x	x	x					x	x	x	x				x	x						FSP:G-SP1VS00PRV09			841	
	SP 1y vCenter STD,7x24					x					x	x	x					x	x	x	x				x	x						FSP:G-SP1VS03PRV09			925	
	SP 1y 1,2,3 x10sure base,5x9				x	x				x	x	x	x	x			x	x	x	x	x			x	x							FSP:G-SP1X300PRXTN			271	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9				x	x				x	x	x	x	x			x	x	x	x	x			x	x							FSP:G-SP1X500PRXTN			213	
	SP 1y Upgrade ESXi to ENT-PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1XE00PRV07			632	
	SP 1y Upgrade ESXi to ENT-PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1XE03PRV07			695	
	SP 1y Upgrade ESXi to STD,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP1XS00PRV04			332	
	SP 1y Upgrade ESXi to STD,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP1XS03PRV04			365	
	SP 3y ADV Acceleration Kit,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3AD00PRV05			4163	
	SP 3y ADV Acceleration Kit,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3AD03PRV05			4579	
	SP 3y Upgrade ADV to ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3AE00PRV07			1671	
	SP 3y Upgrade ADV to ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3AE03PRV07			1839	
	SP 3y ENT PL 8 Acceleration Kit,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3E800PRV07			9820	
	SP 3y ENT PL 8 Acceleration Kit,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3E803PRV07			10802	
	SP 3y Upgrade ESXi to ADV,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3EA00PRV05			1254	
	SP 3y Upgrade ESXi to ADV,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3EA03PRV05			1379	
	SP 3y Upgrade ENT to ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3EE00PRV07			1671	
	SP 3y Upgrade ENT to ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3EE03PRV07			1839	
	SP 3y Essentials PL,5x9					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3EP00PRV08			1527	
	SP 3y Essentials PL,7x24					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3EP03PRV08			1679	
	SP 3y L1,4h Rt,5x9					x	x																									FSP:G-SP3L160PRL63			986	
	SP 3y L1,4h Rt,7x24					x	x																									FSP:G-SP3L163PRL63			2120	
	SP 3y L2,4h Rt,5x9										x	x	x				x	x	x	x	x				x	x						FSP:G-SP3L260PRL63			986	
	SP 3y L2,4h Rt,7x24										x	x	x				x	x	x	x	x				x	x						FSP:G-SP3L263PRL63			2120	
	SP 3y L5,4h Rt,5x9																	x														FSP:G-SP3L560PRL63			1176	
	SP 3y L5,4h Rt,7x24																	x														FSP:G-SP3L563PRL63			2235	
	SP 3y Upgrade STD to ADV,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3SA00PRV05			1254	
	SP 3y Upgrade STD to ADV,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3SA03PRV05			1379	
	SP 3y vSphere ADV,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3SD00PRV05			1254	
	SP 3y vSphere ADV,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3SD03PRV05			1379	
	SP 3y vSphere ENT,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3SE00PRV06			1479	
	SP 3y vSphere ENT,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3SE03PRV06			1626	
	SP 3y vSphere ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3SL00PRV07			1671	
	SP 3y vSphere ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3SL03PRV07			1839	
	SP 3y vSphere STD,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3ST00PRV04			330	
	SP 3y vSphere STD,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3ST03PRV04			900	
	SP 3y Upgrade STD to ENT PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3US00PRV07			1671	
	SP 3y Upgrade STD to ENT PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3US03PRV07			1839	
	SP 3y Upgrade VC FND to STD,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3UV00PRV09			2224	
	SP 3y Upgrade VC FND to STD,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3UV03PRV09			2224	
	SP 3y vCenter FND,5x9					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VC00PRV09			1366	
	SP 3y vCenter FND,7x24					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VC03PRV09			1503	
	SP 3y vCenter STD,5x9					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VS00PRV09			2224	
	SP 3y vCenter STD,7x24					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VS03PRV09			2224	
	SP 3y 1,2,3 x10sure base,5x9				x	x				x	x	x	x	x			x	x	x	x	x			x	x							FSP:G-SP3X300PRXTN			814	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9				x	x				x	x	x	x	x			x	x	x	x	x			x	x							FSP:G-SP3X500PRXTN			640	
	SP 3y Upgrade ESXi to ENT-PL,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3XE00PRV07			1671	
	SP 3y Upgrade ESXi to ENT-PL,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3XE03PRV07			1839	
	SP 3y Upgrade ESXi to STD,5x9										x	x	x					x	x	x	x				x	x						FSP:G-SP3XS00PRV04			330	
	SP 3y Upgrade ESXi to STD,7x24										x	x	x					x	x	x	x				x	x						FSP:G-SP3XS03PRV04			900	
	SP Xtend 1y to 2y ADV Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAAD00PRV05			401	
	SP Xtend 1y to 2y ADV Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAAD03PRV05			413	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAAE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAAE03PRV07			658	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAE600PRV07			3193	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAE603PRV07			3924	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAE800PRV07			3985	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAE803PRV07			4960	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAEA00PRV05			401	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAEA03PRV05			413	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAEE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAEE03PRV07			658	
	SP Xtend 1y to 2y Essentials PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAEP00PRV08			524	
	SP Xtend 1y to 2y Essentials PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAEP03PRV08			558	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,5x9											x						x	x	x	x				x	x						FSP:G-SPAEX00PRV01			395	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,7x24											x						x	x	x	x				x	x						FSP:G-SPAEX03PRV01			446	
	SP Xtend 1y to 2y Upgrade STD to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPASA00PRV05			401	
	SP Xtend 1y to 2y Upgrade STD to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPASA03PRV05			413	
	SP Xtend 1y to 2y vSphere ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPASD00PRV05			401	
	SP Xtend 1y to 2y vSphere ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPASD03PRV05			413	
	SP Xtend 1y to 2y vSphere ENT,5x9										x	x						x	x	x	x				x	x						FSP:G-SPASE00PRV06			507	
	SP Xtend 1y to 2y vSphere ENT,7x24										x	x						x	x	x	x				x	x						FSP:G-SPASE03PRV06			535	
	SP Xtend 1y to 2y vSphere ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPASL00PRV07			607	
	SP Xtend 1y to 2y vSphere ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPASL03PRV07			658	
	SP Xtend 1y to 2y vSphere STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAST00PRV04			212	
	SP Xtend 1y to 2y vSphere STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAST03PRV04			240	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAUS00PRV07			607	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAUS03PRV07			658	
	SP Xtend 1y to 2y Upgrade VC FND to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAUV00PRV09			880	
	SP Xtend 1y to 2y Upgrade VC FND to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAUV03PRV09			936	
	SP Xtend 1y to 2y vCenter FND,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPAVC00PRV09			424	
	SP Xtend 1y to 2y vCenter FND,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPAVC03PRV09			485	
	SP Xtend 1y to 2y vCenter STD,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPAVS00PRV09			880	
	SP Xtend 1y to 2y vCenter STD,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPAVS03PRV09			936	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAXE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAXE03PRV07			658	
	SP Xtend 1y to 2y Upgrade ESXi to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPAXS00PRV04			552	
	SP Xtend 1y to 2y Upgrade ESXi to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPAXS03PRV04			619	
	SP Xtend 2y to 3y ADV Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBAD00PRV05			401	
	SP Xtend 2y to 3y ADV Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBAD03PRV05			413	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBAE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBAE03PRV07			658	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBE600PRV07			3193	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBE603PRV07			3924	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBE800PRV07			3985	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBE803PRV07			4960	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBEA00PRV05			401	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBEA03PRV05			413	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBEE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBEE03PRV07			658	
	SP Xtend 2y to 3y Essentials PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBEP00PRV08			524	
	SP Xtend 2y to 3y Essentials PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBEP03PRV08			558	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,5x9											x						x	x	x	x				x	x						FSP:G-SPBEX00PRV01			395	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,7x24											x						x	x	x	x				x	x						FSP:G-SPBEX03PRV01			446	
	SP Xtend 2y to 3y Upgrade STD to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBSA00PRV05			401	
	SP Xtend 2y to 3y Upgrade STD to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBSA03PRV05			413	
	SP Xtend 2y to 3y vSphere ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBSD00PRV05			401	
	SP Xtend 2y to 3y vSphere ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBSD03PRV05			413	
	SP Xtend 2y to 3y vSphere ENT,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBSE00PRV06			507	
	SP Xtend 2y to 3y vSphere ENT,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBSE03PRV06			535	
	SP Xtend 2y to 3y vSphere ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBSL00PRV07			607	
	SP Xtend 2y to 3y vSphere ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBSL03PRV07			658	
	SP Xtend 2y to 3y vSphere STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBST00PRV04			212	
	SP Xtend 2y to 3y vSphere STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBST03PRV04			240	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBUS00PRV07			607	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBUS03PRV07			658	
	SP Xtend 2y to 3y Upgrade VC FND to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBUV00PRV09			880	
	SP Xtend 2y to 3y Upgrade VC FND to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBUV03PRV09			936	
	SP Xtend 2y to 3y vCenter FND,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPBVC00PRV09			424	
	SP Xtend 2y to 3y vCenter FND,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPBVC03PRV09			485	
	SP Xtend 2y to 3y vCenter STD,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPBVS00PRV09			880	
	SP Xtend 2y to 3y vCenter STD,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPBVS03PRV09			936	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBXE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBXE03PRV07			658	
	SP Xtend 2y to 3y Upgrade ESXi to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPBXS00PRV04			552	
	SP Xtend 2y to 3y Upgrade ESXi to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPBXS03PRV04			619	
	SP Xtend 3y to 4y ADV Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCAD00PRV05			401	
	SP Xtend 3y to 4y ADV Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCAD03PRV05			413	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCAE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCAE03PRV07			658	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCE600PRV07			3193	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCE603PRV07			3924	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCE800PRV07			3985	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCE803PRV07			4960	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCEA00PRV05			401	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCEA03PRV05			413	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCEE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCEE03PRV07			658	
	SP Xtend 3y to 4y Essentials PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCEP00PRV08			524	
	SP Xtend 3y to 4y Essentials PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCEP03PRV08			558	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,5x9											x						x	x	x	x				x	x						FSP:G-SPCEX00PRV01			395	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,7x24											x						x	x	x	x				x	x						FSP:G-SPCEX03PRV01			446	
	SP Xtend 3y to 4y Upgrade STD to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCSA00PRV05			401	
	SP Xtend 3y to 4y Upgrade STD to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCSA03PRV05			413	
	SP Xtend 3y to 4y vSphere ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCSD00PRV05			401	
	SP Xtend 3y to 4y vSphere ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCSD03PRV05			413	
	SP Xtend 3y to 4y vSphere ENT,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCSE00PRV06			507	
	SP Xtend 3y to 4y vSphere ENT,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCSE03PRV06			535	
	SP Xtend 3y to 4y vSphere ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCSL00PRV07			607	
	SP Xtend 3y to 4y vSphere ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCSL03PRV07			658	
	SP Xtend 3y to 4y vSphere STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCST00PRV04			212	
	SP Xtend 3y to 4y vSphere STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCST03PRV04			240	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCUS00PRV07			607	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCUS03PRV07			658	
	SP Xtend 3y to 4y Upgrade VC FND to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCUV00PRV09			880	
	SP Xtend 3y to 4y Upgrade VC FND to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCUV03PRV09			936	
	SP Xtend 3y to 4y vCenter FND,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPCVC00PRV09			424	
	SP Xtend 3y to 4y vCenter FND,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPCVC03PRV09			485	
	SP Xtend 3y to 4y vCenter STD,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPCVS00PRV09			880	
	SP Xtend 3y to 4y vCenter STD,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPCVS03PRV09			936	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCXE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCXE03PRV07			658	
	SP Xtend 3y to 4y Upgrade ESXi to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPCXS00PRV04			552	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXi300	PRIMERGY RXi600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP Xtend 3y to 4y Upgrade ESXi to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPCXS03PRV04			619	
	SP Xtend 4y to 5y ADV Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDAD00PRV05			401	
	SP Xtend 4y to 5y ADV Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDAD03PRV05			413	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDAE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDAE03PRV07			658	
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDE600PRV07			3193	
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDE603PRV07			3924	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDE800PRV07			3985	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDE803PRV07			4960	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDEA00PRV05			401	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDEA03PRV05			413	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDEE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDEE03PRV07			658	
	SP Xtend 4y to 5y Essentials PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDEP00PRV08			524	
	SP Xtend 4y to 5y Essentials PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDEP03PRV08			558	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,5x9											x						x	x	x	x				x	x						FSP:G-SPDEX00PRV01			395	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,7x24											x						x	x	x	x				x	x						FSP:G-SPDEX03PRV01			446	
	SP Xtend 4y to 5y Upgrade STD to ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDSA00PRV05			401	
	SP Xtend 4y to 5y Upgrade STD to ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDSA03PRV05			413	
	SP Xtend 4y to 5y vSphere ADV,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDSD00PRV05			401	
	SP Xtend 4y to 5y vSphere ADV,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDSD03PRV05			413	
	SP Xtend 4y to 5y vSphere ENT,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDSE00PRV06			507	
	SP Xtend 4y to 5y vSphere ENT,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDSE03PRV06			535	
	SP Xtend 4y to 5y vSphere ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDSL00PRV07			607	
	SP Xtend 4y to 5y vSphere ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDSL03PRV07			658	
	SP Xtend 4y to 5y vSphere STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDST00PRV04			212	
	SP Xtend 4y to 5y vSphere STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDST03PRV04			240	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDUS00PRV07			607	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDUS03PRV07			658	
	SP Xtend 4y to 5y Upgrade VC FND to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDUV00PRV09			880	
	SP Xtend 4y to 5y Upgrade VC FND to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDUV03PRV09			936	
	SP Xtend 4y to 5y vCenter FND,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPDVC00PRV09			424	
	SP Xtend 4y to 5y vCenter FND,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPDVC03PRV09			485	
	SP Xtend 4y to 5y vCenter STD,5x9					x					x	x						x	x	x	x				x	x						FSP:G-SPDVS00PRV09			880	
	SP Xtend 4y to 5y vCenter STD,7x24					x					x	x						x	x	x	x				x	x						FSP:G-SPDVS03PRV09			936	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDXE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDXE03PRV07			658	
	SP Xtend 4y to 5y Upgrade ESXi to STD,5x9										x	x						x	x	x	x				x	x						FSP:G-SPDXS00PRV04			552	
	SP Xtend 4y to 5y Upgrade ESXi to STD,7x24										x	x						x	x	x	x				x	x						FSP:G-SPDXS03PRV04			619	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services																																				
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GA2S00Z00GBPR1			18	
	SP 2y OS Svc,5x9	Service Pack 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GA2S00Z00GBPX1			18	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GA3S00Z00GBPR1			37	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GA3S00Z00GBPX1			31	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300 S3 Batch, PRIMERGY RX330 S1																x				x										FSP:GA4S00Z00GBPE1			54	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GA4S00Z00GBPR1			55	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																	FSP:GA4S00Z00GBPR2			56	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GA4S00Z00GBPR3			68	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GA4S00Z00GBPR6			211	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GA4S00Z00GBPR8			321	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GA4S00Z00GBPX1			55	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GA4S00Z00GBPX2			56	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x											FSP:GA4S00Z00GBPX3			68	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x				FSP:GA4S00Z00GBPX6			211	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300 S3 Batch, PRIMERGY RX330 S1																x				x										FSP:GA5S00Z00GBPE1			109	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GA5S00Z00GBPR1			74	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																	FSP:GA5S00Z00GBPR2			111	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GA5S00Z00GBPR3			135	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GA5S00Z00GBPR6			422	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GA5S00Z00GBPR8			642	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GA5S00Z00GBPX1			74	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GA5S00Z00GBPX2			111	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x											FSP:GA5S00Z00GBPX3			135	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x				FSP:GA5S00Z00GBPX6			422	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100-Serie	x	x	x	x																										FSP:GB3S00000GBPR1			37	
	SP 3y OS Svc,5x9	Service Pack 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GB3S00Z00GBPX1			37	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S3 Edition, PRIMERGY Edition RX3-1																x				x										FSP:GB4S00000GBPE1			54	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100-Serie	x	x	x	x																										FSP:GB4S00000GBPR1			55	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX200-Serie							x	x	x				x																	FSP:GB4S00000GBPR2			56	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300-Serie														x	x	x														FSP:GB4S00000GBPR3			68	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S4																					x	x	x							FSP:GB4S00000GBPR6			211	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx																													x	FSP:GB4S00000GBPR7			114	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800, PRIMERGY RX800 S2, PRIMERGY RX800 S3																										x	x	x		FSP:GB4S00000GBPR8			321	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI6xx																													x	FSP:GB4S00000GBPR9			289	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S2	x	x	x	x																										FSP:GB4S20000GBPR1			445	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX2xx, PRIMERGY RX2xx S2							x	x	x				x																	FSP:GB4S20000GBPR2			294	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S2														x	x	x														FSP:GB4S20000GBPR3			375	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2																					x	x	x							FSP:GB4S20000GBPR6			463	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx, PRIMERGY RXI6xx																												x		FSP:GB4S20000GBPR7			493	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800																										x	x	x			FSP:GB4S20000GBPR8			1169	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GB4S20Z00GBPX1			445	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S3 Edition, PRIMERGY Edition RX3-1																x					x										FSP:GB5S00000GBPE1			109	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100-Serie	x	x	x	x																										FSP:GB5S00000GBPR1			74	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX200-Serie							x	x	x				x																	FSP:GB5S00000GBPR2			111	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300-Serie														x	x	x														FSP:GB5S00000GBPR3			135	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S4																						x	x	x							FSP:GB5S00000GBPR6			422	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx																												x		FSP:GB5S00000GBPR7			228	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800, PRIMERGY RX800 S2, PRIMERGY RX800 S3																										x	x	x			FSP:GB5S00000GBPR8			642	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI6xx																													x	FSP:GB5S00000GBPR9			578	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S2	x	x	x	x																										FSP:GB5S20000GBPR1			586	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX2xx, PRIMERGY RX2xx S2							x	x	x				x																	FSP:GB5S20000GBPR2			498	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S2														x	x	x														FSP:GB5S20000GBPR3			625	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2																					x	x	x							FSP:GB5S20000GBPR6			823	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx, PRIMERGY RXI6xx																												x		FSP:GB5S20000GBPR7			884	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800																										x	x	x			FSP:GB5S20000GBPR8			1867	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GB5S20Z00GBPX1			586	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GD3S20Z00GBPR1			305	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																	FSP:GD3S20Z00GBPR2			89	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GD3S20Z00GBPR3			126	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x			FSP:GD3S20Z00GBPR8			472	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																										FSP:GD3S20Z00GBPX1			326	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																				FSP:GD3S20Z00GBPX2			89	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x													FSP:GD3S20Z00GBPX3			126	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x						FSP:GD3S20Z00GBPX6			139	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S2	x	x	x	x																												FSP:GD3S60000GBPR1			353	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx, PRIMERGY RX2xx S2							x	x	x			x																				FSP:GD3S60000GBPR2			143	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S2													x	x	x																	FSP:GD3S60000GBPR3			192	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600, PRIMERGY RX600 S2																						x	x	x								FSP:GD3S60000GBPR6			272	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800																										x	x	x				FSP:GD3S60000GBPR8			853	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																												FSP:GD3S60Z00GBPR1			353	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x			x																				FSP:GD3S60Z00GBPR2			144	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)													x	x	x																	FSP:GD3S60Z00GBPR3			192	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x								FSP:GD3S60Z00GBPR6			272	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x				FSP:GD3S60Z00GBPR8			812	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																										FSP:GD3S60Z00GBPX1			273	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																				FSP:GD3S60Z00GBPX2			274	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x													FSP:GD3S60Z00GBPX3			409	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x						FSP:GD3S60Z00GBPX6			592	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S2	x	x	x	x																												FSP:GD3S63000GBPR1			494	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx, PRIMERGY RX2xx S2							x	x	x			x																				FSP:GD3S63000GBPR2			280	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S2													x	x	x																	FSP:GD3S63000GBPR3			312	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600, PRIMERGY RX600 S2																					x	x	x								FSP:GD3S63000GBPR6			885	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800																										x	x	x			FSP:GD3S63000GBPR8			1177	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD3S63Z00GBPR1			494	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x			x																			FSP:GD3S63Z00GBPR2			280	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD3S63Z00GBPR3			312	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x							FSP:GD3S63Z00GBPR6			885	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x			FSP:GD3S63Z00GBPR8			1267	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GD3S63Z00GBPX1			365	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																			FSP:GD3S63Z00GBPX2			458	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GD3S63Z00GBPX3			687	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX8xx-Serie (incl. CRU)																									x	x					FSP:GD3S63Z00GBPX6			938	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD3SD0Z00GBPR1			494	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x			x																			FSP:GD3SD0Z00GBPR2			89	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD3SD0Z00GBPR3			312	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x							FSP:GD3SD0Z00GBPR6			885	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x			FSP:GD3SD0Z00GBPR8			1267	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GD3SD0Z00GBPX1			494	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																			FSP:GD3SD0Z00GBPX2			89	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GD3SD0Z00GBPX3			312	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																								x	x						FSP:GD3SD0Z00GBPX6			885	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD3SD3Z00GBPR1			745	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GD3SD3Z00GBPR2			484	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD3SD3Z00GBPR3			495	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x							FSP:GD3SD3Z00GBPR6			1165	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x			FSP:GD3SD3Z00GBPR8			1549	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GD3SD3Z00GBPX1			745	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																			FSP:GD3SD3Z00GBPX2			684	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GD3SD3Z00GBPX3			495	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x					FSP:GD3SD3Z00GBPX6			1165	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD3SG0Z00GBPR1			494	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GD3SG0Z00GBPR2			280	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD3SG0Z00GBPR3			312	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x							FSP:GD3SG0Z00GBPR6			885	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x			FSP:GD3SG0Z00GBPR8			1267	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GD3SG0Z00GBPX1			406	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																			FSP:GD3SG0Z00GBPX2			280	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GD3SG0Z00GBPX3			511	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x					FSP:GD3SG0Z00GBPX6			994	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD3SG3000GBPR1			745	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GD3SG3000GBPR2			484	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD3SG3000GBPR3			496	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY R450, PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S2 ROHS, PRIMERGY RX600 S4																					x	x	x								FSP:GD3SG3000GBPR6			1164	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800, PRIMERGY RX800 4Way, PRIMERGY RX800 8Way, PRIMERGY RX800 S2, PRIMERGY RX800 S2 ROHS, PRIMERGY RX800 S3																											x	x	x		FSP:GD3SG3000GBPR8			1549	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD3SG3Z00GBPR1			745	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GD3SG3Z00GBPR2			484	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD3SG3Z00GBPR3			495	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x								FSP:GD3SG3Z00GBPR6			1165	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																											x	x	x		FSP:GD3SG3Z00GBPR8			1549	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GD3SG3Z00GBPX1			551	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GD3SG3Z00GBPX2			484	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GD3SG3Z00GBPX3			1389	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x					FSP:GD3SG3Z00GBPX6			1393	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S2	x	x	x	x																											FSP:GD4S60000GBPR1			510	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for RX200-Serie							x	x	x				x																		FSP:GD4S60000GBPR2			366	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S2														x	x	x															FSP:GD4S60000GBPR3			465	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600, PRIMERGY RX600 S2																					x	x	x								FSP:GD4S60000GBPR6			756	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800																										x	x	x			FSP:GD4S60000GBPR8			1629	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GD4S60Z00GBPX1			405	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GD4S60Z00GBPX2			491	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5´´, PRIMERGY RX300 S4 6x 2,5´´, PRIMERGY RX300 S4 6x 3,5´´, PRIMERGY RX300 S4 6x3.5, PRIMERGY RX																	x	x	x												FSP:GD4S60Z00GBPX3			785	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																								x	x						FSP:GD4S60Z00GBPX6			1118	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S2	x	x	x	x																											FSP:GD4S63000GBPR1			701	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for RX200-Serie							x	x	x				x																		FSP:GD4S63000GBPR2			551	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S2														x	x	x															FSP:GD4S63000GBPR3			628	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600, PRIMERGY RX600 S2																					x	x	x								FSP:GD4S63000GBPR6			1586	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800																										x	x	x			FSP:GD4S63000GBPR8			2246	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GD4S63Z00GBPX1			509	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GD4S63Z00GBPX2			752	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5´´, PRIMERGY RX300 S4 6x 2,5´´, PRIMERGY RX300 S4 6x 3,5´´, PRIMERGY RX300 S4 6x3.5, PRIMERGY R																	x	x	x												FSP:GD4S63Z00GBPX3			1128	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																								x	x						FSP:GD4S63Z00GBPX6			1714	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD4SG3000GBPR1			1042	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GD4SG3000GBPR2			827	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD4SG3000GBPR3			876	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY R450, PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S2 ROHS, PRIMERGY RX600 S4																					x	x	x								FSP:GD4SG3000GBPR6			3118	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800, PRIMERGY RX800 4Way, PRIMERGY RX800 8Way, PRIMERGY RX800 S2, PRIMERGY RX800 S2 ROHS, PRIMERGY RX800 S3																										x	x	x			FSP:GD4SG3000GBPR8			2628	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S2	x	x	x	x																											FSP:GD5S60000GBPR1			668	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for RX200-Serie							x	x	x				x																		FSP:GD5S60000GBPR2			589	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S2														x	x	x															FSP:GD5S60000GBPR3			738	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600, PRIMERGY RX600 S2																						x	x	x							FSP:GD5S60000GBPR6			1240	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800																										x	x	x			FSP:GD5S60000GBPR8			2448	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GD5S60Z00GBPX1			529	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GD5S60Z00GBPX2			712	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX																	x	x	x												FSP:GD5S60Z00GBPX3			1067	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					FSP:GD5S60Z00GBPX6			1621	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S2	x	x	x	x																											FSP:GD5S63000GBPR1			909	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for RX200-Serie							x	x	x				x																		FSP:GD5S63000GBPR2			822	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S2														x	x	x															FSP:GD5S63000GBPR3			943	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600, PRIMERGY RX600 S2																						x	x	x							FSP:GD5S63000GBPR6			2286	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800																										x	x	x			FSP:GD5S63000GBPR8			3225	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GD5S63Z00GBPX1			645	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GD5S63Z00GBPX2			1053	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY R																	x	x	x												FSP:GD5S63Z00GBPX3			1580	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					FSP:GD5S63Z00GBPX6			2401	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																											FSP:GD5SG3000GBPR1			1338	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GD5SG3000GBPR2			1171	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GD5SG3000GBPR3			1256	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY R450, PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S2 ROHS, PRIMERGY RX600 S4																					x	x	x									FSP:GD5SG3000GBPR6			2764	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800, PRIMERGY RX800 4Way, PRIMERGY RX800 8Way, PRIMERGY RX800 S2, PRIMERGY RX800 S2 ROHS, PRIMERGY RX800 S3																											x	x	x			FSP:GD5SG3000GBPR8			3707	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300 S3 Edition, PRIMERGY RX330, PRIMERGY Edition RX3-1																x				x											FSP:GE3S20Z00GBPE1			271	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX100-Serie	x	x	x	x																										FSP:GE3S20Z00GBPR1			305	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX200-Serie							x	x	x				x																	FSP:GE3S20Z00GBPR2			90	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300-Serie														x	x	x															FSP:GE3S20Z00GBPR3			126	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S4																					x	x	x									FSP:GE3S20Z00GBPR6			139	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX800, PRIMERGY RX800 S2, PRIMERGY RX800 S3																											x	x	x			FSP:GE3S20Z00GBPR8			494	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GE3S20Z00GBPX1			305	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GE3S20Z00GBPX2			90	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x											FSP:GE3S20Z00GBPX3			126	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX6xx-Serie (incl. CRU)																								x	x					FSP:GE3S20Z00GBPX6			139	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GE4S20Z00GBPX1			445	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																		FSP:GE4S20Z00GBPX2			294	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300 S4 12x 2,5``, PRIMERGY RX300 S4 6x 2,5``, PRIMERGY RX300 S4 6x 3,5``, PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4 6x2.5,																	x	x	x											FSP:GE4S20Z00GBPX3			375	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX600 S4																								x	x					FSP:GE4S20Z00GBPX6			576	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GE5S20Z00GBPX1			586	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																		FSP:GE5S20Z00GBPX2			498	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300 S4 6x 2,5``, PRIMERGY RX300 S4 6x 3,5``																	x	x	x											FSP:GE5S20Z00GBPX3			625	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX600 S4																								x	x					FSP:GE5S20Z00GBPX6			1012	
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GM2S00Z00GBPR1			18	
	TP 2y OS Svc,5x9	Top Up 2 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GM2S00Z00GBPX1			18	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GM3S00Z00GBPR1			37	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GM3S00Z00GBPX1			37	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300 S3 Batch, PRIMERGY RX330 S1																x				x										FSP:GM4S00Z00GBPE1			54	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GM4S00Z00GBPR1			55	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																	FSP:GM4S00Z00GBPR2			56	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GM4S00Z00GBPR3			68	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x						FSP:GM4S00Z00GBPR6			211	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GM4S00Z00GBPR8			321	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GM4S00Z00GBPX1			55	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GM4S00Z00GBPX2			56	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5''																		x	x	x										FSP:GM4S00Z00GBPX3			68	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x				FSP:GM4S00Z00GBPX6			211	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , valid in country of purchase, , for PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5''																		x	x	x										FSP:GM4S60Z00GBPX3			465	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300 S3 Batch, PRIMERGY RX330 S1																x				x										FSP:GM5S00Z00GBPE1			109	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX100-Serie (ohne CRU)	x	x	x	x																										FSP:GM5S00Z00GBPR1			74	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																	FSP:GM5S00Z00GBPR2			111	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GM5S00Z00GBPR3			135	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x						FSP:GM5S00Z00GBPR6			422	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GM5S00Z00GBPR8			642	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GM5S00Z00GBPX1			74	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GM5S00Z00GBPX2			111	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																		x	x	x										FSP:GM5S00Z00GBPX3			135	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x				FSP:GM5S00Z00GBPX6			422	
	TP 3y OS Svc,5x9	Top Up 3 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100-Serie	x	x	x	x																										FSP:GN3S00Z00GBPR1			37	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GN3S20Z00GBPX1			305	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S3 Edition, PRIMERGY Edition RX3-1																x				x										FSP:GN4S00000GBPE1			54	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100-Serie	x	x	x	x																										FSP:GN4S00000GBPR1			55	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX200-Serie							x	x	x				x																	FSP:GN4S00000GBPR2			56	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300-Serie														x	x	x														FSP:GN4S00000GBPR3			68	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S4																						x	x	x								FSP:GN4S00000GBPR6			211	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx																														x		FSP:GN4S00000GBPR7			114	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800, PRIMERGY RX800 S2, PRIMERGY RX800 S3																											x	x	x			FSP:GN4S00000GBPR8			321	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI6xx																															x	FSP:GN4S00000GBPR9			289	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S2	x	x	x	x																												FSP:GN4S20000GBPR1			445	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX2xx, PRIMERGY RX2xx S2							x	x	x				x																			FSP:GN4S20000GBPR2			294	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S2														x	x	x																FSP:GN4S20000GBPR3			375	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2																						x	x	x								FSP:GN4S20000GBPR6			463	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx, PRIMERGY RXI6xx																														x		FSP:GN4S20000GBPR7			493	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800																											x	x	x			FSP:GN4S20000GBPR8			1169	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																										FSP:GN4S20Z00GBPX1			445	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S3 Edition, PRIMERGY Edition RX3-1																x					x											FSP:GN5S00000GBPE1			109	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100-Serie	x	x	x	x																												FSP:GN5S00000GBPR1			74	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX200-Serie							x	x	x				x																			FSP:GN5S00000GBPR2			111	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300-Serie														x	x	x																FSP:GN5S00000GBPR3			135	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2, PRIMERGY RX600 S3, PRIMERGY RX600 S4																						x	x	x								FSP:GN5S00000GBPR6			422	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx																														x		FSP:GN5S00000GBPR7			228	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800, PRIMERGY RX800 S2, PRIMERGY RX800 S3																											x	x	x			FSP:GN5S00000GBPR8			642	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI6xx																															x	FSP:GN5S00000GBPR9			578	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S2	x	x	x	x																												FSP:GN5S20000GBPR1			586	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX2xx, PRIMERGY RX2xx S2							x	x	x				x																			FSP:GN5S20000GBPR2			174	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX300 S2														x	x	x																FSP:GN5S20000GBPR3			625	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX600, PRIMERGY RX600 S2																						x	x	x								FSP:GN5S20000GBPR6			823	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RXI3xx, PRIMERGY RXI6xx																														x		FSP:GN5S20000GBPR7			884	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX800																											x	x	x			FSP:GN5S20000GBPR8			1867	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																										FSP:GN5S20Z00GBPX1			586	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																			FSP:GP3S20Z00GBPR2			89	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GP3S20Z00GBPR3			126	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GP3S20Z00GBPR6			139	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GP3S20Z00GBPR8			472	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GP3S20Z00GBPX1			305	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GP3S20Z00GBPX2			89	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x											FSP:GP3S20Z00GBPX3			126	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																								x	x					FSP:GP3S20Z00GBPX6			139	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x			x																		FSP:GP3S60Z00GBPR2			144	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GP3S60Z00GBPR3			192	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GP3S60Z00GBPR6			272	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GP3S60Z00GBPR8			812	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GP3S60Z00GBPX1			353	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																		FSP:GP3S60Z00GBPX2			144	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4																	x	x	x											FSP:GP3S60Z00GBPX3			192	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																								x	x					FSP:GP3S60Z00GBPX6			272	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x			x																		FSP:GP3S63Z00GBPR2			280	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GP3S63Z00GBPR3			312	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GP3S63Z00GBPR6			885	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GP3S63Z00GBPR8			1267	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GP3S63Z00GBPX1			494	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																		FSP:GP3S63Z00GBPX2			280	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S																	x	x	x												FSP:GP3S63Z00GBPX3			312	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					FSP:GP3S63Z00GBPX6			885	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GP3SD0Z00GBPR2			280	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GP3SD0Z00GBPR3			312	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x							FSP:GP3SD0Z00GBPR6			885	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																											x	x	x		FSP:GP3SD0Z00GBPR8			1267	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GP3SD0Z00GBPX1			494	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																			FSP:GP3SD0Z00GBPX2			280	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GP3SD0Z00GBPX3			312	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x					FSP:GP3SD0Z00GBPX6			885	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GP3SD3Z00GBPR2			484	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x															FSP:GP3SD3Z00GBPR3			495	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																						x	x	x							FSP:GP3SD3Z00GBPR6			1165	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																											x	x	x		FSP:GP3SD3Z00GBPR8			1549	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																									FSP:GP3SD3Z00GBPX1			745	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																			FSP:GP3SD3Z00GBPX2			484	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x												FSP:GP3SD3Z00GBPX3			495	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																									x	x					FSP:GP3SD3Z00GBPX6			1165	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GP3SG0Z00GBPR2			280	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GP3SG0Z00GBPR3			312	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GP3SG0Z00GBPR6			885	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GP3SG0Z00GBPR8			1267	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GP3SG0Z00GBPX1			494	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GP3SG0Z00GBPX2			280	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x											FSP:GP3SG0Z00GBPX3			312	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																								x	x					FSP:GP3SG0Z00GBPX6			885	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200-Serie (ohne CRU)							x	x	x				x																		FSP:GP3SG3Z00GBPR2			484	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300-Serie (ohne CRU)														x	x	x														FSP:GP3SG3Z00GBPR3			495	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600-Serie (ohne CRU)																					x	x	x							FSP:GP3SG3Z00GBPR6			1165	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX800-Serie (ohne CRU)																										x	x	x		FSP:GP3SG3Z00GBPR8			1549	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX1xx-Serie (incl. CRU)					x	x																								FSP:GP3SG3Z00GBPX1			745	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX2xx-Serie (incl. CRU)										x	x	x																		FSP:GP3SG3Z00GBPX2			484	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX3xx-Serie (incl. CRU)																	x	x	x											FSP:GP3SG3Z00GBPX3			495	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX6xx-Serie (incl. CRU)																								x	x					FSP:GP3SG3Z00GBPX6			1165	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																								FSP:GP4S60Z00GBPX1			511	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																		FSP:GP4S60Z00GBPX2			366	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4																	x	x	x												FSP:GP4S60Z00GBPX3			465	
	TP 4y OS Svc,4h Rt,5x9	Top Up 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					FSP:GP4S60Z00GBPX6			755	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GP4S63Z00GBPX1			701	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GP4S63Z00GBPX2			551	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S																	x	x	x												FSP:GP4S63Z00GBPX3			628	
	TP 4y OS Svc,4h Rt,7x24	Top Up 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					FSP:GP4S63Z00GBPX6			1586	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GP5S60Z00GBPX1			668	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GP5S60Z00GBPX2			589	
	TP 5y OS Svc,4h Rt,5x9	Top Up 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4																	x	x	x												FSP:GP5S60Z00GBPX3			738	
	~~TP 5y OS Svc,4h Rt,5x9~~	~~Top Up 5 years On-Site Service, 4h response,~~ 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					~~FSP:GP5S60Z00GBPX6~~			1240	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GP5S63Z00GBPX1			908	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GP5S63Z00GBPX2			821	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S																	x	x	x												FSP:GP5S63Z00GBPX3			944	
	TP 5y OS Svc,4h Rt,7x24	Top Up 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY RX600 S4																									x	x					FSP:GP5S63Z00GBPX6			2286	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GQ3S20Z00GBPX1			305	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GQ3S20Z00GBPX2			90	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4 6x2.5, PRIMER																	x	x	x												FSP:GQ3S20Z00GBPX3			126	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX600 S4																									x	x					FSP:GQ3S20Z00GBPX6			139	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GQ4S20Z00GBPX1			445	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GQ4S20Z00GBPX2			294	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4 6x2.5, PRIMER																		x	x	x												FSP:GQ4S20Z00GBPX3			375	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX600 S4																									x	x					FSP:GQ4S20Z00GBPX6			576	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX100 S5, PRIMERGY RX100 S6, Primergy TX150 S7					x	x																									FSP:GQ5S20Z00GBPX1			586	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX200 S4, PRIMERGY RX200 S5										x	x	x																			FSP:GQ5S20Z00GBPX2			498	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX300 S4 12x 2,5'', PRIMERGY RX300 S4 6x 2,5'', PRIMERGY RX300 S4 6x 3,5'', PRIMERGY RX300 S4 6x3.5, PRIMERGY RX300 S4 6x2.5, PRIMER																		x	x	x												FSP:GQ5S20Z00GBPX3			625	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY RX600 S4																									x	x					FSP:GQ5S20Z00GBPX6			1012	
Software Services																																				
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x						x	x	x	x				x	x					FSP:G-SP1AD00PRV05			1629	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x						x	x	x	x				x	x					FSP:G-SP1AD03PRV05			1791	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x						x	x	x	x	x			x	x	x				FSP:G-SP1AE00PRV07			632	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x						x	x	x	x	x			x	x	x				FSP:G-SP1AE03PRV07			695	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x						x	x	x	x				x	x					FSP:G-SP1E800PRV07			3830	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x						x	x	x	x				x	x					FSP:G-SP1E803PRV07			4213	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x						x	x	x	x				x	x					FSP:G-SP1EA00PRV05			466	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x						x	x	x	x				x	x					FSP:G-SP1EA03PRV05			513	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x						x	x	x	x				x	x					FSP:G-SP1EE00PRV07			632	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x						x	x	x	x				x	x					FSP:G-SP1EE03PRV07			695	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL										x	x	x						x	x	x	x				x	x					FSP:G-SP1EP00PRV08			563	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL										x	x	x						x	x	x	x				x	x					FSP:G-SP1EP03PRV08			619	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x	x						x	x	x	x				x	x					FSP:G-SP1EX00PRV01			450	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x	x						x	x	x	x				x	x					FSP:G-SP1EX03PRV01			495	
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601					x	x																									FSP:G-SP1L160PRL63			394	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601					x	x																									FSP:G-SP1L163PRL63			848	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1L260PRL63			394	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1L263PRL63			848	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SA00PRV05			466	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SA03PRV05			513	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SD00PRV05			466	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SD03PRV05			513	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SE00PRV06			546	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SE03PRV06			601	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SL00PRV07			632	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1SL03PRV07			695	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1ST00PRV04			332	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1ST03PRV04			365	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1US00PRV07			632	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1US03PRV07			695	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1UV00PRV09			841	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1UV03PRV09			925	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1VC00PRV09			509	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1VC03PRV09			560	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1VS00PRV09			841	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x				x	x	x	x	x				x	x						FSP:G-SP1VS03PRV09			925	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x			x	x	x	x	x			x	x	x	x	x			x	x	x						FSP:G-SP1X300PRXTN			271	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x			x	x	x	x	x			x	x	x	x	x			x	x	x						FSP:G-SP1X500PRXTN			213	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1XE00PRV07			632	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x				x	x	x	x	x				x	x						FSP:G-SP1XE03PRV07			695	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x					x	x	x	x				x	x						FSP:G-SP1XS00PRV04			332	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x					x	x	x	x				x	x						FSP:G-SP1XS03PRV04			365	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3AD00PRV05			4163	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3AD03PRV05			4579	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3AE00PRV07			1671	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3AE03PRV07			1839	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3E800PRV07			9820	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3E803PRV07			10802	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3EA00PRV05			1254	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3EA03PRV05			1379	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3EE00PRV07			1671	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3EE03PRV07			1839	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3EP00PRV08			1527	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3EP03PRV08			1679	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602					x	x																										FSP:G-SP3L160PRL63			986	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602					x	x																										FSP:G-SP3L163PRL63			2120	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612										x	x	x				x	x	x	x	x				x	x						FSP:G-SP3L260PRL63			986	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612										x	x	x				x	x	x	x	x				x	x						FSP:G-SP3L263PRL63			2120	
	SP 3y L5,4h Rt,5x9	Service Pack classic 3 years Software Service, 4h remote response time, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																	x															FSP:G-SP3L560PRL63			1176	
	SP 3y L5,4h Rt,7x24	Service Pack classic 3 years Software Service, 2h remote response time 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																	x															FSP:G-SP3L563PRL63			2235	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3SA00PRV05			1254	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3SA03PRV05			1379	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3SD00PRV05			1254	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV										x	x	x					x	x	x	x				x	x						FSP:G-SP3SD03PRV05			1379	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT										x	x	x					x	x	x	x				x	x						FSP:G-SP3SE00PRV06			1479	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT										x	x	x					x	x	x	x				x	x						FSP:G-SP3SE03PRV06			1626	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3SL00PRV07			1671	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3SL03PRV07			1839	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x					x	x	x	x				x	x						FSP:G-SP3ST00PRV04			330	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x					x	x	x	x				x	x						FSP:G-SP3ST03PRV04			900	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3US00PRV07			1671	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3US03PRV07			1839	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND										x	x	x					x	x	x	x				x	x						FSP:G-SP3UV00PRV09			2224	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND										x	x	x					x	x	x	x				x	x						FSP:G-SP3UV03PRV09			2224	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, ~~5x9, service partner specified, contact Fujitsu~~, valid in country of purchase for Vmware vCenter FND					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VC00PRV09			1366	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VC03PRV09			1503	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VS00PRV09			2224	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND					x					x	x	x					x	x	x	x				x	x						FSP:G-SP3VS03PRV09			2224	
	SP 3y 1,2,3 x10sure base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x			x		x	x	x	x			x	x	x	x				x	x						FSP:G-SP3X300PRXTN			814	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 3 years 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x			x		x	x	x	x			x	x	x	x				x	x						FSP:G-SP3X500PRXTN			640	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3XE00PRV07			1671	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL										x	x	x					x	x	x	x				x	x						FSP:G-SP3XE03PRV07			1839	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x					x	x	x	x				x	x						FSP:G-SP3XS00PRV04			330	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD										x	x	x					x	x	x	x				x	x						FSP:G-SP3XS03PRV04			900	
	SP Xtend 1y to 2y ADV Acceleration Kit,5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPAAD00PRV05			401	
	SP Xtend 1y to 2y ADV Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPAAD03PRV05			413	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAAE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAAE03PRV07			658	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,5x9	SP Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase										x	x						x	x	x	x				x	x						FSP:G-SPAE600PRV07			3193	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAE603PRV07			3924	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAE800PRV07			3985	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAE803PRV07			4960	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPAEA00PRV05			401	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPAEA03PRV05			413	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAEE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAEE03PRV07			658	
	SP Xtend 1y to 2y Essentials PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x				x	x						FSP:G-SPAEP00PRV08			524	
	SP Xtend 1y to 2y Essentials PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x				x	x						FSP:G-SPAEP03PRV08			558	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x				x	x						FSP:G-SPAEX00PRV01			395	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x				x	x						FSP:G-SPAEX03PRV01			446	
	SP Xtend 1y to 2y Upgrade STD to ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPASA00PRV05			401	
	SP Xtend 1y to 2y Upgrade STD to ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPASA03PRV05			413	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 1y to 2y vSphere ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPASD00PRV05			401	
	SP Xtend 1y to 2y vSphere ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPASD03PRV05			413	
	SP Xtend 1y to 2y vSphere ENT,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPASE00PRV06			507	
	SP Xtend 1y to 2y vSphere ENT,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPASE03PRV06			535	
	SP Xtend 1y to 2y vSphere ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPASL00PRV07			607	
	SP Xtend 1y to 2y vSphere ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPASL03PRV07			658	
	SP Xtend 1y to 2y vSphere STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPAST00PRV04			212	
	SP Xtend 1y to 2y vSphere STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPAST03PRV04			240	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAUS00PRV07			607	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAUS03PRV07			658	
	SP Xtend 1y to 2y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPAUV00PRV09			880	
	SP Xtend 1y to 2y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPAUV03PRV09			936	
	SP Xtend 1y to 2y vCenter FND,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPAVC00PRV09			424	
	SP Xtend 1y to 2y vCenter FND,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPAVC03PRV09			485	
	SP Xtend 1y to 2y vCenter STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPAVS00PRV09			880	
	SP Xtend 1y to 2y vCenter STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPAVS03PRV09			936	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAXE00PRV07			607	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPAXE03PRV07			658	
	SP Xtend 1y to 2y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPAXS00PRV04			552	
	SP Xtend 1y to 2y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPAXS03PRV04			619	
	SP Xtend 2y to 3y ADV Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBAD00PRV05			401	
	SP Xtend 2y to 3y ADV Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBAD03PRV05			413	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBAE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBAE03PRV07			658	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBE600PRV07			3193	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBE603PRV07			3924	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBE800PRV07			3985	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBE803PRV07			4960	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBEA00PRV05			401	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBEA03PRV05			413	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBEE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBEE03PRV07			658	
	SP Xtend 2y to 3y Essentials PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x				x	x						FSP:G-SPBEP00PRV08			524	
	SP Xtend 2y to 3y Essentials PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x				x	x						FSP:G-SPBEP03PRV08			558	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 2 years to 3 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x				x	x						FSP:G-SPBEX00PRV01			395	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 2 years to 3 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x				x	x						FSP:G-SPBEX03PRV01			446	
	SP Xtend 2y to 3y Upgrade STD to ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBSA00PRV05			401	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 2y to 3y Upgrade STD to ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBSA03PRV05			413	
	SP Xtend 2y to 3y vSphere ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBSD00PRV05			401	
	SP Xtend 2y to 3y vSphere ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPBSD03PRV05			413	
	SP Xtend 2y to 3y vSphere ENT,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPBSE00PRV06			507	
	SP Xtend 2y to 3y vSphere ENT,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPBSE03PRV06			535	
	SP Xtend 2y to 3y vSphere ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBSL00PRV07			607	
	SP Xtend 2y to 3y vSphere ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBSL03PRV07			658	
	SP Xtend 2y to 3y vSphere STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPBST00PRV04			212	
	SP Xtend 2y to 3y vSphere STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPBST03PRV04			240	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBUS00PRV07			607	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBUS03PRV07			658	
	SP Xtend 2y to 3y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPBUV00PRV09			880	
	SP Xtend 2y to 3y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPBUV03PRV09			936	
	SP Xtend 2y to 3y vCenter FND,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPBVC00PRV09			424	
	SP Xtend 2y to 3y vCenter FND,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPBVC03PRV09			485	
	SP Xtend 2y to 3y vCenter STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPBVS00PRV09			880	
	SP Xtend 2y to 3y vCenter STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPBVS03PRV09			936	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBXE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPBXE03PRV07			658	
	SP Xtend 2y to 3y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPBXS00PRV04			552	
	SP Xtend 2y to 3y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPBXS03PRV04			619	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 3y to 4y ADV Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCAD00PRV05			401	
	SP Xtend 3y to 4y ADV Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCAD03PRV05			413	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCAE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCAE03PRV07			658	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCE600PRV07			3193	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCE603PRV07			3924	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCE800PRV07			3985	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCE803PRV07			4960	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCEA00PRV05			401	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCEA03PRV05			413	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCEE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x					x	x						FSP:G-SPCEE03PRV07			658	
	SP Xtend 3y to 4y Essentials PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x					x	x						FSP:G-SPCEP00PRV08			524	
	SP Xtend 3y to 4y Essentials PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x					x	x						FSP:G-SPCEP03PRV08			558	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 3 years to 4 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x					x	x						FSP:G-SPCEX00PRV01			395	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 3 years to 4 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x					x	x						FSP:G-SPCEX03PRV01			446	
	SP Xtend 3y to 4y Upgrade STD to ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCSA00PRV05			401	
	SP Xtend 3y to 4y Upgrade STD to ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCSA03PRV05			413	
	SP Xtend 3y to 4y vSphere ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCSD00PRV05			401	
	SP Xtend 3y to 4y vSphere ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x					x	x						FSP:G-SPCSD03PRV05			413	
	SP Xtend 3y to 4y vSphere ENT,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x					x	x						FSP:G-SPCSE00PRV06			507	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 3y to 4y vSphere ENT,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPCSE03PRV06			535	
	SP Xtend 3y to 4y vSphere ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPCSL00PRV07			607	
	SP Xtend 3y to 4y vSphere ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPCSL03PRV07			658	
	SP Xtend 3y to 4y vSphere STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPCST00PRV04			212	
	SP Xtend 3y to 4y vSphere STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPCST03PRV04			240	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPCUS00PRV07			607	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPCUS03PRV07			658	
	SP Xtend 3y to 4y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPCUV00PRV09			880	
	SP Xtend 3y to 4y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPCUV03PRV09			936	
	SP Xtend 3y to 4y vCenter FND,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPCVC00PRV09			424	
	SP Xtend 3y to 4y vCenter FND,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPCVC03PRV09			485	
	SP Xtend 3y to 4y vCenter STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPCVS00PRV09			880	
	SP Xtend 3y to 4y vCenter STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPCVS03PRV09			936	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPCXE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPCXE03PRV07			658	
	SP Xtend 3y to 4y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPCXS00PRV04			552	
	SP Xtend 3y to 4y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPCXS03PRV04			619	
	SP Xtend 4y to 5y ADV Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDAD00PRV05			401	
	SP Xtend 4y to 5y ADV Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDAD03PRV05			413	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDAE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDAE03PRV07			658	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDE600PRV07			3193	
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDE603PRV07			3924	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDE800PRV07			3985	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDE803PRV07			4960	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDEA00PRV05			401	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDEA03PRV05			413	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDEE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDEE03PRV07			658	
	SP Xtend 4y to 5y Essentials PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x				x	x						FSP:G-SPDEP00PRV08			524	
	SP Xtend 4y to 5y Essentials PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL										x	x						x	x	x	x				x	x						FSP:G-SPDEP03PRV08			558	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 4 years to 5 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x				x	x						FSP:G-SPDEX00PRV01			395	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 4 years to 5 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR											x						x	x	x	x				x	x						FSP:G-SPDEX03PRV01			446	
	SP Xtend 4y to 5y Upgrade STD to ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDSA00PRV05			401	
	SP Xtend 4y to 5y Upgrade STD to ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDSA03PRV05			413	
	SP Xtend 4y to 5y vSphere ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDSD00PRV05			401	
	SP Xtend 4y to 5y vSphere ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV										x	x						x	x	x	x				x	x						FSP:G-SPDSD03PRV05			413	
	SP Xtend 4y to 5y vSphere ENT,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPDSE00PRV06			507	
	SP Xtend 4y to 5y vSphere ENT,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT										x	x						x	x	x	x				x	x						FSP:G-SPDSE03PRV06			535	
	SP Xtend 4y to 5y vSphere ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDSL00PRV07			607	
	SP Xtend 4y to 5y vSphere ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDSL03PRV07			658	
	SP Xtend 4y to 5y vSphere STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPDST00PRV04			212	

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 4y to 5y vSphere STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPDST03PRV04			240	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDUS00PRV07			607	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDUS03PRV07			658	
	SP Xtend 4y to 5y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPDUV00PRV09			880	
	SP Xtend 4y to 5y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND										x	x						x	x	x	x				x	x						FSP:G-SPDUV03PRV09			936	
	SP Xtend 4y to 5y vCenter FND,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPDVC00PRV09			424	
	SP Xtend 4y to 5y vCenter FND,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPDVC03PRV09			485	
	SP Xtend 4y to 5y vCenter STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPDVS00PRV09			880	
	SP Xtend 4y to 5y vCenter STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND					x					x	x						x	x	x	x				x	x						FSP:G-SPDVS03PRV09			936	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDXE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL										x	x						x	x	x	x				x	x						FSP:G-SPDXE03PRV07			658	
	SP Xtend 4y to 5y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPDXS00PRV04			552	
	SP Xtend 4y to 5y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD										x	x						x	x	x	x				x	x						FSP:G-SPDXS03PRV04			619	

Positioning PRIMERGY Blade Servers

PRIMERGY BX600 S3

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.

PRIMERGY BladeFrame BF200

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.
PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.

PRIMERGY BladeFrame BF400 S2

PRIMERGY SX650

The introduction of this new component for PRIMERGY Blade Servers offers an easy and cost effective opportunity for server consolidation; rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises.
Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.
Operation within confined environments as file servers as well as for Microsoft Sharepoint Servers and Microsoft SQL Servers are popular usage cases.

PRIMERGY BX900 S1

The PRIMERGY BX900 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem quad-core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.

PRIMERGY BX920 S1

The PRIMERGY BX920 is a versatile blade server that can be equipted with 2 Intel® Xeon® 5500 series Dual, Quad or Turbo Quad-Core processors and has 9 DDR RAM memory slots. With two hard disk bays for 2.5-inch hot-plug SAS and an integrated SAS RAID 0/1 controller it is an ideal system for any type of workload.

PRIMERGY BX900 S1 — Data Sheets: http://ts.fujitsu.com/primergy

PRIMERGY BX900 - The Dynamic Cube

The PRIMERGY BX900 – Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility.
The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.
Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView Power management software, it ensures truly dynamic power and cooling capabilities that save you money.
Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX900 S1							
	PY BX900 S1 System Unit	10 U Systemunit without Server Blades, 1x MMB, 3xPSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V200			4700	

PRIMERGY BX920 S1 Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Using the Intel® QuickPath Architecture this single width, half hight, dual socket Intel® Xeon® blade server, can pack up to two hot-plug hard drives, 72 GB of DDR3 memory, and has two- dual channel - Intel® 82575 gigabit ethernet controllers. The BX920 is ideal for virtualization using hypervisors like VMware® ESXi, Microsoft® Hyper-V™ or Citrix XenServer™ and equipted with our state-of-art integrated Remote Management Controller (iRMC S2) and a wide range of different boot options the PRIMERGY BX920 S1 provides IT managers the performance and scalability they need for any data center appliation.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX920 S1							
	PY BX920 S1 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 (max. 18 server blades)	S26361-K1246-V200			1018	Phased out

PRIMERGY BX920 S2

Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX920 S2							
	PY BX920 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 (max. 18 server blades)	S26361-K1353-V200			1018	

PRIMERGY BX922 S2 Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX922 S2							
	PY BX922 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, max 2x CPU, max. 12 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 18 server blades)	S26361-K1247-V200			996	

PRIMERGY BX600 S3 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY Blade Ecosystem is a perfect choice for today's datacenter solutions, where the key demand is a reliable and innovative platform for performance and connectivity. It is a highly compact and flexible server system, offering extensive connectivity options, thus allowing the integrated server blades to be used as mid-tier or application servers. Apart from advantages such as high packing density, fault tolerance thanks to high redundancy, and simple and efficient manageability, the PRIMERGY BX600 S3 is distinguished by a future proof approach thanks to the use of the latest generation Intel® Xeon® as well as AMD Opteron™ Dual- and Quad-Core processors.
The PRIMERGY Blade Ecosystem provides a centralized concept for power and cooling with the recognized highest energy-efficiency, excellent RAS functionalities thanks to redundancy and hot swapping of all active components and a flexible I/O concept, even for future oriented technologies. The extension of local hard disk capacity by up to 2x 730 GB (per Server Blade) is possible with the Storage Blades PRIMERGY SX650. The latest new component for the BX600 S3 Ecosystem is the NAS (Network Attached Storage) Blade named PRIMERGY NX650, designed for installation into the BX600 S3 chassis. NX650 consists of a Server Blade BX620 S4 plus one or two connected Storage Blades (SX650). Hereby a NAS Blade capacity of up to 1,460 GB may be achieved.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX600 S3							
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.	S26361-K1156-V304			3360	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX600 S3							
	SAG Blade - BX600 S3		S26361-K1156-V501			4641	
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V302			3360	

The PRIMERGY BX620 S5 provides optimal functions for Enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual-socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® 55xx processors as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1.333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BLADE BX620 S5							
	PY BX620 S5 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1270-V200			866	

PRIMERGY SX650 Data Sheets: http://ts.fujitsu.com/primergy

To extend the internal storage capacity of a PRIMERGY BX620 S4 Dual Socket Server Blade, the PRIMERGY SX650 Storage Blade can be used.
With this product the internal storage capacity of a BX620 S4 can be extended by up to 730 Gbyte. The Storage Blade SX650 occupies one additional Server Blade slot within the PRIMERGY BX600 S3 System Unit, positioned at the right side of an adjacent BX620 S4 Server Blade. The 5 hard disk drives of the SX650 are driven by a high functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via one corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BLADE SX650							
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500			711	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520			711	

PRIMERGY SX940 S1 Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.
A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY SX940 S1							
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200			1084	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY SX910 S1							
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200			1084	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFsa20	PRIMERGY pBLADE BFsa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Processor																																							
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Intel® Xeon® processor E5310 (4C, 1.60 GHz, SLC: , TLC: 8 MB, Turbo: No, , 80 W) inkl. Kühlkörper				x	x																											S26361-F3452-L160			365	Phased out
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Intel® Xeon® processor E5335 (4C, 2.00 GHz, SLC: , TLC: 8 MB, Turbo: No, , 80 W) inkl. Kühlkörper				x	x																											S26361-F3452-L200			511	Phased out
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Intel® Xeon® processor X5355 (4C, 2.66 GHz, SLC: , TLC: 8 MB, Turbo: No, , 120 W) inkl. Kühlkörper				x	x																											S26361-F3452-L266			1036	Phased out
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper					x																											S26361-F3875-L250			408	Phased out
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper					x																											S26361-F3875-L266			564	Phased out
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5440 (4C, 2.83 GHz, SLC: 2 x 6 MB (1333 MHz, 80 W) inkl. Kühlkörper					x																											S26361-F3875-L283			801	Phased out
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor L5420 (4C, 2.50 GHz, SLC: 2 x 6 MB (1333 MHz, 50 W) inkl. Kühlkörper					x																											S26361-F3878-L250			459	Phased out
	Xeon LV DP L5240 3.00 GHz 6MB 1333MHz	Intel® Xeon® processor L5240 (2C, 3.00 GHz, SLC: 6 MB (1333 MHz, 40 W) inkl. Kühlkörper					x																											S26361-F3879-L300			780	Phased out
	Opteron 2372 HE 2.1GHz 6MB	AMD Opteron? 2372 (4C, 2.1 GHz, SLC: 4 x 512 KB, TLC: 6 MB (2 GT/s, 55 W) inkl. Kühlkörper													x																			S26361-F3987-L221			216	Phased out
	Opteron 2376 HE 2.3GHz 6MB	AMD Opteron? 2376 (4C, 2.3 GHz, SLC: 4 x 512 KB, TLC: 6 MB (2 GT/s, 55 W) inkl. Kühlkörper													x																			S26361-F3987-L223			408	Phased out
	Opteron 2376 2.3GHz 6MB	AMD Opteron? 2376 (4C, 2.3 GHz, SLC: 4 x 512 KB, TLC: 6 MB (2 GT/s, 75 W) inkl. Kühlkörper													x																			S26361-F3988-L223			216	Phased out
	Opteron 2380 2.5GHz 6MB	AMD Opteron? 2380 (4C, 2.5 GHz, SLC: 4 x 512 KB, TLC: 6 MB (2 GT/s, 75 W) inkl. Kühlkörper													x																			S26361-F3988-L225			408	Phased out
	Opteron 8380 2.5GHz 6MB	AMD Opteron? 8380 (4C, 2.5 GHz, SLC: 4 x 512 KB, TLC: 6 MB (2 GT/s, 75 W) inkl. Kühlkörper													x	x																			S26361-F3988-L825			1280	Phased out
	Opteron 8384 2.7GHz 6MB	AMD Opteron? 8384 (4C, 2.7 GHz, SLC: 4 x 512 KB, TLC: 6 MB (2 GT/s, 75 W) inkl. Kühlkörper													x	x																			S26361-F3988-L827			1862	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																											x	x						S26361-F4423-L200			258	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																											x	x						S26361-F4423-L226			347	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																											x	x						S26361-F4425-L240			481	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																											x	x						S26361-F4425-L253			669	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																											x	x						S26361-F4425-L266			927	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																											x	x						S26361-F4427-L266			1202	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																											x	x						S26361-F4427-L280			1460	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																											x	x						S26361-F4427-L293			1718	
	Intel Xeon L5609 4C/4T 1.86 GHz 4 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) inkl. Kühlkörper																											x	x						S26361-F4429-L186			541	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) inkl. Kühlkörper																											x	x						S26361-F4429-L213			669	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) inkl. Kühlkörper																											x	x						S26361-F4431-L226			1202	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) inkl. Kühlkörper																												x						S26361-F4442-L333			1975	
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																										x							S26361-F3971-L186			258	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																										x							S26361-F3972-L200			296	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper																										x	x	x					S26361-F3972-L213			296	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																										x							S26361-F3973-L226			481	
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																										x							S26361-F3973-L240			669	
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper																										x							S26361-F3973-L253			927	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFs20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Processor (Continued)																																							
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																									x								S26361-F3974-L266			1202	
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																									x								S26361-F3974-L280			1460	
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper																									x								S26361-F3974-L293			1718	
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) inkl. Kühlkörper																									x								S26361-F3975-L213			541	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) inkl. Kühlkörper																									x								S26361-F3975-L226			669	
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) inkl. Kühlkörper																									x								S26361-F3975-L240			927	
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) inkl. Kühlkörper							x																										S26361-F3979-L213			541	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) inkl. Kühlkörper							x																										S26361-F3979-L226			669	
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) inkl. Kühlkörper							x																										S26361-F3979-L240			927	
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper							x																										S26361-F3980-L186			258	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper							x																										S26361-F3981-L200			296	
	Intel® Xeon® E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) inkl. Kühlkörper							x	x																										S26361-F3981-L213			296	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: **1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80** W) inkl. Kühlkörper							x																										S26361-F3982-L226			481	
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper							x																										S26361-F3982-L240			669	
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) inkl. Kühlkörper							x																										S26361-F3982-L253			927	
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper							x																										S26361-F3983-L267			1202	
	Intel® Xeon® X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper							x																										S26361-F3983-L280			1460	
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) inkl. Kühlkörper							x																										S26361-F3983-L293			1718	
Memory																																							
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x																														S26361-F3072-L522			152	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x																														S26361-F3072-L523			329	Phased out
	MEM 1GB 2x512 DDR400 PC3200 rg ECC	2 modules 512MB each, registered DDR1 400MHz									x	x	x	x																					S26361-F3166-L521			226	Phased out
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x																												S26361-F3230-L522			134	Phased out
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x																												S26361-F3230-L523			216	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x																												S26361-F3230-L524			356	
	2GB 2x1GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz													x	x																			S26361-F3550-L511			105	Phased out
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz with SDDC													x	x																			S26361-F3550-L512			165	
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz with SDDC													x	x																			S26361-F3550-L513			356	
	16GB 2x8GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC					x																												S26361-F3263-L525			1327	Phased out
Memory Modules																																							
	2 GB DDR3 1333 MHz PC3-10600 ub d									x																		x	x	x					S26361-F4413-L513			69	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		x	x	x					S26361-F4412-L513			91	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		x	x	x					S26361-F4412-L514			175	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		x	x	x					S26361-F4412-L515			494	
	1GB DDR3-1066 PC3-8500 ub ECC	1 module 1GB 1066MHz,unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode							x																			x							S26361-F3995-L512			39	Phased out
	2GB DDR3-1066 PC3-8500 ub ECC	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode							x																			x							S26361-F3995-L513			69	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x																			x							S26361-F3993-L513			91	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode							x																			x							S26361-F3993-L523			182	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Memory Modules (Continued)																																							
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode							x																		x							S26361-F3993-L533			273	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x																		x							S26361-F3994-L513			91	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode							x																		x							S26361-F3994-L523			182	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode							x																		x							S26361-F3994-L533			273	
	16 GB DDR3 1066 MHz PC3-8500 rg q									x																	x	x	x					S26361-F4412-L516			1560	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x																		x							S26361-F3993-L514			175	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode							x																		x							S26361-F3993-L524			353	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode							x																		x							S26361-F3993-L534			528	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x																		x							S26361-F3994-L514			175	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode							x																		x							S26361-F3994-L524			353	
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode							x																		x							S26361-F3994-L534			528	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x																		x							S26361-F3993-L515			494	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode							x																		x							S26361-F3993-L525			988	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode							x																		x							S26361-F3993-L535			1481	
	8GB DDR3-1066 PC3-8500 rg d ECC	1 Modul 8GB 1066MHz, dual rank, Registered DDR3 DIMM mit SDDC = Chipkill, Einzel-Module für Independent Mode							x																		x							S26361-F3994-L515			628	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode							x																		x							S26361-F3994-L525			1262	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode							x																		x							S26361-F3994-L535			1893	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		x	x	x					S26361-F4415-L514			193	Orderable from: 14/06/2010
	16GB DDR3-1066 PC3-8500 rg q ECC	1 module 16GB 1066MHz, quad rank, Registered DDR3 DIMM with SDDC = Chipkill, Single module for Independent Mode																										x							S26361-F3994-L516			1374	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		x	x	x					S26361-F4415-L515			567	Orderable from: 14/06/2010
Hard Disks																																							
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"										x	x																						S26361-F3218-L160			71	Phased out
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot plug, 2.5-inch, enterprise																									x							S26361-F3292-L130			339	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	15.000 UpM																									x							S26361-F3292-L514			342	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, hot-plug, 2.5-inch, enterprise							x	x																								S26361-F3998-L32			533	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, hot-plug, 2.5-inch, enterprise							x	x																								S26361-F3998-L64			996	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																										x							S26361-F4006-L114			182	
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																										x							S26361-F4006-L130			351	
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																										x							S26361-F4006-L514			342	
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot plug, 2.5-inch, enterprise																										x							S26361-F4006-L573			229	
	BX922 S2 disk drive mounting kit	BX922 Disk drive mounting kit																											x						S26361-F4008-L1			26	
	BX924 disk drive mounting kit	BX924 Disk drive mounting kit																												x					S26361-F4008-L2			39	Orderable from: 05/07/2010
	SSD SATA 3G 32GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 32 GB, non hot plug, 2.5-inch, enterprise																											x	x	x				S26361-F4008-L32			533	
	SSD SATA 3G 64GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 64 GB, non hot plug, 2.5-inch, enterprise																											x	x	x				S26361-F4008-L64			996	
	HD SATA 3G 160GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, non-hot-plug, 2.5-inch, economic																												x					S26361-F3599-L160			142	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic																									x	x							S26361-F3297-L160			142	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	5.400 rpm						x		x	x																								S26361-F3515-L160			142	
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non-hot-plug, 2.5-inch, economic																												x					S26361-F3599-L320			220	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot plug, 2.5-inch, enterprise																									x							S26361-F3292-L114			156	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																									x	x							S26361-F3297-L320			220	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	5.400 rpm						x		x	x																								S26361-F3515-L320			220	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot plug, 2.5-inch, enterprise																									x							S26361-F3292-L573			236	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x																								S26361-F3600-L160			156	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x																								S26361-F3600-L500			208	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, hot-plug, 2.5-inch, enterprise																									x	x							S26361-F3298-L32			533	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, hot-plug, 2.5-inch, enterprise																									x	x							S26361-F3298-L64			996	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Hard Disks (Continued)																																							
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																									x								S26361-F3601-L160			156	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																									x								S26361-F3601-L500			208	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																					S26361-F3204-L573			188	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																					S26361-F3204-L514			242	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																					S26361-F3204-L530			421	
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																					S26361-F3204-L545			502	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x		x	x					x	x																			S26361-F3208-L114			156	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x		x	x					x	x																			S26361-F3208-L130			334	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x	x		x	x					x	x																			S26361-F3208-L573			236	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug					x		x	x					x	x																			S26361-F3208-L514			342	
SCSI/RAID/SAS controller																																							
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI			x						x	x	x																						S26361-F2399-L1			204	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI				x	x																												S26361-F2737-L201			211	Phased out
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB			x																														S26361-F3006-L128			696	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile							x	x																									S26361-F3271-L201			182	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU								x																									S26361-F3593-L501			473	
	RAID Ctrl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E					x			x																									S26361-F3890-L12			139	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU					x																												S26361-F3890-L501			473	
SATA/SAS controller																																							
	SATA Storage module	SATA Controller incl. mounting kit, RAID1support for 2 SATA hard disks				x	x																												S26361-F3207-L1			44	Phased out
	SAS Storage Module	SAS Controller incl. mounting kit, RAID1support for 2 SAS hard disks					x		x	x																									S26361-F3207-L21			155	
	SAS/PCI-X Storage Module	SAS Controller, PCI-X slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks					x																												S26361-F3207-L31			281	Phased out
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks					x		x																										S26361-F3207-L41			281	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks					x		x	x																									S26361-F3207-L51			715	
Fibre Channel																																							
	FC module 2x2GBit/s BX600-FC22Q	Qlogic, 2GBit/s, 133MHz PCI-X, 2-channel			x	x	x				x	x	x	x			x																		S26361-F3023-L2			541	Phased out
	FC Ctrl 2GBit/s LP1050 MMF LC	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface			x							x	x	x																					S26361-F3141-L10			889	Phased out
	FC Ctrl 2GBit/s LP1050 MMF LC LP	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface				x	x																												S26361-F3141-L210			889	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface					x																												S26361-F3306-L201			807	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface				x	x		x																										S26361-F3306-L202			1181	
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	FC module 2x4GBit/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4)					x		x	x					x	x																			S26361-F3306-L601			516	
	PY BX600 Eth Switch 10GB 10/2 (SE)	Uplink Ports: 2x 10GBit (X2-Cu, X2-FO), Downlink Ports: 10x 10GBit, - please read configuration hints!																								x									S26361-F3309-L1			3391	Phased out
	PY BX600 Eth Mezz Card 10GB 2Port (PCIe)	ServerEngines Ethernet LAN, 2x 10GBit/s, PCIe,					x								x	x																			S26361-F3309-L2			646	Phased out
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel				x	x		x	x					x	x																			S26361-F3451-L1			256	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.				x	x																												S26361-F3483-L202			1246	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber					x			x																									S26361-F3961-L202			1371	
Connection Blades																																							
	FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																									x								S26361-F3873-L104			95	
	FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																									x								S26361-F3873-L108			191	
	PY CB FC License Up 12 Port (Brocade)	Upgrade license for Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, The port upgrade license increases the number of useable port from 14 to 26. This upgrade license can only be added to the switch S26361-K1305-V14.																									x								S26361-F3873-L12			3786	
	FC SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single-Mode Fiber with LC connector																									x								S26361-F3873-L204			389	
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector																									x								S26361-F3873-L208			1175	
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.																									x								S26361-F3986-L1			165	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades																									x								S26361-F3986-L2			95	
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 10GB LAN connection blades																									x								S26361-F3986-L3			329	
	CX4 Stacking Cable 0.5m	for PY CB Eth Switch/IBP 1GB 36/8+2																									x								S26361-F3989-L305			105	
	CX4 Stacking Cable 3.0m	for PY CB Eth Switch/IBP 1GB 36/8+2																									x								S26361-F3989-L330			112	
	Infiniband Cu Cable 40GB, 4x QSFP, 1m																										x								S26361-F3996-L101			82	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m																										x								S26361-F3996-L103			105	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFs20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Connection Blades (Continued)																																							
Mezzanine Cards																																							
	PY Eth Mezz Card 10GB 2 Port V2	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																									x	x	x	x	x				S26361-F3997-L1			479	
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																									x	x	x	x	x				S26361-F3331-L1			408	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																									x	x	x	x	x				S26361-F3874-L1			486	
	PY IB Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																									x	x	x	x					S26361-F3992-L1			996	
Communication/Network																																							
	PY BX600 GBE Switch Blade(Cisco CBS3040)	Interfaces: external 2x RJ45, 4xSFP sockets , - please read configuration hints!, The Product can be ordered normal without a special release by using following order numbers: S26361-K1234-V200 and an opt. service fee: , S26361-F2749-E1 (for installation and test) or S26361-F2749-E3 (for loose delivery without test)																							x	x	x									S26361-F2297-L1			4234	
	PY BX600 Eth Pass-Thru 1GB 10/10	Interfaces: external 10x RJ45 sockets (1000 Base-T full duplex)																							x	x	x									S26361-F3112-L1			740	
	KVM module	Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																								x									S26361-F3113-L2			173	
	PY BX600 dummy KVM module	for BX600 S3 System Unit, KVM slot at the rear side																								x									S26361-F3113-L5			21	
	PY BX600 Eth Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																							x	x	x									S26361-F3206-L6			1222	
	PY BX600 Eth Switch 1GB 10/6+2	Interfaces: external 6x RJ45 sockets, 1xCX4 socket, 1x slot for XFP module, - please read configuration hints!																								x	x								S26361-F3206-L8			1998	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter			x							x	x	x																					S26361-F3227-L2			160	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI				x	x																													S26361-F3227-L202			155	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x	x		x	x																										S26361-F3228-L201			141	
	Accessory Pack BladeFrame BF400	Accessory pack for System Unit BF400/BF400 S2, Contains important information, max 1x per System Unit BF400 / BF400 S2																	x		x	x														S26361-F3229-L998			4	
	PY BladeFrame BF200 accessory pack	for Rack mounting in 19" PRIMECENTER Racks																		x																S26361-F3229-L999			79	
	PY BF SFP Module 1000 BASE-T Copper,RJ45	for BF200 / BF400 cBlades for replacement, per port																	x	x		x														S26361-F3240-E21			238	
	PY BF SFP Module TriRate Fiber 1x/2x/GBE	for BF200 / BF400 cBlades for replacement, per port																	x	x		x														S26361-F3240-E22			203	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter				x	x																													S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter				x	x																													S26361-F3242-L201			296	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket				x	x																													S26361-F3462-L1			395	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket				x	x																													S26361-F3462-L201			395	
	BX600 digital KVM switch	Keyboard Video Mouse Switch, Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																								x	x								S26361-F3113-L102			1036	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable								x																										S26361-F3592-L202			927	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x																										S26361-F3592-L108			329	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables								x																										S26361-F3555-L501			536	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC								x																										S26361-F3555-L900			460	
	PY BX600 FC Pass-Thru 4GB 10/10	Interfaces: external 10 ports for GBIC/SFP modules																								x									S26361-F3024-L10			1375	
	PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																								x									S26361-F3144-L14			5458	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x		x						x	x	x																						S26361-F3011-L1			155	Phased out
	PY BX600 FC Switch 4GB 10/6 16 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 16 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																								x									S26361-F3144-L16			7206	
	PY BX600 Eth Switch 1GB 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!																								x									S26361-F3467-L1			2798	
	PY BX600 Eth IBP 1GB 30/12	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																								x	x								S26361-F3859-L1			2076	
Rack-Infrastructure																																							
	Dummy Server Blade	Dummy CPU Blade																							x	x	x									S26361-F3025-L1			31	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks																						x	x	x	x									S26361-F2201-L20			45	
PRIMERGY-Software																																							
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection													x	x																				S26361-F1790-L240			268	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr DIS	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x								S26361-F2341-D570			11948	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr DIS	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x								S26361-F2341-D571			11948	
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license					x		x	x																	x								S26361-F2565-L315			499	Phased out



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
PRIMERGY-Software (Continued)																																							
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license					x		x	x																	x								S26361-F2565-L316			499	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x																	x	x	x	x	x				S26361-F2565-L317			21	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x																	x	x	x	x	x				S26361-F2565-L318			21	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, ROK DVD, license					x		x	x																	x								S26361-F2565-L325			1645	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, ROK DVD, license					x		x	x																	x								S26361-F2565-L326			1645	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x																	x	x	x	x	x				S26361-F2565-L327			21	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x																	x	x	x	x	x				S26361-F2565-L328			21	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x											x								S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x											x								S26361-F2565-L341			94	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x											x								S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x											x								S26361-F2565-L343			94	
	Win Server 2008 TS CAL (5 Device)	(5 Device) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual					x		x	x					x	x											x								S26361-F2565-L344			322	Phased out
	Win Server 2008 TS CAL (5 User)	(5 User) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual					x		x	x					x	x											x								S26361-F2565-L345			322	Phased out
	Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server **2008 Standard (1-4 CPU, 5 CAL) ROK ist ein** Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar., Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten., Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaufkleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA)., Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.					x		x					x	x																				S26361-F2565-L370			2776	Phased out
	Win EBS 2008 CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).					x		x						x	x																				S26361-F2565-L378			254	Phased out
	Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).					x		x						x	x																				S26361-F2565-L379			254	Phased out
	Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x		x					x	x																				S26361-F2565-L380			3625	Phased out
	Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.					x		x						x	x																				S26361-F2565-L388			614	Phased out
	Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.					x		x						x	x																				S26361-F2565-L389			614	Phased out
	iSCSI SW Target 3.2 (64-bit) EMB	including update 1							x	x																										S26361-F2565-L564			9	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.					x		x	x					x	x											x	x	x	x	x				S26361-F2567-L20			335	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																								
PRIMERGY-Software (Continued)																																									
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.							x	x																	x								S26361-F2567-L310			504	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.							x	x																	x								S26361-F2567-L320			1528	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.							x	x																	x								S26361-F2567-L330			2473	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.					x		x	x					x	x											x								S26361-F2567-L340			68	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.					x		x	x					x	x											x								S26361-F2567-L341			322	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.					x		x	x					x	x											x								S26361-F2567-L342			68	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.					x		x	x					x	x											x								S26361-F2567-L343			322	
	SV Virtual-IO Manager Single License	License for operation of one BX Blade Server Chassis, service contract mandatory																							x	x									U15000-C310			3002	
	FF4O-RE-AN Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU					x		x	x																									U26004-C401			1747	
	FF4O-RE-AN Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU					x		x	x																									U26004-C402			3493	
	FF4O-RE-AN Dual Server 2-Core	FF4O RE ApplicationNode RTU for Server with two 2-core CPU					x		x	x																									U26004-C403			3493	
	FF4O-RE-AN Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU					x		x	x																									U26004-C404			6114	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU					x		x	x																									U26004-C405			881	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU					x		x	x																									U26004-C406			1747	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU					x		x	x																									U26004-C407			1747	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU					x		x	x																									U26004-C408			3057	
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.					x		x	x					x	x											x	x	x	x	x				S26361-F2565-L592			381	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x											x	x	x	x	x				S26361-F2565-L593			758	
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.					x		x	x					x	x											x	x	x	x	x				S26361-F2565-L594			381	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x											x	x	x	x	x				S26361-F2565-L595			758	
	MS SysCtr Essntls Mgmt Suite ROK	MS System Center Essentials Management **Suite**, **English**, **ROK DVD**, **License**.					x		x						x	x											x								S26361-F2567-L10			21	Phased out
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.					x		x	x					x	x											x	x	x	x	x				S26361-F2565-L590			1192	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x											x	x	x	x	x				S26361-F2565-L591			2389	
	MS SysCtr Essntls Server ML 1-OSE	MS System Center Essentials Managed Server License 1 OSE Pack., OSE = Operating System Environment					x		x						x	x											x								S26361-F2567-L11			87	Phased out
	MS SysCtr Essntls Server ML 5-OSE	MS System Center Essentials Managed Server License 5 OSE Pack., OSE = Operating System Environment					x		x						x	x											x								S26361-F2567-L12			429	Phased out
	MS SysCtr Essntls Client ML 5-Pack	MS System Center Essentials Managed Client License 5 Pack.					x		x						x	x											x								S26361-F2567-L13			61	Phased out
	MS SysCtr Essntls Client ML 20-Pack	MS System Center Essentials Managed Client License 20 Pack.					x		x						x	x											x								S26361-F2567-L14			239	Phased out
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x				x		x	x		x	x	x	x	x						x	x		x		x	x	x						U15000-C176			186	
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x	x		x	x		x	x	x			x					x													U15000-C288			52	Phased out
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x									x	x	x	x	x						x	x				x	x	x						U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x		x	x	x	x	x	x	x	x	x					x						x	x	x						U15000-C299			26	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x		x	x		x	x	x	x	x	x					x						x	x	x						U15000-C300			121	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x		x	x		x	x	x	x	x	x					x						x	x	x						U15000-C301			52	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal					x		x	x					x	x											x								S26361-F2346-L611			222	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal					x		x	x					x	x											x								S26361-F2346-L621			432	
	SUSE Linux ES BX600 1Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 1-Year subscription renewal					x		x	x					x	x									x										S26361-F2346-L631			1080	
	SUSE Linux ES BX900 +1Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 1-Year subscription renewal																								x	x								S26361-F2346-L641			1954	
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year																									x								S26361-F2346-L411			82	
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years																									x								S26361-F2346-L412			198	
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year																									x								S26361-F2346-L415			213	
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years																									x								S26361-F2346-L416			509	
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year																									x								S26361-F2346-L417			429	
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years																									x								S26361-F2346-L418			1029	
	VMware ESXi 4.0 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x																	x								S26361-F2341-L500			8	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
PRIMERGY-Software (Continued)																																							
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L504			541	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L505			541	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L508			1526	
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L509			1526	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L512			2376	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L513			2376	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L514			592	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L515			592	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L518			1671	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License			x	x	x		x	x	x	x	x	x	x	x		x	x		x						x									S26361-F2341-L300			69	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L519			1671	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L520			2140	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L521			2140	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L522			2602	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L523			2602	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L530			1086	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L531			1086	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L540			2020	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L541			2020	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L542			935	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L543			935	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L544			469	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L545			469	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L546			2636	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L547			2636	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L550			7845	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L551			7845	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!,					x		x	x					x	x		x	x		x						x									S26361-F2341-L570			13086	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L571			13086	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L554			19641	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L555			19641	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L556			3391	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L557			3391	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L558			1019	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x											x									S26361-F2341-L559			1019	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x						x									S26361-F2341-L562			2232	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFs20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
PRIMERGY-Software (Continued)																																							
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-L563			2232	
	VMware ESXi 4.0 Embedded UFM Device DIS	VMware ESXi 4.0 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required							x	x																	x									S26361-F2341-D431			52	
	VMware ESXi 4 Single SRV w/o SP 1yr DIS	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x																	x									S26361-F2341-D500			8	
	VMware vSphere STD w/o SP 1yr DIS	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D514			541	
	VMware vSphere STD w/o SP 3yr DIS	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D515			541	
	VMware vSphere ADV w/o SP 1yr DIS	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D518			1526	
	VMware vSphere ADV w/o SP 3yr DIS	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D519			1526	
	VMware vSphere ENT w/o SP 1yr DIS	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D520			1953	
	VMware vSphere ENT w/o SP 3yr DIS	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D521			1953	
	VMware vSphere ENT-PL w/o SP 3yr DIS	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D522			2376	
	VMware vSphere ENT-PL w/o SP 1yr DIS	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D523			2376	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr DIS	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D550			7162	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr DIS	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D551			7162	
	VMware ENT-PL AK(8CPU+VCS)w/o SP-1yr DIS	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D554			17934	
	VMware ENT-PL AK(8CPU+VCS)w/o SP-3yr DIS	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D555			17934	
	VMware Essentials-PL w/o SP 1yr DIS	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D562			2036	
	VMware Essentials-PL w/o SP 3yr DIS	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x					x									S26361-F2341-D563			2036	
OS/Application-SW																																							
	CA ARCserve r12.5 Base for Windows	Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.htm, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x			U15355-C2500			700	
	UP CA ARCserve r12.5 Basis für Windows	Upgrade From BrightStor ARCserve Backup r11.x or r12.0, Basic component of CA ARCserve Backup r12.5. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12.5 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x			U15355-C2500-U			525	
	CA ARCserve r12.5 WIN Disaster Recov. O.	CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x			U15355-C2503			628	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	UP CA ARCserve r12.5 WIN Disas. Rec. Op.	Upgrade from CA ARCserve Backup for Windows Disaster Recovery Option r11.x or r12.0., CA ARCserve r12.5 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12.5 base! , CA ARCserve Backup r12.5 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2503-U			471	
	CA ARCserve r12.5 WIN Open Files Agent	CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2505			719	
	UP CA ARCserve r12.5 WIN Open Files Agnt	Upgrade from CA ARCserve Backup Agent for Open Files on Windows r11.x or r12.0, CA ARCserve r12.5 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12.5 base or a Windows Client Agent! , CA ARCserve Backup r12.5 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2505-U			539	
	CA ARCserve r12.5 WIN MS Exchange Agent	CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2507			900	
	UP CA ARCserve r12.5 WIN MS Exch. Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft Exchcange r11.x or r12.0, CA ARCserve r12.5 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2507-U			600	
	CA ARCserve r12.5 WIN MS SQL Agent	CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2511			900	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFs20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	UP CA ARCserve r12.5 WIN MS SQL Agent	Upgrade from CA ARCserve Backup for Windows Agent for Microsoft SQL r11.x or r12.0, CA ARCserve r12.5 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12.5 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2511-U			675	
	CA ARCserve r12.5 WIN Wind. Client Agent	CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2513			357	
	UP CA ARCserve r12.5 WIN Wind. Client Ag	Upgrade from CA ARCserve Backup Client Agent for Windows r11.x or 12.0, CA ARCserve r12.5 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12.5 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2513-U			268	
	CA ARCserve r12.5 WIN MS SBS Premium Edt	CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2514			673	
	UP CA ARCserve r12.5 WIN MS SBS Prem. E.	Upgrade from CA ARCserve Backup for Windows for MS SBS Premium Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2514-U			505	
	CA ARCserve r12.5 WIN MS SBS Std. Edt.	CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2516			493	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFSa20	PRIMERGY pBLADE BFSa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12.5 WIN MS SBS Std. Edt	Upgrade from CA ARCserve Backup for Windows for MS SBS Standard Edition r11.x or r12.0, CA ARCserve r12.5 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12.5 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/cdls/4536_125_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/125/4536_125_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2516-U			369	
	ARCserve r12.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD					x		x	x							x		x		x											x	x	x	x	U15355-C2999			22	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD					x		x	x							x		x		x											x	x	x	x	U15355-C732			22	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C600			1384	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C616			2109	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2000			700	
	CA ARCserve r12 Base for Windows Gov.	Basic component of CA ARCserve Backup r12. , For Government Customers, This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2000-G			539	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 Basis for Windows	## Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15355-C2000-U			525	
	UP CA ARCserve r12 Basis für Windows Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12., Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15355-C2000-U-G			404	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C400U1			175	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C400U3			526	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C750			436	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C800			683	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C800-U			512	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C800U1			175	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C800U3			525	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.															x		x		x											x	x	x	x	U15355-C920			5235	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x								x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C601			1937	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x								x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C617			2927	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2001			900	
	ARCserve r12 WIN Tape Lib. Opt. Gov.	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2001-G			693	
	UP CA ARCserve r12 WIN Tape Library Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2001-U			675	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	UP CA ARCserve r12 WIN Tape Lib. Opt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2001-U-G			520	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C401U1			225	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C401U3			674	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-~~compmatrix.asp~~					x		x	x							x		x		x											x	x	x	x	U15355-C751			612	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C801			877	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C801-U			657	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C801U1			225	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C801U3			675	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!															x		x		x											x	x	x	x	U15355-C921			523	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C602			2109	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C618			3005	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2002			1441	
	CA ARCserve r12 WIN SAN Option Gov.	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2002-G			1110	
	UP CA ARCserve r12 WIN SAN Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2002-U			1081	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	UP CA ARCserve r12 WIN SAN Option Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2002-U-G			833	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C402U1			293	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C402U3			878	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C802			877	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C802-U			657	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C802U1			225	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C802U3			675	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!															x		x		x											x	x	x	x	U15355-C922			523	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15260-C603			2927	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers., It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C619			4207	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2003			628	
	CA ARCserve r12 WIN Disaster Rec. O. Gov	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2003-G			484	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2003-U			471	
	UP CA ARCserve r12 WIN Disaster Rec. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2003-U-G			363	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!						x		x	x						x			x		x											x	x	x	x	U15355-C403U1			360	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!						x		x	x						x			x		x											x	x	x	x	U15355-C403U3			1081	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x												x	x	x	x	U15355-C803			877	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x												x	x	x	x	U15355-C803-U			657	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x												x	x	x	x	U15355-C803U1			225	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x												x	x	x	x	U15355-C803U3			675	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!															x		x		x												x	x	x	x	U15355-C923			1052	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x								x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15260-C604			1318	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x								x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15260-C620			1977	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004			900	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	CA ARCserve r12 WIN NDMP NAS Option Gov.	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2004-G			693	
	UP CA ARCserve r12 WIN NDMP NAS Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2004-U			675	
	UP CA ARCserve r12 WIN NDMP NAS Opt. Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2004-U-G			520	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C404U1			360	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C404U3			1081	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C751U1			157	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C804			877	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C804-U			657	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C804U1			225	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!						x		x	x						x		x		x											x	x	x	x	U15355-C804U3			675	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx							x								x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C605			1845	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx							x								x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C621			2744	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2005			719	
	CA ARCserve r12 WIN Open Files Agent Gov	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2005-G			553	
	UP CA ARCserve r12 WIN Open Files Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2005-U			539	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFs20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 WIN Open File Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2005-U-G			415	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C405U1			157	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x										x	x	x	x	U15355-C405U3			470	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x										x	x	x	x	U15355-C751U3			470	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x										x	x	x	x	U15355-C805			877	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x										x	x	x	x	U15355-C805-U			657	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C805U1			225	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C805U3			675	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation). , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C606			1055	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C622			1318	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x					x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2006			1171	
	CA ARCserve r12 WIN IBM Informix Agt Gov	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x					x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2006-G			901	
	UP CA ARCserve r12 WIN IBM Informix Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x					x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2006-U			878	
	UP CA ARCserve r12 IBM Informix Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x					x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2006-U-G			676	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!						x		x	x						x			x		x											x	x	x	x	U15355-C406U1			225	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!						x		x	x						x			x		x											x	x	x	x	U15355-C406U3			674	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C806			348	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C806-U			261	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C806U1			89	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C806U3			268	
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15260-C607			1477	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15260-C623			1845	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2007			900	
	CA ARCserve r12 WIN MS Exchange Agt. Gov	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x						x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2007-G			693	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFsa20	PRIMERGY pBLADE BFsa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 WIN MS Exchange Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2007-U			675	
	UP CA ARCserve r12 MS Exchange Agt Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2007-U-G			520	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C407U1			225	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C407U3			674	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C807			220	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C807-U			166	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C807U1			56	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C807U3			169	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C608			2109	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C624			3005	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2008			900	
	CA ARCserve r12 WIN Lotus/Dmno. Agt. Gov	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2008-G			693	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2008-U			675	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFsa20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 Lotus/Domino Ag. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2008-U-G			520	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C408U1			225	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x										x	x	x	x	U15355-C408U3			674	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x										x	x	x	x	U15355-C808			348	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x										x	x	x	x	U15355-C808-U			261	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C808U1			89	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C808U3			268	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C609			2927	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C625			4207	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2009			1171	
	CA ARCserve r12 WIN Sybase Agent Gov.	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2009-G			901	
	UP CA ARCserve r12 WIN Sybase Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2009-U			878	
	UP CA ARCserve r12 WIN Sybase Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2009-U-G			676	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!						x		x	x						x		x		x												x	x	x	x	U15355-C409U1			180	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!						x		x	x						x		x		x												x	x	x	x	U15355-C409U3			539	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C809			220	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C809-U			166	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C809U1			56	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C809U3			169	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15260-C610			3135	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15260-C626			4704	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010			900	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	CA ARCserve r12 WIN Oracle Agent Gov.	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2010-G			693	
	UP CA ARCserve r12 WIN Oracle Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2010-U			675	
	UP CA ARCserve r12 WIN Oracle Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2010-U-G			520	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x						x		x		x												x	x	x	x	U15355-C410U1			180	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x						x		x		x												x	x	x	x	U15355-C410U3			539	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x						x		x		x												x	x	x	x	U15355-C810			1405	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x						x		x		x												x	x	x	x	U15355-C810-U			1054	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x						x		x		x												x	x	x	x	U15355-C810U1			360	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x						x		x		x												x	x	x	x	U15355-C810U3			1081	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityIPages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15260-C611			4390	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityIPages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15260-C627			6585	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2011			900	
	CA ARCserve r12 WIN MS SQL Agent Gov.	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2011-G			693	
	UP CA ARCserve r12 WIN MS SQL Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2011-U			675	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 WIN MS SQL Agt. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2011-U-G			520	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C411U1			293	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C411U3			878	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C811			1405	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x											x	x	x	x	U15355-C811-U			1054	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C811U1			360	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C811U3			1081	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C612			1845	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFsa20	PRIMERGY pBLADE BFsa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C628			2373	
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2012			1804	
	CA ARCserve r12 WIN SAP/R3 Oracl Opt Gov	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2012-G			1389	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2012-U			1352	
	UP CA ARCserve r12 WIN SAP/R3 Oracle Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2012-U-G			1041	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!						x		x	x						x		x		x											x	x	x	x	U15355-C412U1			225	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!						x		x	x						x		x		x											x	x	x	x	U15355-C412U3			674	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x		x												x	x	x	x	U15355-C812			1141	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x												x	x	x	x	U15355-C812U1			293	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x												x	x	x	x	U15355-C812U3			878	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15260-C613			2561	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15260-C629			3293	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013			226	
	CA ARCserve r12 WIN Windows Client A Gov	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , Nur für Government Kunden!					x	x	x	x						x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013-G			174	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFsa20	PRIMERGY pBLADE BFsa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 WIN Windows Client Ag	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15355-C2013-U			169	
	UP CA ARCserve r12 Windows Client Ag Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15355-C2013-U-G			130	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x						x		x		x											x	x	x	x	U15355-C413U1			360	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x						x		x		x											x	x	x	x	U15355-C413U3			1081	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x						x		x		x											x	x	x	x	U15355-C813			436	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x						x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15260-C614			1186	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines , , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x						x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	U15260-C630			1977	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014			628	
	CA ARCserve r12 WIN MS SBS Prem Edt Gov	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014-G			484	
	UP CA ARCserve r12 WIN MS SBS Premium E.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), **https://support.ca.com/irj/portal/anonymous/p**hpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014-U			471	
	UP CA ARCserve r12 WIN MS SBS Prem E Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x			x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014-U-G			363	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x						x		x		x											x	x	x	x	U15355-C414U1			225	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x						x		x		x											x	x	x	x	U15355-C414U3			674	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x						x		x		x											x	x	x	x	U15355-C814			877	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFSa20	PRIMERGY pBLADE BFSa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C615			1661	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx, , System Requirements:, ----------, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at:, http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx						x							x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15260-C631			2744	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2015			1441	
	CA ARCserve r12 WIN SAN Sec. Srv. B. Gov	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2015-G			1110	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html						x	x	x	x				x	x	x		x		x					x	x	x	x	x	x	x	x	x	x	U15355-C2015-U			1081	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP CA ARCserve r12 WIN SAN Sec Srv Bnd G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x						x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2015-U-G			833	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbix115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp					x		x	x							x		x			x										x	x	x	x	U15355-C356			2048	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x			x										x	x	x	x	U15355-C415U1			225	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x			x										x	x	x	x	U15355-C415U3			674	
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2016			448	
	CA ARCserve r12 WIN MS SBS Std. Edt. Gov	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x						x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2016-G			344	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2016-U			336	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFsa20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	UP CA ARCserve r12 WIN MS SBS Std Edt Go	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2016-U-G			258	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C416U1			293	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA`s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x										x	x	x	x	U15355-C416U3			878	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server						x							x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15260-C40U1			603	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2017			448	
	CA ARCserve r12 WIN DiskToDiskToTape Gov	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2017-G			344	
	UP CA ARCserve r12 WIN DiskToDiskToTape	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2017-U			336	
	UP CA ARCserve r12 WIN Disk2Dsk2Tape Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2017-U-G			258	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C417U1			225	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C417U3			674	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x	x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2018			900	
	CA ARCserve r12 WIN MS Sharepoint Ag Gov	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x						x	x	x	x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2018-G			693	
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x						x	x	x	x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2018-U			675	
	UP CA ARCserve r12 MS Sharepoint Agt Gov	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x						x	x	x	x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2018-U-G			520	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C418U1			225	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C418U3			674	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2019			3786	
	CA ARCserve r12 WIN Enterprise Modul Gov	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2019-G			2915	
	UP CA ARCserve r12 WIN Enterprise Module	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2019-U			3361	
	UP CA ARCserve r12 WIN Enterp. Mod. Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2019-U-G			2588	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x										x	x	x	x	U15355-C419U1			352	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x										x	x	x	x	U15355-C419U3			1057	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2020			900	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																								
	CA ARCserve r12 WIN MS DPM Agent Gov.	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2020-G			693	
	UP CA ARCserve r12 WIN MS DPM Agent	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2020-U			675	
	UP CA ARCserve r12 WIN MS DPM Agent Gov.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2020-U-G			520	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x						x		x		x											x	x	x	x	U15355-C420U1			89	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x						x		x		x											x	x	x	x	U15355-C420U3			267	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x		x	x						x		x		x											x	x	x	x	U15355-C720			348	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x				x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2021			4476	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	CA ARCserve r12 WIN VSS-HW Snap. Opt Gov	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2021-G			3446	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2021-U			3357	
	UP CA ARCserve r12 WIN VSS-HW Snap Opt G	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/p**hpdocs?filePath=0/4536/12/cdls/4536_12_cdl**.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2021-U-G			2585	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C421U1			89	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C421U3			267	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x		x	x							x		x		x											x	x	x	x	U15355-C780-U			512	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2022			900	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	CA ARCserve r12 WIN VMware Agent Gov.	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	U15355-C2022-G			693	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C422U1			89	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C422U3			267	
	UP ARCserve r11.5 Client Agent Linux Gov	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x		x	x							x		x		x											x	x	x	x	U15355-C721-U-G			130	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2023			1352	
	CA ARCserve r12 WIN Central Mgt. Opt Gov	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html, , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html, , For Government Customers only!					x	x	x	x					x	x	x		x		x				x	x	x	x	x	x	x	x	x	x	x	U15355-C2023-G			1041	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C423U1			89	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C423U3			267	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFs20	PRIMERGY pBLADE BFs40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	UP ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x		x	x							x		x												x	x	x	x	U15355-C720-U-G			206	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x												x	x	x	x	U15355-C424U1			89	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x												x	x	x	x	U15355-C424U3			267	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x												x	x	x	x	U15355-C428U1			360	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x												x	x	x	x	U15355-C428U3			1081	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x												x	x	x	x	U15355-C429U1			293	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x												x	x	x	x	U15355-C429U3			878	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x												x	x	x	x	U15355-C430U1			764	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x												x	x	x	x	U15355-C430U3			2272	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x												x	x	x	x	U15355-C431U1			111	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x												x	x	x	x	U15355-C431U3			336	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x												x	x	x	x	U15355-C432U1			225	



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
OS/Application-SW (Continued)																																							
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C432U3			674	
	ARCserve r11.5 WIN Client Agt. Linux Gov	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x		x	x							x		x		x											x	x	x	x	U15355-C721-G			199	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C433U1			225	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C433U3			674	
	ARCserve r11.5 Client Agent UNIX Gov.	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp, , For Government Customers only!					x		x	x							x		x		x											x	x	x	x	U15355-C720-G			275	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C434U1			337	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C434U3			1013	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C435U1			225	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C435U3			675	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x		x	x							x		x		x											x	x	x	x	U15355-C436U1			1063	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x		x	x							x		x		x											x	x	x	x	U15355-C436U3			3162	
UPS/Power supply																																							
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3./4. PSU), with power cord																							x	x										S26113-F603-L1			499	
	PY BX900 Power Supply Unit 100-240V AC	for PS redundancy (4. - 6. PSU), with power cord 3m																									x									S26113-F606-L200			598	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																									x									S26361-F3962-L100			234	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																							x	x	x									S26361-F3151-L300			26	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko																							x	x	x									S26361-F3151-L100			26	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																							x	x	x									S26361-F3151-L200			26	
Miscellaneous																																							



Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Miscellaneous (Continued)																																							
	PY BX600 4GB FC Switch Lizenz (FWATCH)	Software Upgrade Lizenz (Fabric Watch) for SW4016																						x	x										S26361-F3144-L45			1375	
	PY BX600 4GB FC Switch Port Upgrade	Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports																						x	x										S26361-F3144-L46			1273	
	PY BX600 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silkworm 4016																						x	x										S26361-F3144-L47			1880	
	PY BX600 4GB FC Switch Lizenz (EFABRIC)	Software Upgrade Lizenz Extended Fabric for SW4016																						x	x										S26361-F3144-L48			2089	
	PY BX600 4GB FC Switch Lizenz (APERFM)	Lizenz Advanced Performance Monitoring for SW4016																						x	x										S26361-F3144-L49			1672	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!								x																		x	x	x					S26361-F3552-L1			44	
	PY BX600 conversion kit (MMB S3, FCB)	2x MMB S3, 1x Front-Control-Board																							x										S26361-F3888-L1			572	
FC/IP-Infrastructure																																							
	PY BX900 Management Blade S1	Redundant Management Blade																								x									S26361-F3962-L500			649	
	Cisco SFP Multi Mode (MMF) 1GBE	SFP MMF for BX600 Cisco Switch uplink ports																						x	x	x									S26361-F3024-L101			594	
	Cisco SFP Copper Module RJ45 1GB	SFP RJ45 for BX600 Cisco Switch uplink ports																						x	x	x									S26361-F3024-L102			473	
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver																							x	x									S26361-F3024-L4			95	
	XFP multi-mode module 10GBASE-SR	for BX600 GBE Switch with 10GB ports				x																				x									S26361-F3206-L10			841	
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports																							x	x									S26361-F3206-L15			169	
	X2 Copper Connection Module	MID-PAK for 10GBE Switch Blade X2-10GBASE-CX4																								x									S26361-F3309-L15			312	Phased out
	X2 Fiber Optic Connection Module	MID-PAK for 10GBE Switch Blade X2-10GBASE-SR																								x									S26361-F3309-L20			1148	Phased out
Cables																																							
	PY BX600 Y-Cable backside	for KVM connection to KVM module																								x									S26361-F3892-L100			44	
	PY BX600 Y-Cable frontside	for KVM connection to Server Blade					x		x	x					x	x																			S26361-F3892-L200			39	
	Cable powercord rack, 4m	with Euro socket connector																					x												T26139-Y1968-L10			13	
	Console switch cable 3,5m	cable for keyboard, monitor and mouse																					x												SNP:SY-F2293L12-P			65	Phased out
Additional Software																																							
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x							x	x	x			x		x			x	x	x										U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x					x										U11081-C171			991	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x					x										U11081-C177			495	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x							x	x	x			x		x			x	x	x										U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x			x	x	x										U11081-C186			991	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x							x	x	x			x		x			x	x	x										U11081-C192			397	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x							x	x	x			x		x			x	x	x										U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x							x	x	x			x		x			x	x	x										U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C202			1079	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C203			1741	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C204			3483	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C205			5224	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C206			6966	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C207			626	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C208			1019	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C209			2020	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C210			3030	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x										U11081-C211			4040	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x							x	x	x			x		x			x	x	x										U11081-C212			1079	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x							x	x	x			x		x			x	x	x										U11081-C213			1741	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x							x	x	x			x		x			x	x	x										U11081-C214			3483	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x							x	x	x			x		x			x	x	x										U11081-C215			5224	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Additional Software (Continued)																																						
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x							x	x	x			x		x			x	x	x										U11081-C216			6966	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x							x	x	x			x		x			x	x	x										U11081-C217			626	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x							x	x	x			x		x			x	x	x										U11081-C218			1019	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x							x	x	x			x		x			x	x	x										U11081-C219			2020	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x							x	x	x			x		x			x	x	x										U11081-C220			3030	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x							x	x	x			x		x			x	x	x										U11081-C221			4040	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x							x	x	x			x		x			x	x	x										U11081-C222			441	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x							x	x	x			x		x			x	x	x										U11081-C223			717	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x							x	x	x			x		x			x	x	x										U11081-C224			1434	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x							x	x	x			x		x			x	x	x										U11081-C225			2133	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x							x	x	x			x		x			x	x	x										U11081-C226			2843	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x	x	x		x	x			x	x	x	x	U11081-C301			1070	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x	x	x		x	x			x	x	x	x	U11081-C311			1070	
	~~OPENFT-FTP-1 (WINDOWS) V11.0~~	License ~~openFT-FTP (WINDOWS) V11.0~~; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x	x	x		x	x			x	x	x	x	~~U11081-C321~~			~~437~~	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x					x	x	x			U11081-C302			1741	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x					x	x	x			U11081-C312			1741	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x					x	x	x			U11081-C322			711	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x										U11081-C303			3483	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x										U11081-C313			3483	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x										U11081-C323			1422	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x	x	x		x	x							U10987-C501			1070	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x	x	x		x	x							U10987-C513			1070	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x	x	x		x	x							U10987-C525			437	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x					x	x	x			U10987-C502			1741	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x					x	x	x			U10987-C514			1741	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x					x	x	x			U10987-C526			711	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C503			3483	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C515			3483	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C527			1422	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C528			1646	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x	x	x										U10987-C505			5224	



Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Additional Software (Continued)																																						
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x	x	x											U10987-C517			5224	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x	x	x											U10987-C529			2133	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x			x	x	x	x	x					U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x			x	x	x	x	x					U10987-C499			13	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services																																				
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Dual ROHS, PRIMERGY BX630 S2 dual									x	x		x																		FSP:GA4S00Z00GBP61			33	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Quad ROHS, PRIMERGY BX630 S2 quad											x		x																	FSP:GA4S00Z00GBP62			73	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Octal ROHS								x																						FSP:GA4S00Z00GBP63			229	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server																		x	x	x										FSP:GA4S00Z00GBPB6			120	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GA4S00Z00GBPB7			53	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX660														x																FSP:GA4S00Z00GBPB8			53	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Dual ROHS, PRIMERGY BX630 S2 dual									x	x		x																		FSP:GA5S00Z00GBP61			66	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Quad ROHS, PRIMERGY BX630 S2 quad											x		x																	FSP:GA5S00Z00GBP62			146	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Octal ROHS								x																						FSP:GA5S00Z00GBP63			457	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server																		x	x	x										FSP:GA5S00Z00GBPB6			240	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GA5S00Z00GBPB7			105	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX660														x																FSP:GA5S00Z00GBPB8			107	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 2way AMD/R									x	x		x																		FSP:GB4S00000GBP61			33	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 4way AMD/R											x		x																	FSP:GB4S00000GBP62			73	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 8way AMD/R								x																						FSP:GB4S00000GBP63			229	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 housing, PRIMERGY BX600 S2 housing, PRIMERGY BX600 GBE Switch Blade (Cisco CBS3040)																		x	x	x										FSP:GB4S00000GBPB6			120	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GB4S00000GBPB7			53	
	SP 4y OS Svc,5x9	Service Pack 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX660														x																FSP:GB4S00000GBPB8			53	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 Systemeinheit																		x	x	x										FSP:GB4S20000GBPB6			499	
	SP 4y OS Svc,NBD Rt,5x9	Service Pack 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GB4S20000GBPB7			160	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 2way AMD/R									x	x		x																		FSP:GB5S00000GBP61			66	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 4way AMD/R											x		x																	FSP:GB5S00000GBP62			146	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 8way AMD/R								x																						FSP:GB5S00000GBP63			457	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 housing, PRIMERGY BX600 S2 housing, PRIMERGY BX600 GBE Switch Blade (Cisco CBS3040)																		x	x	x										FSP:GB5S00000GBPB6			240	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																						FSP:GB5S00000GBPB7			105	
	SP 5y OS Svc,5x9	Service Pack 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX660														x																FSP:GB5S00000GBPB8			107	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 Systemeinheit																		x	x	x										FSP:GB5S20000GBPB6			835	
	SP 5y OS Svc,NBD Rt,5x9	Service Pack 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GB5S20000GBPB7			290	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERG																		x	x	x										FSP:GD3S20Z00GBPB6			164	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX62	x	x	x	x	x	x	x																						FSP:GD3S20Z00GBPB7			29	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 Systemeinheit																		x	x	x										FSP:GD3S60000GBPB6			311	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GD3S60000GBPB7			81	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade S																		x	x	x										FSP:GD3S60Z00GBPB6			298	
	SP 3y OS Svc,4h Rt,5x9	Service Pack 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GD3S60Z00GBPB7			147	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 Systemeinheit																		x	x	x										FSP:GD3S63000GBPB6			449	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GD3S63000GBPB7			153	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade																		x	x	x										FSP:GD3S63Z00GBPB6			499	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GD3S63Z00GBPB7			246	
	SP 3y OS Svc,4h Rt,7x24	Service Pack 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX900 S1																					x										FSP:GD3S63Z00GBY01			576	
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX6																		x	x	x										FSP:GD3SD0Z00GBPB6			499	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 3y OS Svc,NBD Rec,5x9	Service Pack 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRI	x	x	x	x	x	x	x																							FSP:GD3SD0Z00GBPB7			153	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX																		x	x	x									FSP:GD3SD3Z00GBPB6			609	
	SP 3y OS Svc,NBD Rec,7x24	Service Pack 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PR	x	x	x	x	x	x	x																							FSP:GD3SD3Z00GBPB7			195	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch																		x	x	x									FSP:GD3SG0Z00GBPB6			499	
	SP 3y OS Svc,8h Rec,5x9	Service Pack 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5,	x	x	x	x	x	x	x																							FSP:GD3SG0Z00GBPB7			153	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server, PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS																		x	x	x									FSP:GD3SG3000GBPB6			609	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GD3SG3000GBPB7			195	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switc																		x	x	x									FSP:GD3SG3Z00GBPB6			609	
	SP 3y OS Svc,8h Rec,7x24	Service Pack 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5	x	x	x	x	x	x	x																							FSP:GD3SG3Z00GBPB7			392	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 Systemeinheit																		x	x	x									FSP:GD4S60000GBPB6			681	
	SP 4y OS Svc,4h Rt,5x9	Service Pack 4 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GD4S60000GBPB7			278	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 Systemeinheit																		x	x	x									FSP:GD4S63000GBPB6			953	
	SP 4y OS Svc,4h Rt,7x24	Service Pack 4 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GD4S63000GBPB7			425	
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server, PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS																		x	x	x									FSP:GD4SG3000GBPB6			1102	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	SP 4y OS Svc,8h Rec,7x24	Service Pack 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GD4SG3000GBPB7			596	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 Systemeinheit																		x	x	x									FSP:GD5S60000GBPB6			1064	
	SP 5y OS Svc,4h Rt,5x9	Service Pack 5 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GD5S60000GBPB7			401	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 Systemeinheit																		x	x	x									FSP:GD5S63000GBPB6			1407	
	SP 5y OS Svc,4h Rt,7x24	Service Pack 5 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GD5S63000GBPB7			594	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server, PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS																		x	x	x									FSP:GD5SG3000GBPB6			1595	
	SP 5y OS Svc,8h Rec,7x24	Service Pack 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GD5SG3000GBPB7			794	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY BX630 2way AMD/R									x	x		x																	FSP:GE3S20Z00GBP61			90	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY BX630 4way AMD/R											x		x																FSP:GE3S20Z00GBP62			90	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY BX630 8way AMD/R								x																					FSP:GE3S20Z00GBP63			90	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY BX600 housing, PRIMERGY BX600 S3 housing, PRIMERGY BX600 S2 housing, PRIMERGY BX600 GBE Switch Blade (Cisco CBS3040)																		x	x	x									FSP:GE3S20Z00GBPB6			164	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GE3S20Z00GBPB7			29	
	SP 3y OS Svc,NBD Rt,5x9	Service Pack 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, , for PRIMERGY BX660														x															FSP:GE3S20Z00GBPB8			90	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Dual ROHS, PRIMERGY BX630 S2 dual									x	x		x																	FSP:GM4S00Z00GBP61			33	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Quad ROHS, PRIMERGY BX630 S2 quad											x		x																FSP:GM4S00Z00GBP62			73	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Octal ROHS								x																					FSP:GM4S00Z00GBP63			229	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server																		x	x	x									FSP:GM4S00Z00GBPB6			120	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GM4S00Z00GBPB7			53	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX660														x															FSP:GM4S00Z00GBPB8			53	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Dual ROHS, PRIMERGY BX630 S2 dual									x	x		x																		FSP:GM5S00Z00GBP61			66	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Quad ROHS, PRIMERGY BX630 S2 quad											x		x																	FSP:GM5S00Z00GBP62			146	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX630 Octal ROHS								x																						FSP:GM5S00Z00GBP63			457	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server																		x	x	x										FSP:GM5S00Z00GBPB6			240	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GM5S00Z00GBPB7			105	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in country of purchase, , for PRIMERGY BX660														x																FSP:GM5S00Z00GBPB8			107	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 2way AMD/R									x	x		x																		FSP:GN4S00000GBP61			33	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 4way AMD/R											x		x																	FSP:GN4S00000GBP62			73	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 8way AMD/R								x																						FSP:GN4S00000GBP63			229	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 housing, PRIMERGY BX600 S2 housing, PRIMERGY BX600 GBE Switch Blade (Cisco CBS3040)																		x	x	x										FSP:GN4S00000GBPB6			120	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GN4S00000GBPB7			53	
	TP 4y OS Svc,5x9	Top Up 4 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX660														x																FSP:GN4S00000GBPB8			53	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 Systemeinheit																		x	x	x										FSP:GN4S20000GBPB6			499	
	TP 4y OS Svc,NBD Rt,5x9	Top Up 4 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GN4S20000GBPB7			160	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 2way AMD/R									x	x		x																		FSP:GN5S00000GBP61			66	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 4way AMD/R											x		x																	FSP:GN5S00000GBP62			146	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX630 8way AMD/R								x																						FSP:GN5S00000GBP63			457	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 housing, PRIMERGY BX600 S2 housing, PRIMERGY BX600 GBE Switch Blade (Cisco CBS3040)																		x	x	x										FSP:GN5S00000GBPB6			240	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2, PRIMERGY BX620 S3, PRIMERGY BX620 S4	x	x	x	x	x	x	x																							FSP:GN5S00000GBPB7			105	
	TP 5y OS Svc,5x9	Top Up 5 years On-Site Service, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX660														x																FSP:GN5S00000GBPB8			107	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX600 Systemeinheit																		x	x	x										FSP:GN5S20000GBPB6			835	
	TP 5y OS Svc,NBD Rt,5x9	Top Up 5 years On-Site Service, next business day response, 5x9, , valid in Europe, Africa and Middle East, , for PRIMERGY BX620, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GN5S20000GBPB7			290	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX60																		x	x	x										FSP:GP3S20Z00GBPB6			164	
	TP 3y OS Svc,NBD Rt,5x9	Top Up 3 years On-Site Service, next business day response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																							FSP:GP3S20Z00GBPB7			29	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Product related services (Continued)																																				
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server																		x	x	x										FSP:GP3S60Z00GBPB6			298	
	TP 3y OS Svc,4h Rt,5x9	Top Up 3 years On-Site Service, 4h response, 5x9, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GP3S60Z00GBPB7			81	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040, PRIMERGY BX600 Blade Server																		x	x	x										FSP:GP3S63Z00GBPB6			499	
	TP 3y OS Svc,4h Rt,7x24	Top Up 3 years On-Site Service, 4h response, 7x24, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIMERGY BX620 S2	x	x	x	x	x	x	x																						FSP:GP3S63Z00GBPB7			153	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cis																		x	x	x										FSP:GP3SD0Z00GBPB6			499	
	TP 3y OS Svc,NBD Rec,5x9	Top Up 3 years On-Site Service, next business day recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY	x	x	x	x	x	x	x																						FSP:GP3SD0Z00GBPB7			153	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Ci																		x	x	x										FSP:GP3SD3Z00GBPB6			609	
	TP 3y OS Svc,NBD Rec,7x24	Top Up 3 years On-Site Service, next business day recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY	x	x	x	x	x	x	x																						FSP:GP3SD3Z00GBPB7			195	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040,																		x	x	x										FSP:GP3SG0Z00GBPB6			499	
	TP 3y OS Svc,8h Rec,5x9	Top Up 3 years On-Site Service, 8h recovery, 5x9, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIME	x	x	x	x	x	x	x																						FSP:GP3SG0Z00GBPB7			153	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX600 S2 Blade Server, PRIMERGY BX600 S2 ROHS, PRIMERGY BX600 S3, PY BX600 Cisco Switch 3040																		x	x	x										FSP:GP3SG3Z00GBPB6			609	
	TP 3y OS Svc,8h Rec,7x24	Top Up 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved,, , service partner specified, contact Fujitsu, valid in country of purchase, , for PRIMERGY BX620, PRIMERGY BX620 S2 ROHS, PRIMERGY BX620 S3, PRIMERGY BX620 S4, PRIMERGY BX620 S5, PRIM	x	x	x	x	x	x	x																						FSP:GP3SG3Z00GBPB7			195	
Software Services																																				
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x				FSP:G-SP1AD00PRV05			1629	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1AD03PRV05			1791	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x	x			x	x	x									x								FSP:G-SP1AE00PRV07			632	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x	x			x	x	x									x								FSP:G-SP1AE03PRV07			695	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1E800PRV07			3830	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1E803PRV07			4213	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x									FSP:G-SP1EA00PRV05			466	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x									FSP:G-SP1EA03PRV05			513	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP1EE00PRV07			632	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP1EE03PRV07			695	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1EP00PRV08			563	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1EP03PRV08			619	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x	x	x	x	x					FSP:G-SP1EX00PRV01			450	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x	x	x	x	x					FSP:G-SP1EX03PRV01			495	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611				x		x	x					x	x									x	x	x	x	x					FSP:G-SP1L260PRL63			394	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611				x		x	x					x	x									x	x	x	x	x					FSP:G-SP1L263PRL63			848	
	SP 1y L3,4h Rt,5x9	Service Pack 1 year Software Service for BX600, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L631				x		x	x					x	x							x											FSP:G-SP1L360PRL63			2068	
	SP 1y L3,4h Rt,7x24	Service Pack 1 year Software Service for BX600, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L631				x		x	x					x	x							x											FSP:G-SP1L363PRL63			3928	
	SP 1y L4,4h Rt,5x9	Service Pack Classic 1 year Software Service for BX900, 4h remote response, 5x9, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L641																					x	x									FSP:G-SP1L460PRL63			3922	
	SP 1y L4,4h Rt,7x24	Service Pack Classic 1 year Software Service for BX900, 4h remote response, 7x24, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L641																					x	x									FSP:G-SP1L463PRL63			7452	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x									FSP:G-SP1SA00PRV05			466	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x									FSP:G-SP1SA03PRV05			513	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1SD00PRV05			466	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1SD03PRV05			513	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	x	FSP:G-SP1SE00PRV06			546	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	x	FSP:G-SP1SE03PRV06			601	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1SL00PRV07			632	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP1SL03PRV07			695	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	x	FSP:G-SP1ST00PRV04			332	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	x	FSP:G-SP1ST03PRV04			365	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP1US00PRV07			632	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP1US03PRV07			695	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x									FSP:G-SP1UV00PRV09			841	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x									FSP:G-SP1UV03PRV09			925	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP1VC00PRV09			509	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP1VC03PRV09			560	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP1VS00PRV09			841	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP1VS03PRV09			925	
	1y SNS Single License,5x9	1 year SNS Single License, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for SV VIOM																				x	x									FSP:G-SP1W100PRV02			698	
	1y SNS Single License,7x24	1 year SNS Single License, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for SV VIOM																				x	x									FSP:G-SP1W103PRV02			740	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x		x	x		x	x		x	x									x	x	x	x	x					FSP:G-SP1X300PRXTN			271	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x		x	x		x	x		x	x									x	x	x	x	x					FSP:G-SP1X500PRXTN			213	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP1XE00PRV07			632	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP1XE03PRV07			695	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x									x									FSP:G-SP1XS00PRV04			332	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x									x									FSP:G-SP1XS03PRV04			365	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3AD00PRV05			4163	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3AD03PRV05			4579	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x								FSP:G-SP3AE00PRV07			1671	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x								FSP:G-SP3AE03PRV07			1839	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3E800PRV07			9820	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3E803PRV07			10802	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x								FSP:G-SP3EA00PRV05			1254	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x								FSP:G-SP3EA03PRV05			1379	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x								FSP:G-SP3EE00PRV07			1671	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x								FSP:G-SP3EE03PRV07			1839	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3EP00PRV08			1527	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3EP03PRV08			1679	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612				x	x	x	x					x	x									x	x	x	x	x					FSP:G-SP3L260PRL63			986	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612				x	x	x	x					x	x									x	x	x	x	x					FSP:G-SP3L263PRL63			2120	
	SP 3y L3,4h Rt,5x9	Service Pack 3 years Software Service for BX600, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E632				x		x	x					x	x							x											FSP:G-SP3L360PRL63			5169	
	SP 3y L3,4h Rt,7x24	Service Pack 3 years Software Service for BX600, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E632				x		x	x					x	x							x											FSP:G-SP3L363PRL63			9821	
	SP 3y L4,4h Rt,5x9	Service Pack Classic 3 years Software Service for BX900, 4h remote response, 5x9, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E642																					x	x	x	x	x	x					FSP:G-SP3L460PRL63			11232	
	SP 3y L4,4h Rt,7x24	Service Pack Classic 3 years Software Service for BX900, 4h remote response, 7x24, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L642																					x	x	x	x	x	x					FSP:G-SP3L463PRL63			21341	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x								FSP:G-SP3SA00PRV05			1254	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x									x								FSP:G-SP3SA03PRV05			1379	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3SD00PRV05			1254	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3SD03PRV05			1379	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	FSP:G-SP3SE00PRV06			1479	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	FSP:G-SP3SE03PRV06			1626	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3SL00PRV07			1671	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x		x	x	x					x	x	x	x	x					FSP:G-SP3SL03PRV07			1839	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	x	FSP:G-SP3ST00PRV04			330	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x		x	x	x					x	x	x	x	x	x	x	x	x	FSP:G-SP3ST03PRV04			900	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP3US00PRV07			1671	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP3US03PRV07			1839	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x									FSP:G-SP3UV00PRV09			2224	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x									FSP:G-SP3UV03PRV09			2224	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP3VC00PRV09			1366	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, **7x24, service partner specified, contact** Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP3VC03PRV09			1503	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP3VS00PRV09			2224	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x		x	x					x	x									x	x	x	x	x					FSP:G-SP3VS03PRV09			2224	
	3y SNS Single License,5x9	3 years SNS Single License, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for SV VIOM																				x	x									FSP:G-SP3W100PRV02			1903	
	3y SNS Single License,7x24	3 years SNS Single License, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for SV VIOM																				x	x									FSP:G-SP3W103PRV02			1856	
	SP 3y 1,2,3 x10sure base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x		x	x		x	x		x	x									x	x	x	x	x					FSP:G-SP3X300PRXTN			814	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 3 years 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x		x	x		x	x		x	x									x	x	x	x	x					FSP:G-SP3X500PRXTN			640	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP3XE00PRV07			1671	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL				x		x	x					x	x									x									FSP:G-SP3XE03PRV07			1839	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x									x									FSP:G-SP3XS00PRV04			330	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD				x		x	x					x	x									x									FSP:G-SP3XS03PRV04			900	
	SP Xtend 1y to 2y ADV Acceleration Kit,5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPAAD00PRV05			401	
	SP Xtend 1y to 2y ADV Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPAAD03PRV05			413	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAAE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAAE03PRV07			658	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,5x9	SP Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x		x	x					x	x		x	x	x					x									FSP:G-SPAE600PRV07			3193	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPAE603PRV07			3924	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPAE800PRV07			3985	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPAE803PRV07			4960	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPAEA00PRV05			401	
	SP Xtend 1y to 2y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPAEA03PRV05			413	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAEE00PRV07			607	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAEE03PRV07			658	
	SP Xtend 1y to 2y Essentials PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPAEP00PRV08			524	
	SP Xtend 1y to 2y Essentials PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPAEP03PRV08			558	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPAEX00PRV01			395	
	SP Xtend 1y to 2y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPAEX03PRV01			446	
	SP Xtend 1y to 2y Upgrade STD to ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPASA00PRV05			401	
	SP Xtend 1y to 2y Upgrade STD to ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPASA03PRV05			413	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 1y to 2y vSphere ADV,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPASD00PRV05			401	
	SP Xtend 1y to 2y vSphere ADV,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPASD03PRV05			413	
	SP Xtend 1y to 2y vSphere ENT,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPASE00PRV06			507	
	SP Xtend 1y to 2y vSphere ENT,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPASE03PRV06			535	
	SP Xtend 1y to 2y vSphere ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPASL00PRV07			607	
	SP Xtend 1y to 2y vSphere ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPASL03PRV07			658	
	SP Xtend 1y to 2y vSphere STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPAST00PRV04			212	
	SP Xtend 1y to 2y vSphere STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for **VMware vSphere STD**				x		x	x					x	x		x	x	x					x									FSP:G-SPAST03PRV04			240	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAUS00PRV07			607	
	SP Xtend 1y to 2y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAUS03PRV07			658	
	SP Xtend 1y to 2y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPAUV00PRV09			880	
	SP Xtend 1y to 2y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPAUV03PRV09			936	
	SP Xtend 1y to 2y vCenter FND,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPAVC00PRV09			424	
	SP Xtend 1y to 2y vCenter FND,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPAVC03PRV09			485	
	SP Xtend 1y to 2y vCenter STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPAVS00PRV09			880	
	SP Xtend 1y to 2y vCenter STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPAVS03PRV09			936	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAXE00PRV07			607	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPAXE03PRV07			658	
	SP Xtend 1y to 2y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPAXS00PRV04			552	
	SP Xtend 1y to 2y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPAXS03PRV04			619	
	SP Xtend 2y to 3y ADV Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPBAD00PRV05			401	
	SP Xtend 2y to 3y ADV Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPBAD03PRV05			413	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBAE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBAE03PRV07			658	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBE600PRV07			3193	
	SP Xtend 2y to 3y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBE603PRV07			3924	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBE800PRV07			3985	
	SP Xtend 2y to 3y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 2 years to 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBE803PRV07			4960	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPBEA00PRV05			401	
	SP Xtend 2y to 3y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPBEA03PRV05			413	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBEE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBEE03PRV07			658	
	SP Xtend 2y to 3y Essentials PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBEP00PRV08			524	
	SP Xtend 2y to 3y Essentials PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBEP03PRV08			558	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 2 years to 3 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPBEX00PRV01			395	
	SP Xtend 2y to 3y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 2 years to 3 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPBEX03PRV01			446	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 2y to 3y Upgrade STD to ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPBSA00PRV05			401	
	SP Xtend 2y to 3y Upgrade STD to ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPBSA03PRV05			413	
	SP Xtend 2y to 3y vSphere ADV,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPBSD00PRV05			401	
	SP Xtend 2y to 3y vSphere ADV,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPBSD03PRV05			413	
	SP Xtend 2y to 3y vSphere ENT,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPBSE00PRV06			507	
	SP Xtend 2y to 3y vSphere ENT,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPBSE03PRV06			535	
	SP Xtend 2y to 3y vSphere ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBSL00PRV07			607	
	SP Xtend 2y to 3y vSphere ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPBSL03PRV07			658	
	SP Xtend 2y to 3y vSphere STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPBST00PRV04			212	
	SP Xtend 2y to 3y vSphere STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPBST03PRV04			240	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBUS00PRV07			607	
	SP Xtend 2y to 3y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBUS03PRV07			658	
	SP Xtend 2y to 3y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPBUV00PRV09			880	
	SP Xtend 2y to 3y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPBUV03PRV09			936	
	SP Xtend 2y to 3y vCenter FND,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPBVC00PRV09			424	
	SP Xtend 2y to 3y vCenter FND,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPBVC03PRV09			485	
	SP Xtend 2y to 3y vCenter STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPBVS00PRV09			880	
	SP Xtend 2y to 3y vCenter STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPBVS03PRV09			936	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBXE00PRV07			607	
	SP Xtend 2y to 3y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPBXE03PRV07			658	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 2y to 3y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPBXS00PRV04			552	
	SP Xtend 2y to 3y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 2 years to 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPBXS03PRV04			619	
	SP Xtend 3y to 4y ADV Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPCAD00PRV05			401	
	SP Xtend 3y to 4y ADV Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPCAD03PRV05			413	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCAE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCAE03PRV07			658	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCE600PRV07			3193	
	SP Xtend 3y to 4y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCE603PRV07			3924	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCE800PRV07			3985	
	SP Xtend 3y to 4y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 3 years to 4 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCE803PRV07			4960	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPCEA00PRV05			401	
	SP Xtend 3y to 4y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPCEA03PRV05			413	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCEE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCEE03PRV07			658	
	SP Xtend 3y to 4y Essentials PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCEP00PRV08			524	
	SP Xtend 3y to 4y Essentials PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCEP03PRV08			558	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 3 years to 4 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPCEX00PRV01			395	
	SP Xtend 3y to 4y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 3 years to 4 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPCEX03PRV01			446	
	SP Xtend 3y to 4y Upgrade STD to ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPCSA00PRV05			401	
	SP Xtend 3y to 4y Upgrade STD to ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPCSA03PRV05			413	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 3y to 4y vSphere ADV,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPCSD00PRV05			401	
	SP Xtend 3y to 4y vSphere ADV,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPCSD03PRV05			413	
	SP Xtend 3y to 4y vSphere ENT,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPCSE00PRV06			507	
	SP Xtend 3y to 4y vSphere ENT,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPCSE03PRV06			535	
	SP Xtend 3y to 4y vSphere ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCSL00PRV07			607	
	SP Xtend 3y to 4y vSphere ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPCSL03PRV07			658	
	SP Xtend 3y to 4y vSphere STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPCST00PRV04			212	
	SP Xtend 3y to 4y vSphere STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPCST03PRV04			240	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCUS00PRV07			607	
	SP Xtend 3y to 4y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCUS03PRV07			658	
	SP Xtend 3y to 4y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPCUV00PRV09			880	
	SP Xtend 3y to 4y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPCUV03PRV09			936	
	SP Xtend 3y to 4y vCenter FND,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPCVC00PRV09			424	
	SP Xtend 3y to 4y vCenter FND,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPCVC03PRV09			485	
	SP Xtend 3y to 4y vCenter STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPCVS00PRV09			880	
	SP Xtend 3y to 4y vCenter STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPCVS03PRV09			936	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCXE00PRV07			607	
	SP Xtend 3y to 4y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPCXE03PRV07			658	
	SP Xtend 3y to 4y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPCXS00PRV04			552	
	SP Xtend 3y to 4y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 3 years to 4 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPCXS03PRV04			619	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 4y to 5y ADV Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPDAD00PRV05			401	
	SP Xtend 4y to 5y ADV Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPDAD03PRV05			413	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDAE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ADV to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDAE03PRV07			658	
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDE600PRV07			3193	
	SP Xtend 4y to 5y ENT PL 6 Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDE603PRV07			3924	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,5x9	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDE800PRV07			3985	
	SP Xtend 4y to 5y ENT PL 8 Acceleration Kit,7x24	Service Pack Prolongation from 4 years to 5 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDE803PRV07			4960	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPDEA00PRV05			401	
	SP Xtend 4y to 5y Upgrade ESXi to ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPDEA03PRV05			413	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDEE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ENT to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDEE03PRV07			658	
	SP Xtend 4y to 5y Essentials PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDEP00PRV08			524	
	SP Xtend 4y to 5y Essentials PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDEP03PRV08			558	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,5x9	Service Pack Prolongation from 4 years to 5 years VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPDEX00PRV01			395	
	SP Xtend 4y to 5y ESXi 4.0 Single Server,7x24	Service Pack Prolongation from 4 years to 5 years VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR						x	x															x									FSP:G-SPDEX03PRV01			446	
	SP Xtend 4y to 5y Upgrade STD to ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPDSA00PRV05			401	
	SP Xtend 4y to 5y Upgrade STD to ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x									x									FSP:G-SPDSA03PRV05			413	
	SP Xtend 4y to 5y vSphere ADV,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPDSD00PRV05			401	
	SP Xtend 4y to 5y vSphere ADV,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV				x		x	x					x	x		x	x	x					x									FSP:G-SPDSD03PRV05			413	



Category	Description	Details	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY pBLADE BFx20	PRIMERGY pBLADE BFx40	PRIMERGY pBLADE BF20	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Software Services (Continued)																																				
	SP Xtend 4y to 5y vSphere ENT,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPDSE00PRV06			507	
	SP Xtend 4y to 5y vSphere ENT,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT				x		x	x					x	x		x	x	x					x									FSP:G-SPDSE03PRV06			535	
	SP Xtend 4y to 5y vSphere ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDSL00PRV07			607	
	SP Xtend 4y to 5y vSphere ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x		x	x	x					x									FSP:G-SPDSL03PRV07			658	
	SP Xtend 4y to 5y vSphere STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPDST00PRV04			212	
	SP Xtend 4y to 5y vSphere STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x		x	x	x					x									FSP:G-SPDST03PRV04			240	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDUS00PRV07			607	
	SP Xtend 4y to 5y Upgrade STD to ENT PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDUS03PRV07			658	
	SP Xtend 4y to 5y Upgrade VC FND to STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPDUV00PRV09			880	
	SP Xtend 4y to 5y Upgrade VC FND to STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPDUV03PRV09			936	
	SP Xtend 4y to 5y vCenter FND,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPDVC00PRV09			424	
	SP Xtend 4y to 5y vCenter FND,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPDVC03PRV09			485	
	SP Xtend 4y to 5y vCenter STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPDVS00PRV09			880	
	SP Xtend 4y to 5y vCenter STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND				x		x	x					x	x									x									FSP:G-SPDVS03PRV09			936	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDXE00PRV07			607	
	SP Xtend 4y to 5y Upgrade ESXi to ENT-PL,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL				x		x	x					x	x									x									FSP:G-SPDXE03PRV07			658	
	SP Xtend 4y to 5y Upgrade ESXi to STD,5x9	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPDXS00PRV04			552	
	SP Xtend 4y to 5y Upgrade ESXi to STD,7x24	Service Pack Prolongation from 4 years to 5 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD				x		x	x					x	x									x									FSP:G-SPDXS03PRV04			619	

Positioning SPARC Enterprise Servers

SPARC Enterprise T1000

The entry model T1000 incorporates the UltraSPARC T1 processor. This processor delivers with it s 8 cores up to 32 simultaneous execution threads and 32 GB of memory. The SPARC Enterprise T1000 model also offers 1 free PCIe slots, 4 integrated Gigabit Ethernet interfaces and 1 SATA disk bay.

SPARC Enterprise T5140

SPARC Enterprise T5240

The new Fujitsu SPARC Enterprise server T5440 – like T5140 and T5240 using the new UltraSPARC T2 Plus chip-multithreading (CMT) processor - is setting new standards in the market for network centric computing, energy efficiency and compute density, providing the ideal platform particularly for larger web and applica-tion tier services and for online transaction processing and technical workloads. This new model extends the existing CMT platform to 4-socket multiprocessor systems. Built-in, no-cost virtualization capabilities in the server also enables customers to easily maximize system utilization, helping to lower the cost of delivering new IT services.

SPARC Enterprise T5440

SPARC Enterprise T2000

The entry model T2000 also incorporates the UltraSPARC T1 processor. This processor delivers with it s 8 cores up to 32 simultaneous execution threads and 64 GB of memory. The SPARC Enterprise T2000 also offers 5 free PCI-E slots (3x PCI-E and 2x PCI-X), 4 integrated Gigabit Ethernet interfaces and 4 SAS disk bay.

SPARC Enterprise M3000

The model M3000 is a new 1-socket entry-level to the SPARC64 VII based family. The M3000 server uses the SPARC64 VII quad-core processor with 2.52 GHz and large 5 MB L2 cache. Each of the cores can issue two threads simultaneously. The M3000 model also offers – in a space saving compact 2 RU form factor - up to 32 GB memory (8 DIMM slots), 4 hot-plug disk bays and 4 free PCIe slots in addition to the four onboard GbE network interfaces. RAS features include redundant power supplies and fans, core offlining, extended ECC protection, dynamic cache degradation and the eXtended System Control Facil-ity (XSCF) tool that enables remote and overall hardware monitoring

SPARC Enterprise M4000

The midrange model M4000 scales up to 4 SPARC64VI dual core CPUs or up to 4 SPARC64VII quad core CPUs thus having up to 16 cores, and supports Memory Chipkill and memory mirroring. Furthermore, the model M4000 include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration.

SPARC Enterprise M5000

Compared to the model M4000 the M5000 scales up to 8 SPARC64VI dual core or 8 SPARC64VII quad core CPUs thus having up to 32 cores, with the same mission-critical features.

SPARC Enterprise M8000

The high end model SES M8000 scales up to 16 SPARC64VI dual core CPUs or 16 SPARC64VII quad core CPUs thus having up to 64 cores. With symmetric multiprocessing (SMP) scalability from one to 16 processors, memory subsystems as large as 1.024 GB, and high-throughput I/O architectures. Furthermore, the model M8000 includes built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic

SPARC Enterprise M9000

Like the model M8000 the SPARC Enterprise Servers M9000 models address the mid-range and high-end processing requirements of mission-critical IT projects. There are two different floorstand models, the SES M9000-32 with 32 sockets and SES M9000-64 with 64 sockets

SPARC Enterprise Server T5120 **Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/**

The Entry model T5120 incorporates the UltraSPARC T2 / T2 Plus processor with 1.2 GHz (4 or 8 cores), 1.4 GHz (8 cores), 1.6 GHz (8 cores) and enhanced 4 MB L2 cache. This processor delivers with its 8 cores up to 64 simultaneous execution threads and 128 GB of fully buffered memory (16 DIMM slots). The T5120 model also offers 4 hot-plug SAS disk drive bays and 3 free PCIe slots in addition to the two 10 GbE and four GbE on-chip network interfaces. 1 Floating Point Unit per core and 1 integrated Crypto Unit per core are further improvements.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server T5120							
	T5120:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5120 Server, 4 Core 1.2GHz UltraSPARC T2 processor. No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 Operating System software pre-installed with mandatory order number.	SECAA143U			8035	
	T5120:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5120 Server, 8 Core 1.4GHz UltraSPARC T2 processor. No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 Operating System software pre-installed with mandatory order number.	SECAF143U			15895	
	T5120:8core,1.6Ghz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5120 Server, 8 Core 1.6GHz UltraSPARC T2 processor. No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 Operating System software pre-installed with mandatory order number., Restriction:, Cannot be used with 8 Disk Backplane (Thermal Limitation)!	SECAG143U			23581	

SPARC Enterprise Server T5140 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

SPARC® Enterprise Model T5140
The model T5140 is the first model in the T5xxx line incor-porating 2 UltraSPARC T2 Plus processors with 1.2 GHz (each with 2x4, 2x6 or 2x8 cores) and 1.4 GHz (2 x 8 cores). Each of the cores can issue up to 8 threads simultaneously, in total up to 128 threads – delivered in a compact 1RU form factor. The T5140 model also offers up to 128 GB memory (16 DIMM slots), 4 hot-plug disk bays and 3 free PCIe slots in addition to the two 10 GbE plus two 1 GbE onboard network inter-faces. The Solaris 10 Operating System and the logical domain feature are preinstalled and provide a highly flexi-ble, efficient and secure application environment. Standard RAS features include redundant power supplies and fans, core offlining, extended ECC protection and the Integrated Lights Out Management (ILOM) tool to enable the server to be integrated and managed within industry-standard man-agement frameworks.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server T5140							
	T5140:2x4core,1.2GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5140 Server, 2 * 4 Core 1.2GHz UltraSPARC T2 Plus processors. , No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed, Requires standard power input Label (100-240V).	SETAA142U			13537	
	T5140:2x6core,1.2GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5140 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors. , No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed, Requires standard power input Label (100-240V).	SETAB142U			14410	
	T5140:2x8core,1.2GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5140 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors. , No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed, Requires standard power input Label (100-240V).	SETAC142U			21921	
	T5140:2x8core,1.4GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5140 Server, 2 * 8 Core 1.4GHz UltraSPARC T2 Plus processors. , No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed, Requires standard power input Label (100-240V)., , Not available with 8 HDD Backplane!	SETAD142U			21921	

SPARC Enterprise Server T5220 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

The Entry model T5220 incorporates the UltraSPARC T2 processor with 1.2 GHz (4 or 8 cores) or 1.4 GHz (8 cores) 1.4 GHz (8 cores), 1.6 GHz (8 cores)and enhanced 4 MB L2 cache. This processor delivers with its 8 cores up to 64 simultaneous execution threads and 128GB of fully buffered memory (16 DIMM slots). The T5220 model also offers 8 hot-plug SAS disk drive bays and 6 free PCIe slots in addition to the two 10 GbE and four GbE on-chip network interfaces. 1 Floating Point Unit per core and 1 integrated Crypto Unit per core are further improvements.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server T5220							
	T5220:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5220 Server, 4 Core 1.2GHz UltraSPARC T2 processor. No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 Operating System software pre-installed with mandatory order number.	SEDAA143U			9520	
	T5220:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5220 Server, 8 Core 1.4GHz UltraSPARC T2 processor. No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 Operating System software pre-installed with mandatory order number.	SEDAF143U			17380	
	T5220:8core,1.6Ghz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5220 Server, 8 Core 1.6GHz UltraSPARC T2 processor. No memory, SAS disk drives, DVD+/-RW and no power supply unit by standard included! 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 Operating System software pre-installed with mandatory order number.	SEDAG143U			25066	

SPARC Enterprise Server T5240 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

SPARC® Enterprise Model T5240
The model T5240 is the first model in the T5xxx line incor-porating 2 UltraSPARC T2 Plus processors with 1.2 GHz (each with 2x4, 2x6 or 2x8 cores), 1.4 GHz (8 cores) and 1.6 GHz (8 cores). Each of the cores can issue up to 8 threads simultaneously, in total up to 128 threads. The T5240 model also offers – in a compact 2 RU form factor - up to 256 GB memory (32 DIMM slots), 16 hot-plug disk bays and 6 free PCIe slots in addition to the two 10 GbE plus two 1 GbE onboard network interfaces. The Solaris 10 Operating System and the logical domain feature are preinstalled and provide a highly flexible, effi-cient and secure application environment. Standard RAS features include redundant power supplies and fans, core offlining, extended ECC protection and the Integrated Lights Out Management (ILOM) tool to enable the server to be integrated and managed within industry-standard man-agement frameworks.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server T5240							
	T5240:2x6core,1.2GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5240 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors. , No memory, Hard Disk Backplane, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed. , The server requires standard power input Label (100-240V).	SEUAB142U			15895	
	T5240:2x8core,1.2GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5240 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors. , No memory, Hard Disk Backplane, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed. , The server requires standard power input Label (100-240V).	SEUAC142U			23406	
	T5240:2x8core,1.4GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5240 Server, 2 * 8 Core 1.4GHz UltraSPARC T2 Plus processors. , No memory, Hard Disk Backplane, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed. , , The server requires standard power input Label (100-240V) with 8 slot Hard Disk Backplane., The server requires high-line power input Label (200-240V) only with 16 slot Hard Disk Backplane.	SEUAD142U			23406	
	T5240:2x8core,1.6GHz,No-MEM,Disk,PSU,DVD	Fujitsu Technology Solutions SPARC Enterprise T5240 Server, 2 * 8 Core 1.6GHz UltraSPARC T2 Plus processors. , No memory, Hard Disk Backplane, SAS disk drives, DVD+/-RW and no power supply unit by standard included! , 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (N+1) power supply slots, Solaris 10 System software pre-installed. , , The server requires high-line power input Label (200-240V) only.	SEUAE142U			31703	

SPARC Enterprise Server T5440 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

The model T5440 is the first model in the T5xxx line incorporating up to 4 UltraSPARC T2 Plus processors with 1.2 GHz, 1.4 GHz or 1.6 GHz (each with 8 cores enabled). Each of the cores can issue up to 8 threads simultaneously, in total up to 256 threads. The T5440 model also offers – in a compact 4 RU form factor - up to 512 GB memory (64 DIMM slots), 4 hot-plug disk bays and 8 free PCIe slots in addition to the two 10 GbE plus two 1 GbE onboard network interfaces. The Solaris 10 Operating System and the logical domain feature are preinstalled and provide a highly flexible, efficient and secure application environment. RAS features include redundant power supplies, fans, core offlining, extended ECC protection and the Integrated Lights Out Management (ILOM) tool to enable the server to be integrated and managed within industry-standard man-agement frameworks.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server T5440							
	T5440: CPU-,MEM-,Disk-, DVD less, 4xPSU	SES T5440 Server, Base Chassis. Includes four power supplies. No CPU/Memory Board, memory DIMMs, SAS disk drives, SSD and DVD+/-RW by standard included! 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 6 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10GB Ethernet) slots, 4 (N+2) power supplies, Solaris 10 System software pre-installed., Supports 1.2GHz, 1.4GHz and 1.6GHz CPU frequency.	SEVASY12U			3712	

SPARC Enterprise Server M3000 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

The new Fujitsu SPARC Enterprise Server M3000 expands the SPARC Enterprise M-model family to the entry level. The SPARC Enterprise Server M3000 is powered by a single quad-core SPARC64 VII processor and inherits the mission critical features of all other SPARC64 based SPARC Enterprise M-models, delivering mainframe-like reliability, availability and scalability in an ultra-dense system at an entry-level price. This new model is an ideal platform for enterprise applications including databases, ERP and CRM. With its Simultaneous Multi-Threading (SMT) chip architecture the SPARC Enterprise M3000 server delivers excellent single core performance. And with the latest I/O interfaces, PCI-Express and SAS system architecture the system minimizes latency and provides maximum throughput, whether running compute, I/O, or memory intensive workloads. The SPARC Enterprise M3000 server provides a perfect balance between mission-critical features, compact form factor and best power efficiency.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server M3000							
	M3000 2.75GHz1P2C8GB 2x146GB 1xDVD 2xPSU	SPARC Enterprise M3000 server. Includes 1* 2 core, 2.75GHz SPARC64 VII Processor (2 core CPU & 5MB on-chip L2 10-way cache), and 8GB system memory (4*2GB DDR2 667MHz DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*GB Ethernet ports, 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy)	SEWPDBA1U			11441	
	M3000 2.75GHz1P4C8GB 2x146GB 1xDVD 2xPSU	SPARC Enterprise M3000 server. Includes 1* 4 core, 2.75GHz SPARC64 VII Processor (4 core CPU & 5MB on-chip L2 10-way cache), and 8GB system memory (4*2GB DDR2 667MHz DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*GB Ethernet ports, 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy)	SEWPCBA1U			13013	
	M3000 2.75GHz1P4C16GB 2x146GB 1xDVD2xPSU	SPARC Enterprise M3000 server. Includes 1* 4 core, 2.75GHz SPARC64 VII Processor (4 core CPU & 5MB on-chip L2 10-way cache), and 16GB system memory (4*4GB DDR2 667MHz DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*GB Ethernet ports, 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy)	SEWPCCA1U			19214	
	M3000 2.75GHz1P4C32GB 2x146GB 1xDVD2xPSU	SPARC Enterprise M3000 server. Includes 1* 4 core, 2.75GHz SPARC64 VII Processor (4 core CPU & 5MB on-chip L2 10-way cache), and 32GB system memory (4*8GB DDR2 667MHz DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*GB Ethernet ports, 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy)	SEWPCDA1U			30044	

SPARC Enterprise Server M4000 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

Cost cutting, robustness and flexibility are the requirements now demanded of rack servers for medium-sized and large enterprises.
The new Fujitsu SPARC Enterprise M4000 and M5000 systems fulfill these requirements. The world's most widespread UNIX operating system, Solaris™, is used. The central Fujitsu Enterprise ServerView Suite management functions ensure a reduction in the need to rectify errors and the costs this entails, as well as remote access anytime, anywhere. Thanks to the servers' unique flexibility in adapting to changing priorities, excess and unused resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs and risk. The SPARC Enterprise M4000 and M5000 systems are therefore the preferred UNIX platforms for a medium-sized company.

SPARC Enterprise M4000
The rack-based SPARC Enterprise server M4000 is a highly reliable, enterprise-grade, vertically-scalable system that addresses the mid-range processing requirements of mission-critical IT projects. The mid-range model SE M4000 scales up to 4 x SPARC64 VI Dual-Core CPUs or 4 x SPARC64 VII Quad-Core CPUs, thus having up to 16 cores, and supports extended ECC protection and memory mirroring. Furthermore, the model SE M4000 includes built-in features such as Dynamic System Domains, extended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems computing platform. Massive computing power, a resilient system architecture, flexible resource control features, and the advanced capabilities of the Solaris 10 OE combine in SPARC® Enterprise server M4000 to provide organizations a best-in-class midrange enterprise platform.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server M4000							
	M4000 CPU-,MEM-,Disk- less 1xI/O tray	Fujitsu Technology Solutions SPARC Enterprise M4000 Base Server Cabinet (ATO Base) , 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (110V or 220V with N+N redundancy)., No memory and no SAS disk drives by standard included!	SEEASY11S			2271	
	M4000 CoD 2.1GHz 4P, 1xI/O tray	Fujitsu Technology Solutions SPARC Enterprise M4000 COD (Capacity On Demand) and ATO server., Includes 4x unlicensed 2.15GHz SPARC64TM VI CPUs (2 CPU boards with 2 x CPUs each, 5MB on-chip L2 cache), 1 I/O tray with 4 PCI-E, 1 PCI-X slots in total and 2x 1GB Ethernet ports, 1x DVD, 2 power supplies (includes redundancy and DPF)., As minimum to each COD Server 2 CPU RTU (Right To Use) licenses, memory and HDD are required (must be ordered together with the system)!	SEEBB111S			3362	
	M4000 CoD 2.53GHz 4P, 1xI/O tray	Fujitsu Technology Solutions SPARC Enterprise M4000 COD (Capacity On Demand) and ATO server. Includes 4x unlicensed 2.53GHz SPARC64TM VII CPUs (2 CPU boards with 2 x CPUs each, 5.5MB on-chip L2 cache), 1 I/O tray with 4 PCI-E, 1 PCI-X slots in total and 2x 1GB Ethernet ports, 1x DVD, 2 power supplies (includes redundancy and DPF). As minimum to each COD Server 2 CPU RTU (Right To Use) licenses, memory and HDD are required (must be ordered together with the system)!	SEEBH111U			11790	

SPARC Enterprise Server M5000 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

Cost cutting, robustness and flexibility are the requirements now demanded of rack servers for medium-sized and large enterprises.
The new Fujitsu SPARC Enterprise M4000 and M5000 systems fulfill these requirements. The world's most widespread UNIX operating system, Solaris™, is used. The central Fujitsu Enterprise ServerView Suite management functions ensure a reduction in the need to rectify errors and the costs this entails, as well as remote access anytime, anywhere. Thanks to the servers' unique flexibility in adapting to changing priorities, excess and unused resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs and risk. The SPARC Enterprise M4000 and M5000 systems are therefore the preferred UNIX platforms for a medium-sized company.

SPARC Enterprise Server M5000
The rack based SPARC Enterprise server M5000 is a highly reliable, enterprise-grade, vertically-scalable system that address the mid-range processing requirements of mission-critical IT projects. The midrange model SE M5000 scales up to 8 x SPARC64 VI Dual-Core CPUs or 8 x SPARC64 VII Quad-Core thus having up to 32 cores, and supports extended ECC protection and memory mirroring. Furthermore, the model SE M5000 includes built-in features such as Dynamic System Domains, extended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems computing platform. Massive computing power, a resilient system architecture, flexible resource control features, and the advanced capabilities of the Solaris 10 OE combine in SPARC Enterprise server M5000 to provide organizations a best-in-class midrange enterprise platform. The SPARC Enterprise Server M5000 is the key to lowering your TCO and decreasing IT complexity by precisely addressing your individual needs and saving unnecessary headroom costs from the very start.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server M5000							
	M5000 CPU-,MEM-,Disk- less 1xI/O tray	Fujitsu Technology Solutions SPARC Enterprise M5000 Base Server Cabinet (ATO Base) , 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy)., None memory and none SAS disk drives by standard included!	SEFASY11S			14236	
	M5000 CoD 2.1GHz 8P, 1xI/O tray	Fujitsu Technology Solutions SPARC Enterprise M5000 COD (Capacity On Demand) and ATO server., Includes 8x unlicensed 2.15GHz SPARC64TM VI CPUs (4 CPU boards with 2 x CPUs each, 5MB on-chip L2 cache), 1 I/O tray with 4 PCI-E, 1 PCI-X slots in total and 2x 1GB Ethernet ports, 1x DVD, 4 power supplies (includes redundancy and DPF)., As minimum to each COD Server 2 CPU RTU (Right To Use) licenses, memory and HDD are required (must be ordered together with the system)!	SEFBC111S			16507	
	M5000 CoD 2.53GHz 8P, 1xI/O tray	Fujitsu Technology Solutions SPARC Enterprise M5000 COD (Capacity On Demand) and ATO server., Includes 8x unlicensed 2.53GHz SPARC64TM VII CPUs (4 CPU boards with 2 x CPUs each, 5.5MB on-chip L2 cache), 1 I/O tray with 4 PCI-E, 1 PCI-X slots in total and 2x 1GB Ethernet ports, 1x DVD, 4 power supplies (includes redundancy and DPF)., As minimum to each COD Server 2 CPU RTU (Right To Use) licenses, memory and HDD are required (must be ordered together with the system)!	SEFBJ111U			33275	

SPARC Enterprise Server M8000 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

High availability, performance, robustness and flexibility are now demanded more than ever at data centers. Yet they also require the appropriate solution. Servers with the powerful generation of SPARC64 processor technology in conjunction with Solaris 10 are now available to meet these standards.
The SPARC64 based models of the high-end SPARC Enterprise M8000 and M9000 systems are persuasive platforms. They have been developed to deliver maximum availability in conjunction with the very best performance and a broad range of applications. Your IT business processes are always available at any time with the Fujitsu SPARC Enterprise family. This sophisticated SPARC64 -based server generation sets new standards in terms of performance, quality and functionality. The world's most used UNIX operating system, Solaris™, is deployed. Thanks to the servers' unique flexibility in adapting to changing priorities, unused and unsuitable resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs.

SPARC Enterprise M8000
The SPARC Enterprise Server M8000 is a highly reliable, enterprise-grade, vertically-scalable systems that addresses the high-end processing requirements of mission-critical IT projects. The high-end model SPARC Enterprise M8000 scales up to 16 x SPARC64 VI Dual-Core CPUs or 16 x SPARC64 VII Quad-Core CPUs, thus having up to 64 cores. With symmetric multiprocessing (SMP) scalability from two to 16 processors, memory subsystems as large as 1.024 GB, and high-throughput I/O architectures, SPARC Enterprise servers easily perform the heavy lifting required by workloads such as global enterprise resource planning (ERP), intensive data mining, and complex database transactions. Furthermore, high-end SPARC Enterprise servers include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems compute platform.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server M8000							
	M8000 base f. 4CMU/IOU 1ph1pwrf	M8000 server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option , AC Section 1-ph (ACS_A), Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY11S			50393	
	M8000 base f. 4CMU/IOU 3ph2pwrf delt	M8000 server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_A) , Power expansion cabinet, , Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY21S			91528	
	M8000 base f. 4CMU/IOU 3ph2pwrf star	M8000 server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_B) , Power expansion cabinet, , Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY31S			91528	

SPARC Enterprise Server M9000 Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

High availability, performance, robustness and flexibility are now demanded more than ever at data centers. Yet they also require the appropriate solution. Servers with the powerful generation of SPARC64 processor technology in conjunction with Solaris 10 are now available to meet these standards.
The SPARC64 based models of the high-end SPARC Enterprise M8000 and M9000 systems are persuasive platforms. They have been developed to deliver maximum availability in conjunction with the very best performance and a broad range of applications. Your IT business processes are always available at any time with the Fujitsu SPARC Enterprise family. This sophisticated SPARC64 -based server generation sets new standards in terms of performance, quality and functionality. The world's most used UNIX operating system, Solaris™, is deployed. Thanks to the servers' unique flexibility in adapting to changing priorities, unused and unsuitable resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs.

SPARC Enterprise M9000
The SPARC Enterprise Servers M9000 models are highly reliable, enterprise-grade, vertically-scalable systems that address the high-end processing requirements of mission-critical IT projects. There are two different models, the SPARC Enterprise M9000-32 with up to 32 CPUs and SPARC Enterprise M9000-64 with expansion cabinet for up to 64 CPUs (up to 256 cores with Quad-Core CPUs). With symmetric multiprocessing (SMP) scalability from two to 64 processors, memory subsystems as large as 4 TB, and high-throughput I/O architectures, SPARC Enterprise servers easily perform the heavy lifting required by workloads such as global enterprise resource planning (ERP), intensive data mining, and complex database transactions. Furthermore, high-end SPARC Enterprise servers include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems compute platform.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server M9000							
	M9000/32 EC f. 8CMU/IOU 1ph1pwrf	M9000 server EXPANSION cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option. AC Section 1-ph (ACS_B), , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX11S			183144	
	M9000/32 EC f. 8CMU/IOU 3ph2pwrf delt	M9000 server EXPANSION cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_C) , Power expansion cabinet, , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX21S			251790	

SPARC Enterprise Server M9000 — Data Sheets: http://ts.fujitsu.com/products/unix_servers/sparc_enterprise/

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SPARC Enterprise Server M9000 (Continued)							
	M9000/32 EC f. 8CMU/IOU 3ph2pwrf star	M9000 server EXPANSION cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_D) , Power expansion cabinet, , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX31S			251790	
	M9000/32 base f. 8CMU/IOU 1ph1pwrf	M9000/32 BASE server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option. AC Section 1-ph (ACS_B), Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHASY11S			251790	
	M9000/32 base f. 8CMU/IOU 3ph2pwrf delt	M9000/32 BASE server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_C) , Power expansion cabinet, , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHASY21S			320437	
	M9000/32 base f. 8CMU/IOU 3ph2pwrf star	M9000/32 BASE server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_D) , , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHASY31S			320437	
	M9000/64 base f. 16CMU/IOU 1ph1pwrf	M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option, AC Section 1-ph (ACS_B)	SEJASY11S			412052	
	M9000/64 base f. 16CMU/IOU 3ph2pwrf delt	M9000/64 base f. 16CMU/IOU 3ph2pwrf delt, , M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring	SEJASY21S			549345	
	M9000/64 base f. 16CMU/IOU 3ph2pwrf star	M9000/64 base f. 16CMU/IOU 3ph2pwrf star, , M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring	SEJASY31S			549345	

Positioning PRIMEQUEST

PRIMEQUEST

PRIMEQUEST 580A server is Intel® 64-bit architecture (IA64) based high-end server for use in mission critical environments. They enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.
Combining the power of 64-bit Intel® Itanium® processors, the standard specifications of Microsoft® Windows and Linux operating systems and the wealth of market solutions with innovative fault immune system architecture for highest availability and business continuity, PRIMEQUEST server provide a new operational efficiency for business critical computing with truly open standards.
They hereby meet the demands of customers to expand the reach of open industry standards to include mission critical enterprise operations.

PRIMEQUEST 580A — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

The new PRIMEQUEST 580A is best choice for enterprises that are looking for a mission critical Intel® Itanium® based Linux or Windows platform to provide highest availability, robust performance and enhanced flexibility plus optimum resource usage.
Typical application areas for PRIMEQUEST 580A include large to largest-scale database systems and online transaction processing (OLTP) environments that require a fail-safe mission critical platform with flexibility for future growth.
PRIMEQUEST 580A offers flexible and scalable configuration capabilities for up to 32 Dual-Core processors and belonging I/O resources in a space-saving system cabinet. Automatic reconfiguration and flexible partitioning with up to 16 fail-safe, hardware isolated partitions using eXtended PARtitioning (XPAR) provide optimum resource usage with multiple OS instances.
The advanced system architecture incorporates two innovative key technologies that provide highest availability in a single system:
Mirror Mode and Flexible I/O (FIO).
With Mirror Mode, crossbar interconnects and memory modules can operate in duplex mode to isolate faults without causing a system halt, i.e. not influencing the IT production. FIO allows on demand reallocation of I/O resources to specific processing resources, which enables I/O to match throughput and performance requirements.
Enhanced performance (compared to the predecessors) and reliability of the new Dual-Core Intel® Itanium® 9100 series, large main memory capacities up to 2 Tbyte, high speed crossbar interconnect (up to 170 Gbyte/s throughput) and low memory latencies satisfy huge system and application bandwidth demands.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMEQUEST 1800E							
	PQ1800E Base Unit	System Board not mounted at shipment. (max. 4 System Boards) , - I/O Unit not mounted at shipment. (max. 2 I/O Units), - SAS Disk Unit not mounted at shipment. (max. 4 SAS Disk Units), - 1x Management Board and DVD-ROM drive mounted as standard., - 2x Power Supply Unit (PSU) mounted as standard., , At least one System Board and IO unit must be ordered with one base unit."	MCD3AC111S			38428	
Primequest 580A							
	PQ Base-Unit PRIMEQUEST 580A	The PRIMEQUEST 580A, 32socket base cabinet contains:, Crossbar, 8x slots for System Boards, NO SB included, 8x slots for IOU, NO IOU included, 2x Management Board (MMB), 2x slots for GSWB, NO GSWB included, 1x KVMU incl. DVD drive , PSUs, Fans	D:00-MC5C0P311S			148472	
	PQ580A pkg with 8x Itanium 1.66GHz/8MB		D:01-MC5C0P311S			262009	
	PQ580A pkg with 8x Itanium 1.66GHz/24MB		D:02-MC5C0P311S			375546	
	PQ580A pkg with 16x Itanium 1.66GHz/8MB		D:03-MC5C0P311S			401747	
	PQ580A pkg with 16x Itanium 1.66GHz/24M		D:04-MC5C0P311S			602620	
	PQ580A pkg with 24x Itanium 1.66GHz/8MB		D:05-MC5C0P311S			541485	
	PQ580A pkg with 24x Itanium 1.66GHz/24M		D:06-MC5C0P311S			829694	
	PQ580A pkg with 32x Itanium 1.66GHz/8MB		D:07-MC5C0P311S			681223	
	PQ580A pkg with 32x Itanium 1.66GHz/24M		D:08-MC5C0P311S			1056769	
Primequest IO box							
	PQ PCI-Box for PQx40/x80	This is a PCI slot expansion unit in where up to 12 PCI cards can be mounted in. It is mounted in the expansion I/O cabinet (PRIMECENTER)., No PCI-Units (PCIUs) are mounted as standard. Up to 4 PCIUs can be mounted., One PCI Box includes one PCI Box control cable , (5 m) and two 200 VAC cables., Pitch: 4U	D:00-MC-07PB21S			22707	

PRIMEQUEST Accessories — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	Primequest 580A	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Product Code			End User Price (RRP)	Comments
Accessories & services matrix														
Rack-Infrastructure														
	USB Cable 5m Connector A-B	USB cable kit for direct connection between RC23 and PQ	x	x	x	x	x	x	x	T26139-Y2660-L5			13	
PRIMERGY-Software														
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x				x	x	x	S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x				x	x	x	S26361-F2565-L341			94	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x				x	x	x	S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x				x	x	x	S26361-F2565-L343			94	
Additional Software														
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x							U10987-C504			4033	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x							U10987-C516			4033	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x							U10987-C528			1646	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x							U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x							U10987-C499			13	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
Processor										
	PQ Extended Mirror Mode Option for PQ580	This Option is necessary to enable Extended Mirror Mode for PQ580.		x		D:00-MC-57MR21			41921	
	PQ580A System Board 667MHz	SB with 4 sockets for Itanium® Montvale processor, For processor upgrade see "Notes on SB", CPU sockets and Power Pod sockets , (NO mix of different processor generations & frequencies) , 32 slots for memory DIMM => 8 memory modules, Max. 8 SB in PQ580A		x		D:00-MC-97SB11			14847	
	PQ IO-Unit (IOU) for PQ580A	4x PCI-X slots (short length), - 2x 133MHz, 2x 100MHz, No PCI-X cassettes included, KVM interface on BMM, 2x SCSI Controller (LSI53C1030, dual U320), 4x HDD, 4x 1GBit LAN connected to the GSWB / GTHB, •8x 100Mbit LAN via 2 BMC's for private- and management LAN, •4x PCI-Express lanes for PCI-Unit connection		x		D:00-MC-97UX11			10480	
	System Board	32 GB memory (8GB DIMM x4) not usable!, , - CPU not mounted. (max 2 CPUs), - Memory module not mounted. (max 8 memory modules), - 4x USB and 1x VGA ports included on one system board. , , At least one CPU and memory module must be ordered with one system board."	x			MC-3HSB11			13799	
	I/O Unit	- Max. two I/O Units can be mounted in one server., At least one I/O unit must be mounted., - 8x LAN ports for one I/O unit, - 2x SAS ports for one I/O unit, - Max. 8x PCI Express cards can be mounted, - One PCI Box can be connected for one I/O Unit, - Two SAS Disk unit can be connected to one I/O unit	x			MC-3HUX11			12576	
	MMB	One Management Board mounted as standard, , Max. two Management Board can be mounted., - Adding one board makes Management Board for redundandancy., - 4x LAN ports mounted on one Management Board., (2x for user, 1x for REMCS, 1x for maintenance)	x			MC-5HMM11			3144	
Communication/Network										
	PQ Gigabit Switch Board with10GBps ports	Installation isn't mandatory., Max. 2 x GSWB are possible., Each GSWB provides the following LAN connections :, 16 internal connections to the GBE ports of the LIOUs, 8 external ports 1000BASE-T, Switch is Cisco compatible		x		D:00-MC-77GX11			19214	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
Communication/Network (Continued)										
	PQ500 Gigabit Switch Board (GSWB-1G)	Installation isn't mandatory., Max. 2 x GSWB are possible., Each GSWB provides the following LAN connections :, 16 internal connections to the GBE ports of the LIOUs, 8 external ports 1000BASE-T, Switch is Cisco compatible		x		D:00-MC-87GE11			11354	
	PQ500 Gigabit Through Board (GTHB)	Installation isn't mandatory., Max. 2 x GSWB are possible., Each GSWB provides the following LAN connections :, 16 internal connections to the GBE ports of the LIOUs, 8 external ports 1000BASE-T, Switch is Cisco compatible		x		D:00-MC-87GT11			4192	
PRIMERGY-Software										
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x			S26361-F2565-E317			21	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x			S26361-F2565-E318			21	
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x			S26361-F2565-E327			21	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x			S26361-F2565-E328			21	
	SUSE Linux ES IPF 32-CPU 3Y	SUSE Linux Enterprise Server for IPF 1-Server up to 32-CPU sockets 3-Years subscription		x		U15045-C142			3122	
	SUSE Linux ES 9 IPF Media Kit/U15045-C19	SUSE Linux Enterprise Server 9 for IPF Media Kit		x		U15045-C191			74	Phased out
	Red Hat EL AP <=32CPU&16PART 3Y	Red Hat Enterprise Linux AP up to 32-CPU sockets and 8 partitions level3 support subscription 3-Years.		x		U15045-C252			10925	
	CD Set PRIMEQUEST	This CD Set for PRIMEQUEST systems includes following data media:, U15299-C10 Driver CD for RHEL4, U15299-C11 Driver CD for SLES9, U15299-C12 Driver CD for Windows, U15299-C13 SystemCast Wizard Lite		x	x	U15299-C1			31	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			S26361-F2567-E310			525	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			S26361-F2567-E320			1580	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			S26361-F2567-E330			2473	
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			S26361-F2567-E332			4948	
	Red Hat EL 2-CPU 5x9 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 1-Year	x			S26361-F2346-E701			255	
	Red Hat EL 2-CPU 5x9 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 3-Years	x			S26361-F2346-E702			636	
	Red Hat EL 2-CPU 7x24 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year	x			S26361-F2346-E706			441	
	Red Hat EL 2-CPU 7x24 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years	x			S26361-F2346-E707			1072	
	Red Hat EL AP 5x9 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 1-Year	x			S26361-F2346-E711			539	
	Red Hat EL AP 5x9 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years	x			S26361-F2346-E712			1241	
	Red Hat EL AP 7x24 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year	x			S26361-F2346-E716			654	
	Red Hat EL AP 7x24 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years	x			S26361-F2346-E717			1653	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year	x			S26361-F2346-S801			567	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years	x			S26361-F2346-S802			1538	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year	x			S26361-F2346-S806			927	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years	x			S26361-F2346-S807			2508	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year	x			S26361-F2346-S811			1074	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years	x			S26361-F2346-S812			2878	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year	x			S26361-F2346-S816			1779	

PRIMEQUEST Options

Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years	x			S26361-F2346-S817			4828	
OS/Application-SW										
	PQ System Disk Mirror for Windows	PQ System Disk Mirror für Windows		x		D:00-B698DPD0H1			2183	
UPS/Power supply										
	PQ additional PSU package for PQx80	4 power supply units (PSUs) and 2 AC cords		x		D:00-MC-57PS21S			13100	
	PSU for dps, 2PSU, 2 200VAC power cords	- 1x Power Supply Unit	x			MC-5HDP11S			5764	
	Red. PSU One PSU, one 200VACpc	- 1x Power Supply Unit	x			MC-6HPS11S			3144	
Miscellaneous										
	PQ PCI-Unit(PCIU) for PQx40/x80	One PCI_Box can accommodate up to four PCI units. , Up to three PCI cards can be mounted., The PCIU includes two PCI cassettes as standard.			x	D:00-MC-07PU21			4803	
	PQ PCI-Unit (PCIU) for PQ5x0A	One PCI-Box can accommodate up to four PCI-Units, Up to three PCI-X cards can be mounted per unit, No PCI-X cassettes as standard			x	D:00-MC-07PU31			4803	
	PQ PCI-Express Unit (PEXU) for PQ540/580	One PCI-Box can accommodate up to four PEXU's, Up to two PCI-Express cards can be mounted per unit, The PEXU includes two PCI cassettes as standard			x	D:00-MC-07PX11			4803	
	PQ Dual Power Feed (DPF) package PQx80	For the PRIMEQUEST 480/580 only, 1 expansion power cabinet, 6 power supply units (PSUs), 2 ACSs, and 3 AC cords		x		D:00-MC-57DP21S			26201	
	PQ580 XPAR Option			x		D:00-MC-57XP11			17467	
SW Data Center Products										
	Xprint-NET(W2000/2003) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)		x		U11436-C568			3820	
	Xprint-NET-CL (W2000/2003) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)		x		U11436-C569			1047	
	Xprint-UGM (W2000/2003) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)		x		U11436-C570			1285	
	Xprint-UG2 (W2000/2003) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)		x		U11436-C571			1285	
	Xprint-UG3 (W2000/2003) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)		x		U11436-C572			2169	
	Xprint-UG4 (W2000/2003) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)		x		U11436-C573			1981	
	Xprint-UG5 (W2000/2003) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)		x		U11436-C574			1651	
	Xprint-UG6 (W2000/2003) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)		x		U11436-C575			1651	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
SW Data Center Products (Continued)										
	Xprint-UG7 (W2000/2003) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)		x		U11436-C576			1651	
	Xprint-UG8 (W2000/2003) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)		x		U11436-C577			1651	
	Xprint-ERP-Kit (W2000/2003) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)		x		U11436-C578			3877	
	Xprint-NET-UP(W2000/2003) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C580			1552	
	Xprint-NET-CL-UP(W2000/2003) V8.0	Xprint-NET-CL-UP(W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C581			428	
	Xprint-UGM-UP (W2000/2003) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C582			519	
	Xprint-UG2-UP (W2000/2003) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C583			519	
	Xprint-UG3-UP (W2000/2003) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C584			885	
	Xprint-UG4-UP (W2000/2003) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C585			800	
	Xprint-UG5-UP (W2000/2003) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C586			666	
	Xprint-UG6-UP (W2000/2003) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C587			666	
	Xprint-UG7-UP (W2000/2003) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C588			666	
	Xprint-UG8-UP (W2000/2003) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C589			666	
	Xprint-ERP-Kit-UP (W2000/2003) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C590			1589	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
SW Data Center Products (Continued)										
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)		x		U11436-C616			3820	
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)		x		U11436-C617			1047	
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)		x		U11436-C618			1285	
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)		x		U11436-C619			1285	
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)		x		U11436-C620			2169	
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)		x		U11436-C621			1981	
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)		x		U11436-C622			1651	
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)		x		U11436-C623			1651	
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)		x		U11436-C624			1651	
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)		x		U11436-C625			1651	
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)		x		U11436-C626			3877	
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C628			1552	
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C629			428	
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C630			519	
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C631			519	
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C632			885	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest 580A	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix										
SW Data Center Products (Continued)										
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C633			800	
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C634			666	
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C635			666	
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C636			666	
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0		x		U11436-C637			666	
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)		x		U11436-C638			1589	
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances		x		U11436-C664			381	
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances		x		U11436-C665			381	
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances		x		U11436-C666			571	
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances		x		U11436-C667			856	
	EMANATE-Primecluster (LINUX) V1.5	EMANATE V1.4 Licence SNMP-Masteragent on Linux for Primecluster only		x		U16525-C400			352	

Positioning Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

FibreCAT SX80 iSCSI

The FibreCAT SX80 iSCSI is the iSCSI model of the FibreCAT SX family .

ETERNUS DX60

The ETERNUS DX60 offers quality and reliability. The machine supports all relevant RAID levels. (0, 1, 5, 1+0, 5+0 and 6).

ETERNUS DX80

The ETERNUS DX80 offers quality and reliability.
The machine supports all relevant RAID levels. (0, 1, 5, 1+0, 5+0 and 6).

FibreCAT SX40

FibreCAT SX40 extends storage capacity and eliminates bottlenecks

FibreCAT SX60

The FibreCAT SX60 is the perfect system for small and medium sized companies. It offers large storage capacity with 1-2 enclosures.

FibreCAT SX80

The FibreCAT SX80 is the perfect storage system for the data center. The FibreCAT SX80 offers enterprise class reliability as well as snapshot functionality.

Positioning Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

FibreCAT SX88

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.

FibreCAT SX100

The FibreCAT SX 100 – the enterprise model of the FibreCAT SX Family

FibreCAT CX4

FibreCAT CX4 for highest flexibility and scalability with UltraFlex™ - Storage goes future.

CentricStor FS

CentricStor FS (File Services) – Consolidated file services with unprecedented speed and reliability

FibreCAT SX40 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT SX40 SAS storage subsystem is a passive, directly connectable system for data storage or expanding the hard disk capacity of connected PRIMERGY servers. With a height of 2U, the FibreCAT SX40 subsystem meets the requirements for a compact design with high hard disk capacity in 19-inch rack infrastructures.Up to 12 SAS hard disks offer a total maximum capacity of 3.6 Tbytes in an external housing. Cascading of up to 3 FibreCAT SX40s via the second SAS x4 link permits expansion to a maximum of 10.8 Tbytes of external hard disk capacity.
In the FibreCAT SX40 storage subsystem, the active components – hot-plug hard disks and hot-plug power supply modules – can be replaced while the server is running. The redundant hot-plug power supply units can be connected with phase redundancy via separate power lines. Optimum and secure cooling of the hard disks is ensured by 2 independent fans in each power supply unit.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
FibreCAT SX40							
	FIBRECAT SX40 CHASSIS /4x500GB 7.2K/		LKN:IRL1122200-001			2838	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT SX40							
	FibreCAT SX40 SAS Disk Subsystem	19" rack mountable storage expansion unit (2U) for 12 hot replace SAS HD incl. rack mounting kit,1x SAS input/output module and redundant hot plug power supplies with power cords.	S26361-K1122-V200			1965	

FibreCAT CX4 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT CX4 series meets a full range of needs from departmental applications to enterprise-class business-critical systems by leveraging innovative technologies like Flash drives, UltraFlex™ technology and Virtual Provisioning. The unique combination of flexible, scalable hardware design and advanced software capabilities helps to cut costs and minimize energy use whilst optimizing availability and virtualization.
The FibreCAT CX4 series includes the models 120, 240, 480 and 960 which reflects the number of maximum drives. All models are delivered pre-configured with Fibre Channel and iSCSI connectivity allowing customers to choose the best connectivity for their applications. The FibreCAT CX4 series, optimized for virtualized environments, uniquely combines highest availability with ease of use and energy efficient technology at lowest TCO.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT CX4 ExpansionShelf							
	FibreCAT CX4 Expansion. empty	High-Availability-HDD-Frame 19", 3 hight units,, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material.	D:FCXS4D00-B			3681	
	FibreCAT CX4 Expansion. 15* 1TB/5K4	High-Availability-HDD-Frame 19", 3 hight units,, 15 * 1TB/5.4K HDD, 4GBit/s Switch (Switched Backend) 2 Power Supplies,	D:FCXS4D15-S1T			32467	

ETERNUS DX60 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS – Reliable Storage Solutions for your Dynamic Infrastructures

The ETERNUS DX60 offers quality and reliability. The machine supports all relevant RAID levels (0, 1, 5, 1+0, 5+0 and 6) and features like RAID migration to migrate data dynamically between disks or Data Block Guard to ensure data integrity. Instead of traditional batteries the CacheProtector feature uses capacitors to write the content of the RAID controller cache to a flash memory in case of power failure.
The ETERNUS DX60 systems are equipped with 4 Gigabit per second fibre channel technology. The standard machine comes with 8 snapshots and can be extended to 512 snapshots.
The very affordable ETERNUS DX60 systems are easy to operate with the pre-installed graphical user interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX60							
	V4Y ET DX60 1x FC 4G2P 2x1.0TB		VFY:DX600XF030IN			3744	
			VFY:DX600XF010IN			3675	
			VFY:DX600XF040IN			5558	
			VFY:DX600XF020IN			3815	
			VFY:DX600XF080IN			3815	
			VFY:DX600XF070IN			3763	
			VFY:DX600XF060IN			3591	
			VFY:DX600XF050IN			3522	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60							
	Eternus DX60 BASE 1x FC Controller 4G2P	ETERNUS DX60 Base-System with one FC Controller	FTS:ET06F12AG			3424	
	Eternus DX60 BASE 2x FC Controller 4G2P	ETERNUS DX60 Base-System with two FC Controller	FTS:ET06F22AG			5397	
	ETERNUS DX60 BASE 1x iSCSI Controller	ETERNUS DX60 Base-System with one iSCSI Controller	FTS:ET06L12AG			3258	
	ETERNUS DX60 BASE 2x iSCSI Controller	ETERNUS DX60 Base-System with two iSCSI Controller	FTS:ET06L22AG			5004	
	ETERNUS DX60 BASE 1x SAS Controller	ETERNUS DX60 Base-System with one SAS Controller	FTS:ET06S12AG			2934	
	ETERNUS DX60 BASE 2x SAS Controller	ETERNUS DX60 Base-System with two SAS Controller	FTS:ET06S22AG			4472	
ETERNUS DX60 2.5"							
	ETERNUS DX60 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with one FC Controller	FTS:ET06F12BG			5450	
	ETERNUS DX60 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with two FC Controller	FTS:ET06F22BG			7686	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			1983	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2734	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			3843	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			3808	

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS – Reliable Storage Solutions for your Dynamic Infrastructures

The ETERNUS DX80 offers quality and reliability. The machine supports all relevant RAID levels (0, 1, 5, 1+0, 5+0 and 6) and features like RAID migration to migrate data dynamically between disks or Data Block Guard to ensure data integrity. Instead of traditional batteries the CacheProtector feature uses capacitors to write the content of the RAID controller cache to a flash memory in case of power failure.
The ETERNUS DX80 systems meet with 8 Gigabit per second fibre channel technology the requirements for data center operations. The standard machine is equipped with 8 snapshots and can be extended to 1024 snapshots.
The very affordable ETERNUS DX systems are easy to operate with the pre-installed graphical user interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX80							
	V4Y ET DX80 1x FC 4G2P 2x450GB		VFY:DX800XF030IN			4464	
			VFY:DX800XF020IN			4191	
			VFY:DX800XF040IN			5042	
			VFY:DX800XF010IN			4838	
			VFY:DX800XF060IN			4197	
			VFY:DX800XF050IN			3954	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80							
	Eternus DX80 BASE 1x FC Controller 4G2P	ETERNUS DX80 Base-System with one FC Controller	FTS:ET08F12AG			4105	
	Eternus DX80 BASE 2x FC Controller 4G2P	ETERNUS DX80 Base-System with two FC Controller	FTS:ET08F22AG			6524	
	Eternus DX80 BASE 1x FC Controller 8G2P	ETERNUS DX80 Base-System with one FC Controller	FTS:ET08E12AG			4891	
	Eternus DX80 BASE 2x FC Controller 8G2P	ETERNUS DX80 Base-System with two FC Controller	FTS:ET08E22AG			8122	
	ETERNUS DX80 BASE 1x iSCSI Controller	ETERNUS DX80 Base-System with one iSCSI Controller	FTS:ET08L12AG			3895	
	ETERNUS DX80 BASE 2x iSCSI Controller	ETERNUS DX80 Base-System with two iSCSI Controller	FTS:ET08L22AG			5939	
	ETERNUS DX80 BASE 1x SAS Controller	ETERNUS DX80 Base-System with one SAS Controller	FTS:ET08S12AG			3528	
	ETERNUS DX80 BASE 2x SAS Controller	ETERNUS DX80 Base-System with two SAS Controller	FTS:ET08S22AG			5476	
ETERNUS DX80 2.5"							
	ETERNUS DX80 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller	FTS:ET08F12BG			5642	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller	FTS:ET08F22BG			7773	
	ETERNUS DX80 BASE 2,5" 1x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller	FTS:ET08E12BG			6332	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller	FTS:ET08E22BG			8777	

FibreCAT SX88 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.
This is realized by using the latest technology, such as significantly improved RAID controllers for highest performance. This makes it the fastest FibreCAT SX ever and thus the perfect system for applications that need extra-fast storage. The FibreCAT SX88 is especially suited for databases, backup to disk and streaming media. Due to its optimized data throughput it is also predestined for applications like email, web services and archiving.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
FibreCAT SX88							
	FibreCAT SX88 VFY 2x 300 GB		VFY:SX880XF030IN			5708	Phased out
			VFY:SX880XF010IN			5974	Phased out

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT SX88							
	Base Unit FibreCAT SX88	FibreCAT SX88 Base Unit incl., 1x SX88 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots,, RAIL-Kit to install into a Rack	D:FCSX88-BASE			5004	Phased out
	FibreCAT SX88 APAK 3x 146GB	FibreCAT SX88 package., 3x SAS HDD 146GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P2-146-3			5599	Phased out
	FibreCAT SX88 APAK 2x 300 GB	FibreCAT SX88 package., 2x SAS HDD 146 GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P2-300-2			5712	Phased out
	FibreCAT SX88 APAK 3x 500GB	FibreCAT SX88 package., 3x SATA HDD 500GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P1-500-3			5380	Phased out

FibreCAT SX100 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT SX 100 is the enterprise model of the FibreCAT SX Family. The FibreCAT SX offers twice as much: First of all more than double the expansion volume. Thus it can support up to 108 hard drives in 9 shelves and offers a storage capacity of up to 108 TB. Secondly, the FibreCAT SX 100 is twice as fast as the FibreCAT SX80 due to its improved controller technology. Thirdly it offers the possibility of using 4 ports per controller, as opposed to the 2 previously offered. Thanks to this, 4 servers instead of 2 can now be directly and redundantly connected to the machine. Furthermore, the FibreCAT SX100 now supports 244 Snapshots and is equipped for further enterprise functionalities such as replication (replication ready).

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
FibreCAT SX100							
	FibreCAT SX100 VFY 2x 450 GB		VFY:SX100XF010IN			7119	Phased out

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT SX100							
	Base Unit FibreCAT SX100	FibreCAT SX100 Base Unit incl., 1x SX100 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots,, RAIL-Kit to install into a Rack	D:FCSX100-BASE			6210	Phased out
	FibreCAT SX100 APAK 3x 146 GB	FibreCAT SX100 package., 3x SAS HDD 146GB, 1 RAID Controller, certification paper for:, Windows, VMware, LINUX, connect to PRIMERGY and "NON" Fujitsu Server, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX100P-146-3			7104	Phased out
	FibreCAT SX100 APAK 4x 300 GB	FibreCAT SX100 package., 4x SAS HDD 300GB, 1 RAID Controller, certification paper for:, connect to "NON" Fujitsu Server, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX100P-300-4			8220	Phased out

FibreCAT Disk Frames

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT CX ATA ExpansionShelf							
	FibreCAT CX ATA-Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXADR-00D			6786	Phased out
FibreCAT CX ExpansionShelf							
	FibreCAT CX S2 Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material., 2 Interlink cable (FC2-HSSDC), 2 Interlink cable (FC1-HSSDC), Point to Point connection with 2GBit Switch for each drive.	D:FCXS2D-00D			3965	
	FibreCAT CX Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXDR-00D			3965	Phased out

| Category | Description | Details | ETERNUS DX 440 | ETERNUS DX 440 S2 Upgrade | ETERNUS DX 8x0 | ETERNUS DX 8x0 2.5" | ETERNUS DX 8x0 S2 Expansion | ETERNUS DX 8x0 3.5" | ETERNUS DX 8x0 S2 3.5" | ETERNUS DX 410 | ETERNUS LT 60 | ETERNUS LT 160 | FibreCAT CX CX4 Expansionshelf | FibreCAT CX CX4 Expansionshelf | FibreCAT CX CX4 Projects | FibreCAT CX CX4-10c | FibreCAT CX CX4-10c | FibreCAT CX CX4-20c | FibreCAT CX CX4-40 | FibreCAT CX CX4 Expansionshelf | FibreCAT CX CX4-40c | FibreCAT CX CX4-240c | FibreCAT CX CX4-480c | FibreCAT CX CX4-960c | FibreCAT CX CX600 | FibreCAT CX CX700 | FibreCAT CX NX4/S14 | FibreCAT CX NX4/S14 Cache Cluster | FibreCAT CX 500 Expansion | FibreCAT CX 500 | FibreCAT CX 500 Expansion | FibreCAT CX 500 | FibreCAT CX 500/S500 Expansion | FibreCAT CX 500 | FibreCAT CX 700 | FibreCAT CX 700 FibreExtender | FibreCAT CX 700 LTO G2 | FibreCAT CX 700 LTO G3 | FibreCAT CX 700 | Ultrium Stacker i500/i6 /i6000 | Ultrium Stacker i500 | Ultrium Stacker i400 | MMK SCALAR i500 for BS2 | MMK VSA Desktop | MMK VSA Rackmounter | MTC1464 | MTC Desktop/Drive | MTC Rackmount | MTC4 stacker | MTC Scalar i500 for BS2 | MTC Scalar i500 for 3592 | NetApp FAS | NetApp V-Series | Other Peripherals | PRIMERGY/Blade Subsystem+ | PRIMERGY SAS/Fibre Channel Blade | PRIMERGY SAS HP | PRIMERGY SAS HP | PRIMERGY SAS | PRIMERGY SX650 | SAN 1 GB Switch/Director | Product-Code | | End-User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Channel/iSCSI | ETERNUS DX440 Fibre Channel/SAS | ETERNUS DX60 | ETERNUS DX60 S2 expansion | ETERNUS DX60 S2 | ETERNUS DX60 S2_3" | ETERNUS DX60 S2_3.5" | ETERNUS DX60 | ETERNUS DX60 S3 | ETERNUS DX80 S2 | ETERNUS DX80 S2 expansion | ETERNUS DX90 S2 | ETERNUS DX90 S2 expansion | FibreCAT CX 4Gb Expansion shelf | FibreCAT CX 4Gb Fibre Channel shelf | FibreCAT CX 2Gb Expansion shelf | FibreCAT CX 2Gb Fibre Ch | FibreCAT CX200 | FibreCAT CX200 Fibre Ch | FibreCAT CX200 SAS | FibreCAT CX400 | FibreCAT CX400 Fibre Ch | FibreCAT CX400 SAS | FibreCAT CX600 | FibreCAT CX600 Fibre Ch | FibreCAT CX600 SAS | FibreCAT CX700 | FibreCAT NX4 SAN/iS | FibreCAT NX4 SAN/iS expansion | FibreCAT NX4 SVP | FibreCAT NX4 | FibreCAT NX40 | FibreCAT NX40 Fibre Ch | FibreCAT NX40 SAS | FibreCAT NX80 | FibreCAT NX80 Expansion | FibreCAT NX80 Fibre Ch | FibreCAT NX80 Fibre Ch Expansion | FibreCAT NX80 SAS | FibreCAT NX80 SAS Expansion | FibreCAT NX80 SATA | FibreCAT NX80 SATA Expansion | FibreCAT T200 | FibreCAT T200 Fibre Ch Loader | FibreCAT T210 | FibreCAT T24 LTO 3U | FibreCAT T24 LTO 5U | FibreCAT T40 | Library System 6000E 4x500 | Library System 6000E | MAILSCALAR DX60 for S2 | MAILX Archiving | MTC Autoloader | MTC Desktop Drive | MTC Library | MTC Regular | MTC SCALAR 18E | MTC Scalar i500/i2000 | MTC Scalar i500/i2000 RSB | NetApp FAS | Other Peripherals | PRIMERGY Disk Subsystems | PRIMERGY SX40 | PRIMERGY SX40 S2 | PRIMERGY SX40S2 | PRIMERGY SX60 | PRIMERGY SX60 S2 | SAS LTO Stand-Alone Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX440 Upgrade | ETERNUS DX60 | ETERNUS DX60 S2 Expansion | ETERNUS DX60 S2_3" | ETERNUS DX60 S2_3.5" | ETERNUS DX60 S3 | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT CX 4Gb Frame/Kabinett | FibreCAT CX 4Gb Expansion/Einbau | FibreCAT CX3 Products | FibreCAT CX4 | FibreCAT CX500 Products | FibreCAT CX500 -SAC | FibreCAT CX500 -SAE | FibreCAT CX500 -SAS | FibreCAT CX4-4C | FibreCAT CX4-8C | FibreCAT CX4 Expansion/Einbau | FibreCAT CX4-240 | FibreCAT CX4-480 | FibreCAT CX4-960 | FibreCAT CX4 Expansion/Einbau | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NX Products | FibreCAT NX8 1GbiFS | FibreCAT NX8 2GbFS | FibreCAT NX4/S2FB | FibreCAT NX5 | FibreCAT NX600 | FibreCAT NX6500 Chen | FibreCAT NX6500 Expansion | FibreCAT NX7500 | FibreCAT NX7500 Expansion | FibreCAT NX8000 | FibreCAT NX8000 Expansion | FibreCAT NX8000 Expansion | FibreCAT TX Products | FibreCAT TX24 | FibreCAT TX24 T1/E1 | FibreCAT TX24 T3/E3 | FibreCAT TX24 T3/E3 SD | FibreCAT TX48 | Library System 6000E | Library System 8000E | MBR/SCALAR i500/i6 for ES2 | MBR/SCALAR i500/i6 for ES2 Expander | MBR/VX Attributes | MTC 6000 | MTC Desktop Drive | MTC Rack Mount | MTC Regular | MTC SCALAR 18E | MTC Scalar i2000 | MTC Scalar i2000/i1-ES2 | NeXsys FAS | NeXsys FAS Bundle | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY Peripheral Devices | PRIMERGY SX10 | PRIMERGY SX40/S1 | PRIMERGY SX40/S2 | PRIMERGY SX60 | PRIMERGY SX 90 | SAS 12Gbit/s Hard Drive | Product Code | | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX4 M | ETERNUS DX4 M Field upgrade | ETERNUS DX4 M Field upgrade | ETERNUS DX400 | ETERNUS DX400 S operation | ETERNUS DX400 S_F | ETERNUS DX400 S_F | ETERNUS DX400 S_F | ETERNUS DX440 | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX Processor | FibreCAT CX600 | FibreCAT CX600 Fabric | FibreCAT CX700 SAC | FibreCAT CX700 SAC | FibreCAT CX700 4xC | FibreCAT CX700 4xC | FibreCAT CX700 Expansionshelf | FibreCAT CX700 | FibreCAT CX700 SAC | FibreCAT CX700 SAC | FibreCAT CX700 4xC | FibreCAT CX700 4xC | FibreCAT CX900 | FibreCAT CX900 | FibreCAT CX900 | FibreCAT NX8 1GbFS | FibreCAT NX8 FCoE | FibreCAT NX8 iSCSI | FibreCAT NX8PB | FibreCAT NX80 | FibreCAT NX80 64 | FibreCAT NX80 64 Data Chan | FibreCAT NX80 Expansion | FibreCAT S2AC | FibreCAT S2AC operation | FibreCAT S2AC 8GB/s | FibreCAT S2AC operation | FibreCAT S2AC 8GB/s | FibreCAT S2AC Expansion | FibreCAT TX96 | FibreCAT TX96 Media Loader | FibreCAT TX96 LTO | FibreCAT TX96 LTO 3G | FibreCAT TX96 LTO 4G | FibreCAT TXP | Library Router 4Gb/4Gb 4x8Gb | Library Router 8Gb | MBR/SCALAR i500/4x16 | MBR/VXA Autoloader | MTC 896 | MTC Desktop Drive | MTC Rackmount | MTC Regular | MTC SCALAR 10K | MTC Scalar i2000/i6000 | MTC Scalar i2000/i6000 4GB | McAfee FAS | McAfee FAS Bundle | Other Peripherals | PRIMERGY BX Subsystems | PRIMERGY CX Peripheral Boxes | PRIMERGY RX1 | PRIMERGY SX42F | PRIMERGY SX42S | PRIMERGY SX 96 | PRIMERGY SX 96 | SAS LTO Stand Alone Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX4/8 | ETERNUS DX440 Fibre Channel | ETERNUS DX500 | ETERNUS DX500 S3 | ETERNUS DX500 S3 operation | ETERNUS DX600 S3 | ETERNUS DX600 S3* | ETERNUS DX600 S3** | ETERNUS DX60 | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Processor | FibreCAT CX Processor | FibreCAT CX20 | FibreCAT CX20 FibreCh. | FibreCAT CX20 iSC | FibreCAT CX20 iSC | FibreCAT CX20 iSC | FibreCAT CX20 Expansionshelf | FibreCAT CX40 | FibreCAT CX40 iSC | FibreCAT CX40 iSC | FibreCAT CX40 Expansionshelf | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX600 FibreCh. | FibreCAT CX600 iSCSI | FibreCAT CX600 iSCSI | FibreCAT CX600 iSCSI | FibreCAT CX600 Expansionshelf | FibreCAT NX0 | FibreCAT NX0 | FibreCAT NX0

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Upgrade | ETERNUS DX60 S3 | ETERNUS DX60 S3_S | ETERNUS DX60 S4 | ETERNUS DX60 S4_S | ETERNUS LT40 | ETERNUS LT60 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Plus Expansionshelf | FibreCAT CX Processor | FibreCAT CX600 | FibreCAT CX600 Fibre Ch. | FibreCAT CX-2Gb-SAC | FibreCAT CX-4Gb | FibreCAT CX-4Gb-SC | FibreCAT CX Expansionshelf | FibreCAT CX40 | FibreCAT CX40 SAC | FibreCAT CX40 SC | FibreCAT CX40 SC SAC | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NAS 10APS | FibreCAT NAS 20APS | FibreCAT NAS DPM | FibreCAT NX0 | FibreCAT NX0 Fibre Ch. | FibreCAT NX100 Expansion | FibreCAT NX2 | FibreCAT NX200 | FibreCAT NX200 Expansion | FibreCAT NX300 | FibreCAT NX300 Expansion | FibreCAT TX | FibreCAT TX Rack Loader | FibreCAT TX24 | FibreCAT TX48 LTO 3U | FibreCAT TX48 LTO 5U | FibreCAT TXF | Library Scout 4000/6 4000 | Library Scout 8000 | MB1FSCALAR i500/4x8 | MB1FX Adhesive | MB1FX Cleaning Cassette | MTC 8/96 | MTC Desktop Drive | MTC Library | MTC Magstar | MTC SCALAR 18E | MTC Scalar i500/ext.R50 | MTC Scalar i500/ext.R50 | NetApp FAS | NetApp V-Series | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY SX140 S2 | PRIMERGY SX140 S2 | PRIMERGY SX60 | PRIMERGY SX60 S2 | PRIMERGY SX60 S2 | PRIMERGY SX 30 | PRIMERGY SX 30 | SAS LTO Stand-Alone Drive | Product Code | | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX4/8 | ETERNUS DX440 Fibrecanale | ETERNUS DX100/200 | ETERNUS DX60/S2_S3* | ETERNUS DX60/S2_S3* operation | ETERNUS DX80/S2 | ETERNUS DX80/S2_S3* | ETERNUS DX400 | ETERNUS DX410/S2_S3* | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Processor | FibreCAT CX Processor | FibreCAT CX20 | FibreCAT CX20 Fibre Ch | FibreCAT CX30 | FibreCAT CX40 | FibreCAT CX40 4Gb | FibreCAT CX40 Expansionshelf | FibreCAT CX40 Processor | FibreCAT CX60 | FibreCAT CX60 4Gb | FibreCAT CX80 | FibreCAT CX80 Fibre Ch | FibreCAT CX80 Processor | FibreCAT CX80 SAS | FibreCAT CX80 SATA | FibreCAT NX8 1GbiSCSI | FibreCAT NX8 SAS | FibreCAT NX8FB | FibreCAT NX80 | FibreCAT NX80 Fibre Ch | FibreCAT NX80 Expansion | FibreCAT NX80 Processor | FibreCAT Storage Server | FibreCAT Tape Server | Library System 6000E | Library System 6000E | MB10SCALAR i500/i6 Autochanger | MB10SCALAR i500/i6 Drive | MTC 8Gb | MTC Desktop Drive | MTC LTO Drive | MTC Regular | MTC SCALAR 18E | MTC Scalar i500/i6 | MTC Scalar i500/i6 8Gb | NeTeyFAS | NeTeyFAS Controller | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY FibreChannel Cards | PRIMERGY SX10 | PRIMERGY SX40S2 | PRIMERGY SX40S2 | PRIMERGY SX 60 | PRIMERGY SX 80 | SAS 15 krpm hard drive | Product Code | | | Market Price (MRP) | | Comments |
|---|---|---

Accessories Storage Disk Systems

Data Sheets: http://ts.fujitsu.com/storage

| Category | Description | Details | ETERNUS DX4/8 | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX60 | ETERNUS DX60 Upgrade | ETERNUS DX60 S2 | ETERNUS DX60 S2 Upgrade | ETERNUS DX60 S3 | ETERNUS DX60 S3 Upgrade | ETERNUS DX80 S2 | ETERNUS DX90 S2 | ETERNUS CA iSCSI Frame/Interf | FibreCAT CA iSCSI Frame/Interf | FibreCAT CX Frame/Interf | FibreCAT CX Frame/Int | FibreCAT CX200 Frame/Int | FibreCAT CX200 Fr/Int Upg | FibreCAT CX300 | FibreCAT CX300 Upgrade | FibreCAT CX400 | FibreCAT CX400 Upgrade | FibreCAT CX500 | FibreCAT CX500 Upgrade | FibreCAT CX600 | FibreCAT CX600 Upgrade | FibreCAT CX700 | FibreCAT CX700 Upgrade | FibreCAT CX Expansion/Shelf | FibreCAT CX Expansion/Shelf | FibreCAT CX300 | FibreCAT CX400 | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX900 | FibreCAT CX Expansion/Shelf | FibreCAT CX Frame/Int | FibreCAT CX200 Frame/Int | FibreCAT CX300 Frame/Int | FibreCAT CX400 Frame/Int | FibreCAT CX500 Frame/Int | FibreCAT CX600 Frame/Int | FibreCAT CX700 Frame/Int | FibreCAT CX900 Frame/Int

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 | ETERNUS DX500 Upgrade | ETERNUS DX500 S3 | ETERNUS DX500 S3 Upgrade | ETERNUS DX500 S4 | ETERNUS DX600 S3 | ETERNUS DX8700 | ETERNUS CA IA64 Kernel/Interf | ETERNUS CA IA64 Kernel/Interf Upgrade | ETERNUS CA Kernel/Interf | ETERNUS CA Kernel/Interf Upgrade | ETERNUS CS Products | ETERNUS CS Products Upgrade | ETERNUS CS Products Upgrade | ETERNUS CS800 Products | ETERNUS CS800 S3 | ETERNUS CS800 S3 Upgrade | ETERNUS CS800 S4 | ETERNUS CS800 S4 Upgrade | ETERNUS LT60 | ETERNUS LT60 Upgrade | ETERNUS LT60 S2 | ETERNUS LT60 S2 Upgrade | FibreCAT CX | FibreCAT CX200 | FibreCAT CX300 | FibreCAT CX400 | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX Expansion/Shelf | FibreCAT CX Expansion/Shelf Upgrade | FibreCAT CX Products | FibreCAT CX Products Upgrade | FibreCAT CX | FibreCAT CX Products | FibreCAT CX200 Products | FibreCAT CX300 | FibreCAT CX400 | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX Expansion/Shelf | FibreCAT CX Expansion/Shelf Upgrade | FibreCAT CX200 | FibreCAT CX300 | FibreCAT CX400 | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NX | FibreCAT NX Upgrade | FibreCAT NX200 | FibreCAT NX200 Upgrade | FibreCAT NX300 | FibreCAT NX300 Upgrade | FibreCAT NX4000 | FibreCAT NX4000 Upgrade | FibreCAT NX4000 Expansion | FibreCAT NX4000 Chen | FibreCAT NX4000 Expansion | FibreCAT NX500 | FibreCAT NX500 Upgrade | FibreCAT NX500 Expansion | FibreCAT NX5500 | FibreCAT NX5500 Upgrade | FibreCAT NX5500 Expansion | FibreCAT NX5500 Expansion Upgrade | FibreCAT NX7000 | FibreCAT NX7000 Upgrade | FibreCAT TX200 | FibreCAT TX200 Rack-Loader | FibreCAT TX200 S3 | FibreCAT TX200 S3 Upgrade | FibreCAT TX300 S3 | FibreCAT TX300 S3 Upgrade | FibreCAT TX | FibreCAT TX Upgrade | Library System 6000 | Library System 6000 Upgrade | MAILSCALAR DX60 for S2 | MAILSCALAR DX60 for S2 Upgrade | MAILSCALAR DX60 Expander | MTC 8MM | MTC Autoloader | MTC Desktop Drive | MTC Library | MTC SCALAR 18E | MTC SCALAR 18E Upgrade | MTC Scale-24000 or 8SE | MTC Scale-24000 or 8SE Upgrade | NetApp FAS | NetApp FAS Upgrade | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY DX Subsystems Upgrades | PRIMERGY SX10 | PRIMERGY SX10 Peripherals | PRIMERGY SX40 | PRIMERGY SX40 Upgrade | PRIMERGY SX40F | PRIMERGY SX40F Upgrade | PRIMERGY SX 80 | PRIMERGY SX 80 Upgrade | SAS 3.5" Hard Disk Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Petagrande | ETERNUS DX500 | ETERNUS DX500 operation | ETERNUS DX500 S_F | ETERNUS DX600 S_F | ETERNUS DX440 | ETERNUS LT20 | ETERNUS LT60 | ETERNUS LT60 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Processorshelf | FibreCAT CX Projects | FibreCAT CX500 | FibreCAT CX500 Fabrics | FibreCAT CX500 SAC | FibreCAT CX500 AC | FibreCAT CX500 DC | FibreCAT CX500 Expansionshelf | FibreCAT CX600 | FibreCAT CX600 SAC | FibreCAT CX600 AC | FibreCAT CX600 DC | FibreCAT CX600 Expansionshelf | FibreCAT CX700 | FibreCAT CX700 Fabrics | FibreCAT CX700 SAC | FibreCAT CX700 AC | FibreCAT CX700 DC | FibreCAT CX700 Expansionshelf | FibreCAT CX700 Fabrics | FibreCAT CX700 Fabrics | FibreCAT CX700 Fabrics

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX440 Upgrade | ETERNUS DX440 Upgrade operation | ETERNUS DX60 S2 | ETERNUS DX60 S2_5" | ETERNUS DX60 S3 | ETERNUS DX60 S3_5" | ETERNUS LT40 | ETERNUS LT60 | FibreCAT CX 4Gb Frame/Kabinett | FibreCAT CX 4Gb Frame/Kabinett | FibreCAT CX Presales | FibreCAT CX40 | FibreCAT CX40 Presales | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX40 S2 Expansion/Brief | FibreCAT CX40 S2 Expansion/Brief | FibreCAT CX40 S2 Expansion/Brief

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 | ETERNUS DX500 Upgrade | ETERNUS DX500 S3 | ETERNUS DX500 S3 Upgrade | ETERNUS DX500 S4 | ETERNUS DX600 S3 | ETERNUS DX600 S3 Upgrade | ETERNUS DX600 S3 Upgrade | ETERNUS DX600 S4 | ETERNUS DX600 S4 Upgrade | ETERNUS DX60 S4 | ETERNUS CS HDX Frame/Handheld | FibreCAT CS HDX Frame/Handheld | FibreCAT CX Expansion/Shelf | FibreCAT CX Proactive | FibreCAT CX700 | FibreCAT CX700 Fail-safe | FibreCAT CX600 | FibreCAT CX500 | FibreCAT CX500 Fail-safe | FibreCAT CX500 Expansion | FibreCAT CX400 | FibreCAT CX400 Fail-safe | FibreCAT CX400 Expansion | FibreCAT CX300 | FibreCAT CX300 Fail-safe | FibreCAT CX300 Expansion | FibreCAT CX200 | FibreCAT CX200 Fail-safe | FibreCAT CX200 Expansion | FibreCAT CX100 | FibreCAT CX100 Fail-safe | FibreCAT CX100 Expansion | FibreCAT CS Fabric Switch | FibreCAT CS Fabric Switch Upgrade | FibreCAT CS Fabric Switch Expansion | FibreCAT NX4 | FibreCAT NX4 Fail-safe | FibreCAT NX4 Expansion | FibreCAT NX8 | FibreCAT NX8 Fail-safe | FibreCAT NX8 Expansion | FibreCAT NX8 Base Unit | FibreCAT NX8 Base Unit Fail-safe | FibreCAT NX8 Base Unit Expansion | FibreCAT NX8 Expansion | FibreCAT NX8 Expansion Fail-safe | FibreCAT NX8 Expansion Expansion | FibreCAT TX24 Rack/Loader | FibreCAT TX24 | FibreCAT TX48 LTO G3 | FibreCAT TX48 LTO G3 Fail-safe | FibreCAT TX48 LTO G5 | FibreCAT TX48 LTO G5 Fail-safe | FibreCAT TX48 | Library System VM5000 | Library System VM5000 Fail-safe | MBR/SCALAR i500/i6 Rack | MBR/SCALAR i500/i6 Rack Fail-safe | MBR/SCALAR i500/i6 Rack Expander | MBR/XA Mainframe | MTC 896 | MTC Desktop Drive | MTC Rack Drive | MTC Regular | MTC SCALAR 18E | MTC SCALAR i500/i6 | MTC Scale i500/i6 RSB | NetApp FAS | NetApp V-Series | Other Peripherals | PRIMERGY BX Subsystems | PRIMERGY CX Peripherals | PRIMERGY RX | PRIMERGY SX40 | PRIMERGY SX40 F | PRIMERGY SX60 | PRIMERGY SX60 F | PRIMERGY SX 96 | PRIMERGY SX 96 F | SAS / U320 Hard Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 | ETERNUS DX500 Expansion | ETERNUS DX500 S3 | ETERNUS DX500 S3 Expansion | ETERNUS DX500 S4 | ETERNUS DX600 | ETERNUS DX600 S3 | ETERNUS CS 8Ports Frontend Interface | FibreCAT CX 4Ports Frontend Interface | FibreCAT CX Expansion Shelf | FibreCAT CX Processor | FibreCAT CX Upgrade | FibreCAT CX200 Ports/4x | FibreCAT CX20 SAC | FibreCAT CX20 iSC | FibreCAT CX40 4G | FibreCAT CX40 iSC | FibreCAT CX Expansion Shelf | FibreCAT CX40 | FibreCAT CX40 SAC | FibreCAT CX40 iSC | FibreCAT CX600 | FibreCAT CX600 Ports/4x | FibreCAT CX700 | FibreCAT NX8 1GbiSCSI | FibreCAT NX8 FCoE | FibreCAT NX8 FC | FibreCAT NX8 | FibreCAT NX8 Expansion | FibreCAT NX8 Upgrade | FibreCAT NX8 Other | FibreCAT NX8 Expansion Other | FibreCAT NX8 8Gb FC Expansion | FibreCAT 8000 | FibreCAT 8000 Expansion | FibreCAT 8000 Upgrade | FibreCAT 8000 Expansion | FibreCAT 8000 | FibreCAT 8000 Upgrade | FibreCAT TX8 Rack Loader | FibreCAT TX8 | FibreCAT TX8 LTO G3 | FibreCAT TX8 LTO G2 | FibreCAT TX8 LTO G5 | FibreCAT TXF | Library System 6000E &4000 | Library System 2640 | MB1S CALAR 1500 for 8 G2 | MB1S CALAR 1500 for 8 G2 Upgrade | MB1FC SAN Module | MTC 8/96 | MTC Desktop Drive | MTC LTO Drive | MTC Regular | MTC SCALAR 10K | MTC Scalar 24/Scalar 24 G2 | MTC Scalar 2000/for 8 G2 | NeTeyFA 8 | NeTeyFA 8 Upgrade | Other Peripherals | PRIMERGY DX S4 Subsystems | PRIMERGY FC Switch/Switches | PRIMERGY FC-10 | PRIMERGY SX40 F | PRIMERGY SX40 S | PRIMERGY SX 80 | PRIMERGY SX 80 | SAS 12 Gbit/s Hard Drive | Product Code | | | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Channel/iSCSI | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 expansion | ETERNUS DX80 S2 | ETERNUS DX80 S2 | ETERNUS DX90 S2 | ETERNUS DX90 S2 | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Fibre Channel | FibreCAT CX Projects | FibreCAT CX20 | FibreCAT CX20 Projects | FibreCAT CX30 | FibreCAT CX30 S2 | FibreCAT CX40 | FibreCAT CX40 S2 | FibreCAT CX40 Expansionshelf | FibreCAT CX40 S2 Expansionshelf | FibreCAT CX60 | FibreCAT CX60 S2 | FibreCAT CX60 Projects | FibreCAT CX80 | FibreCAT CX80 S2 | FibreCAT CX80 Expansionshelf | FibreCAT CX80 S2 Expansionshelf | FibreCAT CX80 Projects | FibreCAT CX100 | FibreCAT CX200 | FibreCAT CX200 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX400 | FibreCAT CX400 Projects | FibreCAT CX500 | FibreCAT CX500 Projects | FibreCAT CX600 | FibreCAT CX600 Projects | FibreCAT CX700 | FibreCAT CX700 Projects | FibreCAT CX4-120 | FibreCAT CX4-120 Expansionshelf | FibreCAT CX4-120 Projects | FibreCAT CX4-240 | FibreCAT CX4-240 Expansionshelf | FibreCAT CX4-240 Projects | FibreCAT CX4-480 | FibreCAT CX4-480 Expansionshelf | FibreCAT CX4-480 Projects | FibreCAT CX4-960 | FibreCAT CX4-960 Expansionshelf | FibreCAT CX4-960 Projects | FibreCAT CX500 | FibreCAT CX500 Projects | FibreCAT CX600 | FibreCAT CX600 Projects | FibreCAT CX700 | FibreCAT CX700 Projects | FibreCAT CX700 Expansionshelf

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX60 | ETERNUS DX60 S2 Upgrade | ETERNUS DX60 S3 | ETERNUS DX60 S3_S | ETERNUS DX60 S4 | ETERNUS DX60 S4_S | ETERNUS DX80 | ETERNUS DX90 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Processor | FibreCAT CX Processor | FibreCAT CX20 | FibreCAT CX40 Performance | FibreCAT CX40 SAS | FibreCAT CX40 SAS Upgrade | FibreCAT CX40 4Gb | FibreCAT CX4 Expansionshelf | FibreCAT CX4 | FibreCAT CX4 SAS | FibreCAT CX4 SAS Upgrade | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 Upgrade | FibreCAT NX3 10GbE | FibreCAT NX3 1GbE | FibreCAT NX3 8Gb FC | FibreCAT NX4 | FibreCAT NX4 8Gb FC | FibreCAT NX4 Expansion | FibreCAT NX4 Upgrade | FibreCAT NX40 | FibreCAT NX40 Expansion | FibreCAT NX40 Upgrade | FibreCAT NX40 Upgrade 4Gb | FibreCAT NX40 Upgrade 8Gb | FibreCAT NX40 Upgrade 8Gb Expansion | FibreCAT NX8 | FibreCAT NX8 Expansion | FibreCAT TX1 Power Loader | FibreCAT TX24 | FibreCAT TX48 LTO 3Gb | FibreCAT TX48 LTO 4Gb | FibreCAT TX48 S2 | Library System 6000E | Library System 8000E | MBB ESCALAR 1000 for 8 Gb | MBB FC Autoloader | MTC 8Gb | MTC Desktop Drive | MTC Entry Tape | MTC Regular | MTC SCALAR 10K | MTC Scalar 1000 Tape | MTC Scalar 2000/or 8Gb | NeTeyFA 8 | NeTeyFA 8 Upgrade | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY Rackmount Drives | PRIMERGY SX140 F | PRIMERGY SX405 | PRIMERGY SX 40 | PRIMERGY SX 80 | SAS 15 krpm Hard Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 M2 | ETERNUS DX440 S2 Petacapsule | ETERNUS DX500 S3 | ETERNUS DX500 S3 operation | ETERNUS DX500 S3_2" | ETERNUS DX500 S3_3" | ETERNUS DX600 S3 | ETERNUS DX8700 S3 | ETERNUS DX8900 S3 | FibreCAT CX 4Gb Expansion Shelf | FibreCAT CX 4Gb Expansion Shelf | FibreCAT CX3 Processor | FibreCAT CX30 | FibreCAT CX30 Fail-safe | FibreCAT CX30 SAC | FibreCAT CX40 4G | FibreCAT CX40 SAC | FibreCAT CX4 Expansion Shelf | FibreCAT CX40 | FibreCAT CX4 240 SAC | FibreCAT CX4 480 | FibreCAT CX600 | FibreCAT CX600 Fail-safe | FibreCAT CX700 | FibreCAT NX4 | FibreCAT NX4 S4 | FibreCAT NX4 S4 Fail-safe Clust | FibreCAT NX4 S4 Expansion | FibreCAT NX8 | FibreCAT NX8 Expansion | FibreCAT SX60 | FibreCAT SX60 operation | FibreCAT SX60 S2 | FibreCAT SX60 S2 Expansion | FibreCAT SX60 S2 operation | FibreCAT SX60 S2 Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX24 | FibreCAT TX24 Media Loader | FibreCAT TX48 | FibreCAT TX48 LTO G3 | FibreCAT TX48 LTO G5 | FibreCAT TX48 LTO G6 | FibreCAT TX7 | Library System 2500 | Library System 6000 | MBR/SCALAR i2000/i6000 | MBR/SCALAR i2000/i6000 Expander | MBR/VTA Mainframe | MBR/VTA Open Systems | MTC 8000 | MTC Desktop Drive | MTC Rackmount | MTC Regular | MTC SCALAR 10K | MTC Scalar i500/i1000 | MTC Scalar i2000/i6000 | MTC Scalar i2000/i6000 IEEE | NetApp FAS | NetApp V-Series | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY Fibre Channel Cards | PRIMERGY SX40 | PRIMERGY SX40 F | PRIMERGY SX60 | PRIMERGY SX60 S2 | PRIMERGY SX80 | PRIMERGY SX88 | SAS / SCSI Solid State Drive | Product Code | | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX440 S2 | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 upgrade | ETERNUS DX60 S3 | ETERNUS DX60 S3 upgrade | ETERNUS DX60 S3_5" | ETERNUS DX60 S3_5" upgrade | ETERNUS DX80 | ETERNUS DX90 | ETERNUS CA IA5 Expansionshelf | ETERNUS CA IA5 Expansionshelf upgrade | ETERNUS CA IA5 Expansionshelf | ETERNUS CS Presale | ETERNUS CS800 | ETERNUS CS800 Presale | ETERNUS CS8 - 5IC | ETERNUS CS8 - 5IC upgrade | ETERNUS CS8 - 5IC | ETERNUS CS8 - 4IC | ETERNUS CS8 - 4IC upgrade | ETERNUS CS8 - 4IC | ETERNUS CS8 - 5I | ETERNUS CS8 Expansionshelf | ETERNUS CS8 Expansionshelf upgrade | ETERNUS CS8 Expansionshelf | ETERNUS CS8 - 5IHC | ETERNUS CS8 - 5IHC upgrade | ETERNUS CS8 - 5IHC | ETERNUS CS8 - 4HC | ETERNUS CS8 - 4HC upgrade | ETERNUS CS8 - 4HC | ETERNUS CS8000 | ETERNUS CS8000 Expansion | ETERNUS CS8000 Expansion Chen | ETERNUS CS8000 Expansion | ETERNUS CS8000 Expansion | ETERNUS CS8000 Expansion

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 | ETERNUS DX500 Expansion | ETERNUS DX500 S3 | ETERNUS DX500 S3 Expansion | ETERNUS DX500 S4 | ETERNUS DX500 S4 Expansion | ETERNUS DX600 | ETERNUS DX600 S3 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Processorshelf | FibreCAT CX3 Processorshelf | FibreCAT CX3 Processorshelf Refurb | FibreCAT CX3-10 | FibreCAT CX3-10c | FibreCAT CX3-20 | FibreCAT CX3-20c | FibreCAT CX3-40 | FibreCAT CX3-40c | FibreCAT CX4 Expansionshelf | FibreCAT CX4-10 | FibreCAT CX4-10c | FibreCAT CX4-20 | FibreCAT CX4-20c | FibreCAT CX4-40 | FibreCAT CX4-40c | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NX5 10GbE | FibreCAT NX5 FCoE | FibreCAT NX5 SAS | FibreCAT NX5F8 | FibreCAT NX8 | FibreCAT NX8 Expansion | FibreCAT S2AA | FibreCAT S2AA Expansion | FibreCAT S2AB | FibreCAT S2AB Expansion | FibreCAT S2AB Processor Chen | FibreCAT S2AB Storage Blade | FibreCAT S2AB Expansion | FibreCAT S2AC | FibreCAT S2AC Expansion | FibreCAT S2AC Processor | FibreCAT S2AC Expansion | FibreCAT TX1 | FibreCAT TX24 Rack Loader | FibreCAT TX24 S2 | FibreCAT TX48 LTO G3 | FibreCAT TX48 LTO G5 | FibreCAT TX48 S2 | FibreCAT TXF | Library System SR8000 & 8000 | Library System SR8 | MBR/SCALAR i500/4 to 8 G2 | MBR/VTA Mainframe | MTC 1/8 Autoloader | MTC 896 | MTC Desktop Drive | MTC Rack Drive | MTC Regular | MTC SCALAR 18E | MTC Scalar i500/i6 Upgrade | MTC Scalar i500/i6 896 | NetApp FAS | NetApp V-Series | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY Peripheral Drives | PRIMERGY RX1 | PRIMERGY SX140 F | PRIMERGY SX140 S | PRIMERGY SX 10 | PRIMERGY SX 30 | SAS 1.5/3Gbit Hard Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 | ETERNUS DX500 upgrade | ETERNUS DX500 S3 | ETERNUS DX500 S3 upgrade | ETERNUS DX600 S3 | ETERNUS DX600 S3 upgrade | ETERNUS CS | ETERNUS LT60 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Upgrade | FibreCAT CX Primepack | FibreCAT CX600 | FibreCAT CX600 Fibre Ch. | FibreCAT CX600 iSCSI | FibreCAT CX600 SATA | FibreCAT CX700 | FibreCAT CX700 Expansion | FibreCAT CX700 Fibre Channel | FibreCAT CX700 iSCSI | FibreCAT CX700 SATA | FibreCAT CX700 Upgrade | FibreCAT DX60 | FibreCAT DX60 Fibre Ch. | FibreCAT DX60 iSCSI | FibreCAT DX60 SATA | FibreCAT DX80 | FibreCAT DX80 Fibre Ch. | FibreCAT DX80 iSCSI | FibreCAT DX80 SATA | FibreCAT DX90 | FibreCAT DX90 Fibre Ch. | FibreCAT DX90 iSCSI | FibreCAT DX90 SATA | FibreCAT NAS 1Gb/4Ports | FibreCAT NAS 10Gb/2Ports | FibreCAT NAS DP/8 | FibreCAT NX60 | FibreCAT NX80 | FibreCAT NX80 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 upgrade | FibreCAT SX80 | FibreCAT SX80 (SX21) | FibreCAT SX80/SX85 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX96 | FibreCAT TX96 Fibre Channel | FibreCAT TX96 iSCSI | FibreCAT TX96 LTO G3 | FibreCAT TX96 LTO G4 | FibreCAT TX96 LTO G5 | FibreCAT TXP | Library System SR500 & 6000 | Library System S80 | MB9153CLAR 1000 for 8 S2 | MB9174A Mailslot | MTC 896 | MTC Desktop Drive | MTC LTO Drive | MTC Magnar | MTC SCALAR 10K | MTC SCALAR 24 Drive | MTC Scalar i6000 or i500 | NeTeyFA 8 | NeTeyFA 8 Controller | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY Fibre Channel Drives | PRIMERGY SAS/SATA | PRIMERGY SAS/SATA | PRIMERGY SX 80 | PRIMERGY SX 88 | SAS 1.5/3Gb/s Hard Drive | Product Code | | Market Price (MRP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 | ETERNUS DX500 S4 Upgrade | ETERNUS DX500 S3 | ETERNUS DX600 S3 | ETERNUS DX600 S4 | ETERNUS LT20 | ETERNUS LT60 | FibreCAT CX 4Gb Frame/Kabel | FibreCAT CX Expansion/Kabel | FibreCAT CX Private | FibreCAT CX600 | FibreCAT CX600 Patch | FibreCAT CX700 | FibreCAT CX700 Expansion | FibreCAT CX700 Kabel | FibreCAT CX Upgrade | FibreCAT CX600 | FibreCAT CX700 | FibreCAT DX Expansion/Kabel | FibreCAT DX100 | FibreCAT DX200 | FibreCAT DX200 Expansion | FibreCAT DX200 Kabel | FibreCAT DX400 | FibreCAT DX500 | FibreCAT DX600 | FibreCAT DX600 Expansion | FibreCAT DX600 S2 | FibreCAT DX600 S3 | FibreCAT DX600 S3 Expansion | FibreCAT DX600 S3 Kabel | FibreCAT DX600 S4 | FibreCAT DX600 S4 Expansion | FibreCAT DX600 S4 Kabel | FibreCAT DX600 S4 Upgrade | FibreCAT DX600 S4 Upgrade Kabel | FibreCAT DX600 S4 Upgrade Kabel | FibreCAT DX600 S4 Upgrade Kabel

| Category | Description | Details | ETERNUS DX4/8 | ETERNUS DX440 Photographs | ETERNUS DX60 | ETERNUS DX60/S2_0* | ETERNUS DX60/S2 operation | ETERNUS DX80/S2_0* | ETERNUS DX80/S2_5* | ETERNUS DX90/S2 | ETERNUS LT20 | ETERNUS LT60 | FibreCAT CX 4Gb Frame/Interface | FibreCAT CX 4Gb Expansion/Shelf | FibreCAT CX Projects | FibreCAT CX200 | FibreCAT CX200 Partials | FibreCAT CX-3GC | FibreCAT CX-4G | FibreCAT CX-4K | FibreCAT CX4 Expansion/Shelf | FibreCAT CX4-4G | FibreCAT CX4-8C | FibreCAT CX4-8GC | FibreCAT CX4-8GC Partials | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NS0 10kVA | FibreCAT NS0 5kVA | FibreCAT NS0 Expansion | FibreCAT NS0-8FB | FibreCAT NS0 | FibreCAT NS0 Expansion | FibreCAT S2 | FibreCAT S2 Expansion | FibreCAT S2 Partials | FibreCAT S2 Projects | FibreCAT S2 Upgrades | FibreCAT S2 Upgrades Chen | FibreCAT S2100 | FibreCAT S2100 Expansion | FibreCAT S2200 | FibreCAT S2200 operation | FibreCAT S2300 | FibreCAT S2300 operation | FibreCAT S2300/S2 | FibreCAT S5000/S5 Expansion | FibreCAT S5000 | FibreCAT S5000/S5 | FibreCAT S5000/S5 Expansion | FibreCAT TX200 | FibreCAT TX200 | FibreCAT TX2 Rack/Locker | FibreCAT TX24 | FibreCAT TX24 Rack/Locker | FibreCAT TX300 | FibreCAT TX300 | FibreCAT TX65 LTO | FibreCAT TX65 LTO G2 | FibreCAT TX65 LTO G3 | FibreCAT TX65 LTO G4 | FibreCAT TXF | Library System SR8000 | Library System SR8500 | MB1FSCALAR i2000 for 8 G2 | MB1FSCALAR i2000 for 8 G3 | MB1FX Autoloader | MTC 8500 Autoloader | MTC 896 | MTC Desktop Drive | MTC LTO Drive | MTC Magstar | MTC SCALAR 100 | MTC SCALAR i500 | MTC Scalar i6000/i6000 | MTC Scalar i6000/i6000 IEB | NeXsan FAS | NeXsan FAS Upgrades | Other Peripherals | PRIMERGY BX Subsystems | PRIMERGY Peripheral Devices | PRIMERGY SX40 | PRIMERGY SX40 F | PRIMERGY SX40S | PRIMERGY SX40S2 | PRIMERGY SX 60 | PRIMERGY SX 60 S2 | SAS LTO Stand-alone Drive | Product Code | Market Price (MRP) | Comments |
|---|---|---

Accessories Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

Accessories & services matrix

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Field upgrade | ETERNUS DX60 | ETERNUS DX60 operation | ETERNUS DX60 S2 | ETERNUS DX60 S2 operation | ETERNUS DX60 S3 | ETERNUS DX60 S3 operation | ETERNUS LT60 | ETERNUS LT60 operation | FibreCAT CX 4Gb Expansion/Add | FibreCAT CX 4Gb Expansion/Add operation | FibreCAT CX3 Products | FibreCAT CX3 Products operation | FibreCAT CX3-10c | FibreCAT CX3-20c | FibreCAT CX3-40c | FibreCAT CX4 Expansion/Add | FibreCAT CX4-240 | FibreCAT CX4-240C | FibreCAT CX4-480 | FibreCAT CX4-480C | FibreCAT CX4-960 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NX8 1GbFS | FibreCAT NX8 2GbFS | FibreCAT NX8/FB | FibreCAT NX80 | FibreCAT NX80 Expansion | FibreCAT SB9B Expansion | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 operation | FibreCAT SX80 | FibreCAT SX80 operation | FibreCAT SX80/SB SX80 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX1 | FibreCAT TX8 | FibreCAT TX8 Node/Loader | FibreCAT TX24 S3 | FibreCAT TX48 L1/2-S3 | FibreCAT TX48 L1/2-S2 | FibreCAT TXF | Library System SR8000 & 8000 | Library System SR8 | MB810 SCALAR i500/4x 8 B2 | MB870 Autoloader | MTC 8/96 | MTC Desktop Drive | MTC Magstar | MTC Magstar | MTC SCALAR 18E | MTC Scalar i500/4x 8/B2 | MTC Scalar i500/4x 8/B2 | NeXtay FAS | NeXtay NAS | Other Peripherals | PRIMERGY CX Subsystems | PRIMERGY Rackmodules | PRIMERGY SX40/F | PRIMERGY SX40/S | PRIMERGY SX 60 | PRIMERGY SX 80 | SAS LTO Stand-Alone Drive | Product Code | | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Field upgrade | ETERNUS DX500 | ETERNUS DX500 S4 expansion | ETERNUS DX500 S3 | ETERNUS DX500 S3 expansion | ETERNUS DX500 S4 | ETERNUS DX600 | ETERNUS DX8700 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Processorshelf | FibreCAT CX Projects | FibreCAT CX600 | FibreCAT CX600 Fat Disk | FibreCAT CX700 | FibreCAT CX700 Expansionshelf | FibreCAT CX700 Projects | FibreCAT CX700 Upgrade | FibreCAT CX900 | FibreCAT CX900 Expansion | FibreCAT CX900 Projects | FibreCAT CX900 Upgrade | FibreCAT NX8 1GbiFB | FibreCAT NX8 4GbFB | FibreCAT NX8 SAS | FibreCAT NX600 | FibreCAT NX600 Expansion | FibreCAT NX600 Upgrade | FibreCAT NX600 Upgrade Chen | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX600 | FibreCAT SX600 Expansion | FibreCAT SX600 S2 | FibreCAT SX600 S2 Expansion | FibreCAT TX24 | FibreCAT TX24 Power&Cooler | FibreCAT TX48 S1 | FibreCAT TX48 S1 CE | FibreCAT TX48 S2 | FibreCAT TX48 S2 CE | FibreCAT TX4 | Library System 6000E | Library System 8000E | MBR/SCALAR i2000/i6000 Expansion | MBR/SCALAR i2000/i6000 Upgrade | MBR/SCALAR i500/i6 to i6 | MBR/XA Midrange | MBR/XA Mainframe | MTC 8Gb | MTC Desktop Drive | MTC LTO Tape Drive | MTC Regular | MTC SCALAR 18E | MTC Scalar i2000 Expansion | MTC Scalar i2000/i6000 | NeTeyFAS | NeTeyFAS Upgrade | Other Peripherals | PRIMERGY DX S4 Subsystems | PRIMERGY SX140 | PRIMERGY SX140 Expansion | PRIMERGY SX140 S2 | PRIMERGY SX140 S2 Expansion | PRIMERGY SX60 | PRIMERGY SX60 S2 | PRIMERGY SX960 | PRIMERGY SX960 S2 | SAS LTO Stand-Alone Drive | Product Code | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 Fibre Upgrade | ETERNUS DX500 S3 | ETERNUS DX500 S3 Fibre Upgrade | ETERNUS DX500 S3 Upgrade | ETERNUS DX500 S3 Fibre Upgrade | ETERNUS DX500 S4 | ETERNUS DX500 S4 Fibre Upgrade | ETERNUS LT60 | ETERNUS LT60 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Fibre Expansionshelf | FibreCAT CX3 Fibre 4x | FibreCAT CX3-20 | FibreCAT CX3-20c | FibreCAT CX3-40 | FibreCAT CX3-40c | FibreCAT CX4 Expansionshelf | FibreCAT CX4-40 | FibreCAT CX4-40C | FibreCAT CX4-40E | FibreCAT CX4-40EC | FibreCAT CX4-60 | FibreCAT CX4-60C | FibreCAT CX4-60E | FibreCAT CX4-60EC | FibreCAT CX4-960 | FibreCAT CX4-960C | FibreCAT CX4-960E | FibreCAT CX4-960EC | FibreCAT CX600 | FibreCAT CX600 FibreLink | FibreCAT CX600 Fibre4x | FibreCAT CX600 Upgrade Fibre4x | FibreCAT CX600 Expansionshelf | FibreCAT CX600 Fibre Expansionshelf | FibreCAT CX700 | FibreCAT CX700 FibreLink | FibreCAT CX700 FibreLink2 | FibreCAT CX700 Upgrade Fibre4x | FibreCAT CX700 Upgrade Fibre4x2 | FibreCAT CX700 Expansionshelf | FibreCAT CX700 Fibre Expansionshelf | FibreCAT TX48 | FibreCAT TX48 FibreLink | FibreCAT TX48 S1 | FibreCAT TX48 S1 LTO | FibreCAT TX48 S2 | FibreCAT TX48 S2 LTO | FibreCAT TX48 S2 LTO G3 | FibreCAT TX48 LTO G3 | FibreCAT TX48 LTO | Library System 2000/4 4x500 | Library System 2000 | MB810CALM 1000/4x 8 G2 | MB810 XA Autoloader | MB810 XA Autoloader | MTC 8/96 | MTC Desktop Drive | MTC Desktop Drive | MTC Magstar | MTC SCALAR 18E | MTC SCALAR 1000 | MTC Scalar i2000/4 8G2 | NetApp FAS | NetApp FAS | Other Peripherals | PRIMERGY DX Subsystems | PRIMERGY DX Subsystems | PRIMERGY SX40 | PRIMERGY SX40 S2 | PRIMERGY SX60 | PRIMERGY SX60 S2 | PRIMERGY SX 10 | SAN/iSCSI Server Blade Drive | Product Code | | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX4/8 | ETERNUS DX8x4 Fibre Upgrade | ETERNUS DX400 | ETERNUS DX400 Expansion | ETERNUS DX400 S2 | ETERNUS DX400 S2 Expansion | ETERNUS DX400 S3 | ETERNUS DX400 S3 Expansion | ETERNUS DX410 | ETERNUS DX410 S2 | ETERNUS DX410 S3 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX3 Process | FibreCAT CX3 Process | FibreCAT CX30 FC | FibreCAT CX30 FC-SC | FibreCAT CX30 SC | FibreCAT CX30 SC | FibreCAT CX30 Expansionshelf | FibreCAT CX40 | FibreCAT CX40 | FibreCAT CX40 SC | FibreCAT CX40 SC | FibreCAT CX40 Expansionshelf | FibreCAT CX40 SC Expansionshelf | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX600 | FibreCAT NX8 1GbFB | FibreCAT NX8 2GbFB | FibreCAT NX8 | FibreCAT NX8 | FibreCAT NX600 | FibreCAT NX600 | FibreCAT NX600 Silver | FibreCAT SX 8Gb Expansion | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT TX24 Rack-Loader | FibreCAT TX24 S2 | FibreCAT TX48 LTO S2 | FibreCAT TX48 LTO S2 | FibreCAT TXF | Library System 4000/6 4000 | Library System 8000 | MBB ECALUM 2000 for 8 S2 | MBB VX Attributes | MBB VX Tape Controller | MTC 8Gb | MTC Desktop Drive | MTC ECALUM | MTC Magstar | MTC SCALAR 18K | MTC Scalar i2000 | MTC Scalar i2000/i500 | NeTApp FAS | NeTAPP FAS Filerhead | Other Peripherals | PRIMERGY Disk Subsystems | PRIMERGY FC Peripheralchoice | PRIMERGY SX10 | PRIMERGY SX40/S1 | PRIMERGY SX40/S2 | PRIMERGY SX60 | PRIMERGY SX 80 | PRIMERGY SX 90 | SAN / LTO Tape Backup Drive | Product Code | | | Market Price (MRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX90 | ETERNUS DX60/DX80 Expansion | ETERNUS DX80 | ETERNUS DX60 | ETERNUS DX90 „5.4" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX100 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX700 | FibreCAT N20i / WAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SB9 Base | FibreCAT SB9 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX30 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 iSCSI | FibreCAT SX60 iSCSI Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX00 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TX8' | MBK VAA PocketLoader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY S10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS DX60 | ET ERNUS DX60/DX80 Expansion | ET ERNUS DX80 | ET ERNUS DX90 | ET ERNUS DX90 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX40 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SB8 Base | FibreCAT SB8 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 SC/EI | FibreCAT SX60 SX/EI Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX08 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBK VXA-Packet-Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS D300 | ET ERNUS D3000/D50 Expansion | ET ERNUS D300 | ET ERNUS D300 | ET ERNUS D300 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SB8 Base | FibreCAT SB8 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80 SC/EI | FibreCAT SX80/SX60 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX24 | FibreCAT TX48 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBK VXA-Packet-Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS DX60 | ET ERNUS DX60/DX80 Expansion | ET ERNUS DX80 | ET ERNUS DX90 | ET ERNUS DX90 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 Expansionshelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX700 | FibreCAT N20i / NFAFB | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SB8 Base | FibreCAT SB8 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 SC/81 | FibreCAT SX60/SX80/81Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT TX55 | FibreCAT TX150 PacketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBH VXA-Packet-Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS DX60 | ET ERNUS DX60/DX80 Expansion | ET ERNUS DX80 | ET ERNUS DX90 | ET ERNUS DX90 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX 400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX 600 | FibreCAT CX 700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 iSCSI | FibreCAT SX60/SX60 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX55 | FibreCAT TX150 PacketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBK VXA-packet-loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS DX60 | ET ERNUS DX60/DX80 Expansion | ET ERNUS DX80 | ET ERNUS DX90 | ET ERNUS DX90 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT SX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 SC/EI | FibreCAT SX60/SX100 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX48 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBH VXA-packet.loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS DX60 | ET ERNUS DX60/DX60 Expansion | ET ERNUS DX80 | ET ERNUS DX90 | ET ERNUS DX90 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX 400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX 600 | FibreCAT CX 700 | FibreCAT N20i / HVAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 SC/FC | FibreCAT SX60/SX80 Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT TX200 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBK VXA-Packet-Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS DX60 | ET ERNUS DX60/DX80 Expansion | ET ERNUS DX80 | ET ERNUS DX90 | ET ERNUS DX90 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT90 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX 400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX 600 | FibreCAT CX 700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 SC61 | FibreCAT SX60 SX/61E Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX08 | FibreCAT TX10 PacketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBH VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS D300 | ET ERNUS D300/D350 Expansion | ET ERNUS D300 | ET ERNUS D300 | ET ERNUS D300 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 Expansionshelf | FibreCAT CX 40 | FibreCAT CX4 -10C | FibreCAT CX4 -20C | FibreCAT CX4 -40C | FibreCAT CX4 -80C | FibreCAT CX 600 | FibreCAT CX 700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SB8 Base | FibreCAT SB8 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80 SC/81 | FibreCAT SX80/SX160 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX48 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBH VXA-packet-loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS D300 | ET ERNUS D300/D350 Expansion | ET ERNUS D300 | ET ERNUS D300 | ET ERNUS D300 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 Expansionshelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 iSCSI | FibreCAT SX60/SX80 Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT TX24 | FibreCAT TX10 PocketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MSX VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ET ERNUS D300 | ET ERNUS D300/D350 Expansion | ET ERNUS D300 | ET ERNUS D300 | ET ERNUS D300 2.5" | ET ERNUS LT20 | ET ERNUS LT40 | ET ERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX40 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VFAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 SC61 | FibreCAT SX60 SX100 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX55 | FibreCAT TX150 PicketLoader | FibreCAT TX24 LTO | FibreCAT TX24 LTO S2 | FibreCAT TX48 LTO | FibreCAT TX48 LTO S2 | FibreCAT TXF | MBH VXA-packet.loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

Positioning Storage Tape Systems

LTO Desktop

Available with one LTO-1 or LTO-2 drive for rapid data transfer. Because time is of the essence.

SL500

The rack-mounted library scales from 30 to 575 LTO cartridge slots and accommodates up to 18 tape drives.

SCALAR i500

Midrange Tape Library with modular design provides industry-leading scalability, performance, and reliability.

ETERNUS LT20

The ETERNUS LT20 is an ultra compact tape library with up to 8 media slots and one half geight LTO drives on one height unit for small and midsized companies

ETERNUS LT40

The ETERNUS LT40 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

ETERNUS LT60

The ETERNUS LT60 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

FibreCAT TXF

The innovative FibreCAT/ETERNUS storage subsystems from Fujitsu offer high quality, availability and are user-friendly. ETERNUS backup systems make data backup easy, reliable and low-priced. A large range of supported backup devices with SCSI, SAS or USB interfaces make this storage subsystem an individual, flexible solution for use in rack systems and high-availability environments. The ETERNUS backup systems meet the increased storage capacity requirements regarding archiving and data backup in data centers and can be used wherever medium to large data quantities have to be saved. FibreCAT storage subsystems from Fujitsu ensure that the basis of your company is retained.



ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

ETERNUS CS is a powerful virtual tape solution that provides fully integrated Disk to Disk to Tape (D2D2T) backup. It offers data protection for all types of enterprise data. ETERNUS CS enables customers to consolidate their tape infrastructures, exploiting the best of both disk and tape.

ETERNUS CS uses a powerful Grid Architecture (CGA) to provide unmatched scalability and unmatched disaster tolerance. Unlike Virtual Tape Libraries (VTL) that just emulates tape, ETERNUS CS offers True Tape Virtualization (TTV). This provides unmatched connectivity and unmatched TCO (Total Cost of Ownership) reduction. This is the reason why CentricStor is the only virtual tape solution that makes tape fit for ILM (Information Lifecycle Management).

For pricing and configuration information please contact your Fujitsu Technology Solutions sales contact.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS CS Packages (V08)							
	CS VIRTUAL TAPE CONTROLER CS-50 RX35	Stand Alone Virtual Tape Controller with integrated TVC (Default RAID-5 with 2,4TB TVC.)	CS-50-V08			27511	
	ETERNUS CS 500	ETERNUS CS 500 ,	CS-500-V08			109170	
	ETERNUS CS 500 DL	ETERNUS CS 500 DL Disk Library , Disk Library Modell, high capacity TVCs, without Tape Intrface.	CS-500-V08DL			78603	
	ETERNUS CS 1000	ETERNUS CS 1000 ,	CS-1000-V08			152838	
	ETERNUS CS 1500	ETERNUS CS 1500 ,	CS-1500-V08			262009	New product
	ETERNUS CS 1500 DL	ETERNUS CS 1500 DL Disk Library , Disk Library Modell, high capacity TVCs, without Tape Intrface.	CS-1500-V08DL			104803	New product
	ETERNUS CS 2000	ETERNUS CS 2000 ,	CS-2000-V08			384279	New product
	ETERNUS CS 3000	ETERNUS CS 3000 ,	CS-3000-V08			506550	New product
	ETERNUS CS 4000	ETERNUS CS 4000 ,	CS-4000-V08			602620	New product
	ETERNUS CS 5000	ETERNUS CS 5000 ,	CS-5000-V08			838428	New product
ETERNUS CS Packages (V09)							
	ETERNUS CS 500	ETERNUS CS 500 ,	CS-500-V09			98690	
	ETERNUS CS 500 DL	ETERNUS CS 500 DL Disk Library ,	CS-500-V09DL			67249	
	ETERNUS CS 1000	ETERNUS CS 1000 ,	CS-1000-V09			133624	
	ETERNUS CS 1500	ETERNUS CS 1500 ,	CS-1500-V09			245415	New product
	ETERNUS CS 1500 DL	ETERNUS CS 1500 DL Disk Library , Disk Library Modell, high capacity TVCs, without Tape Intrface.	CS-1500-V09DL			98690	New product
	ETERNUS CS 2000	ETERNUS CS 2000 ,	CS-2000-V09			344978	New product
	ETERNUS CS 3000	ETERNUS CS 3000 ,	CS-3000-V09			456769	New product
	ETERNUS CS 4000	ETERNUS CS 4000 ,	CS-4000-V09			541485	New product
	ETERNUS CS 5000	ETERNUS CS 5000 ,	CS-5000-V09			754585	New product
ETERNUS CS Jap.-Pack.s (V08+)							
	ETERNUS CS 500J	ETERNUS CS 500J , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-500J-V08			109170	
	ETERNUS CS 500J DL	ETERNUS CS 500J DL , Japan Package without TVC: Only for Fujitsu Japan orderable.	CS-500J-V08DL			78603	
	ETERNUS CS 1000J	ETERNUS CS 1000J , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-1000J-V08			152838	
	ETERNUS CS 1500J	ETERNUS CS 1500J , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-1500J-V08			262009	New product
	ETERNUS CS 1500J DL	ETERNUS CS 1500J DL , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-1500J-V08DL			104803	New product



ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS CS Jap.-Pack.s (V08+) (Continued)							
	ETERNUS CS 2000J	ETERNUS CS 2000J , Japan Package without TVC in V08 Layout: Only for Fujitsu Japan orderable.	CS-2000J-V08			384279	New product
	ETERNUS CS 3000J	ETERNUS CS 3000J , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-3000J-V08			506550	New product
	ETERNUS CS 4000J	ETERNUS CS 4000J , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-4000J-V08			602620	New product
	ETERNUS CS 5000J	ETERNUS CS 5000J , Japan Package without TVC in V09 Layout: Only for Fujitsu Japan orderable.	CS-5000J-V08			838428	New product

LTO-4SAS Desktop

Data Sheets: http://ts.fujitsu.com/storage

The performance and reliability of the LTO tape drive meet current and future requirements for a state-of-the-art backup drive. The successful path taken in the tape storage sector is continued with the fourth generation of the Linear Tape Open (LTO) standardized drive technology.
The drive operates at a speed of 80 Mbyte/s and processes ½-inch cartridges with a storage capacity of 800 GB (native capacity). A high level of data integrity is guaranteed thanks to magneto-resistive (MR) heads, optimal tape guidance, and a redundantly configured servo system. Specially developed control elements and an easy-to-use menu system guarantee problem-free operation of the MTC drive. An easy-to-read LCD display continuously shows the status of the drive and media during operation
The desktop tape drive is therefore an entry-level component into the LTO-4 technology and is particularly suitable for backup and time-critical applications that require rapid data transfer. The tape drive can be attached to various open system servers via the SAS interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SAS LTO Desktop Drive							
	Desktop LTO-4 SAS HH 800 GB	Fujitsu LTO-4 Desk Top Model, Interface SAS, Capacity 800/1600GB	D:LTO-DT-U4S			1723	

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT20 – Green Efficiency

The ETERNUS LT20 from Fujitsu is optimized for low power consumption in operation and enables the cost-effective entry into the ETERNUS series for small and midsized companies.

It is based on proven LTO technology, which provides large capacity, high speed and very small media costs. The ETERNUS LT20 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on your individual requirements you can either order it with an LTO-3 or LTO-4 half height drive which can be can be connected via SAS (Serial Attached SCSI) or Fibre Channel interface to the server. By means they use the most current, future-proof standard for high data transfer rates and trouble-free transmission.

It is only one Rack Unit high whereas it offers up to 12.8 TB compressed storage capacity when equipping it with eight LTO-4 cartridges.

The ETERNUS LT20 is very reliable, easy to use and very affordable. Moreover one year onsite service is included.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS LT20							
	VFY ETERNUS LT20,1xLTO-3HH SAS, 8Slot		VFY:LT200XF010IN			2921	
			VFY:LT200XF020IN			3557	
			VFY:LT200XF030IN			3693	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20							
	ETERNUS LT20,1xLTO-3HH SAS, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-3 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.)., - Interface SAS SFF 8088, - LTO4 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	FTS:LT20JSD1U			2947	

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20 (Continued)							
	ETERNUS LT20,1xLTO-4HH SAS, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-4 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface SAS SFF8088, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	FTS:LT20JSF1U			3586	
	ETERNUS LT20,1xLTO-4HH FC, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-4 FC Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface FC 4GB, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	FTS:LT20JFF1U			3723	
	ETERNUS LT20,1xLTO-5HH SAS, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-5 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 12 / 24 Tbyte (uncompr./compr.)., - Interface SAS 2.0 (SFF8088), - LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	FTS:LT20JSH1U			4016	Orderable from: 01/08/2010
	ETERNUS LT20,1xLTO-5HH FC, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-5 FC Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 12 / 24 Tbyte (uncompr./compr.)., - Interface FC 8GB, - LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	FTS:LT20JFH1U			4180	Orderable from: 01/08/2010

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT40 – Green Efficiency

The ETERNUS LT40 from Fujitsu is optimized for low power consumption in operation, the use of environmentally friendly materials, as well as high and easy scalability which results in a longer service life for the devices.
It is an ultra compact tape library with up to 24 media slots and up to two drives on two height units. The ETERNUS LT40 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on the model the library can be connected via SAS or Fibre Channel to the server.
The system is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The tape library offers a maximum compressed storage capacity of 38.4 TB in just two height units.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS JX40							
	ETERNUS JX40	ETERNUS JX40 1 SAS Channel JBOD System	FTS:ETJXS11BG			2402	
ETERNUS DX440							
	ETERNUS DX440 Base Unit (Floor Stand)	FloorStand DX440 Basis Module with ETERNUS Rack., ETERNUS Rack with NEMA Power connectors.	FTS:ET44S20AU			25721	
	ETERNUS Expansion rack for DX440	ETERNUS Expansion Rack, Dimensions = 590× 990 × 1,800 mm, Including Mounting material, 3x PDU (Power Distribution Unit) are content in the Rack., Power cord: 6x AC 200-240V (NEMA:L6-30P 4m)	FTS:ETMER4U			2802	
	ETERNUS DX440 Base Unit (FTS rack mount)	Rack Version DX440 Basis Module. This Module is to use at PRIMECENTER Racks.	FTS:ET44R2GAU			24017	
	Addit. drive enclos. set (2xDE) DX440	Additional Drive Enclosure pair (2xDE) DX440	FTS:ETMDE2BU			6201	
	Addit. drive enclos. set (2xDE) FC DX440	Additional Drive Enclosure set (2xDE) with long optical FC connecting cables (SFPs included) to connect these DE modules with DE modules which are not physically adjacent to each other (i.e. in an other rack)., Installation of up to 30 drives possible.	FTS:ETMDE3BU			6201	
ETERNUS DX8400							
	ETERNUS DX8400 floor stand model	FloorStand DX8400 Basis Module with ETERNUS Rack., ETERNUS Rack with NEMA Power connectors.	FTS:ET84S20AU			112297	
	Add drive encl. set 4xDE DX8400 BaseRack	Additional Drive Enclosure pair (4xDE) DX8400 only for the BaseRack to configure.	FTS:ETHDE1AU			24585	
	Add drive encl. set 4xDE DX8xxx Exp.Rack	Additional Drive Enclosure pair (4xDE) DX8xxx to configure to an Expansion Rack.	FTS:ETHDE2AU			19345	
	Expansion Rack for DX8400/DX8700	ETERNUS Expansion Rack , Dimensions = 620× 990 × 1,800 mm, Including Mounting material, 2x PDU (Power Distribution Unit) are content in the Rack., Power cord: 3x AC 200-240V (NEMA:L6-30P 4m)	FTS:ETHERAU			7493	
ETERNUS LT40							

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-3HH SAS, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-3 SAS-drive (2drives maximum), - Memory capacity until to 9,6/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JSD1U			4284	
	ETERNUS LT40,1xLTO-4HH SAS, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JSF1U			4437	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-4HH FC, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JFF1U			5444	
	ETERNUS LT40,1xLTO-4FH SAS, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) SAS-drive (with Full Height only max. one Drive insertable)., License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JSE1U			5480	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-4FH FC, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive (with Full Height only max. one Drive insertable). , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JFE1U			5654	
	ETERNUS LT40,1xLTO-5HH SAS, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-5 SAS-drive (2drives maximum), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JSH1U			4884	Orderable from: 01/08/2010

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-5HH FC, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-5 FC-drive (2drives maximum), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JFH1U			5700	Orderable from: 01/08/2010
	ETERNUS LT40,1xLTO-5FH SAS, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) SAS-drive (with Full Height only max. one Drive insertable)., License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JSG1U			6015	Orderable from: 01/08/2010
	ETERNUS LT40,1xLTO-5FH FC, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) FC-drive (with Full Height only max. one Drive insertable). , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT40JFG1U			6232	Orderable from: 01/08/2010

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT60 – Green Efficiency

The ETERNUS LT60 from Fujitsu is optimized for low power consumption in operation, the use of environmentally friendly materials, as well as high and easy scalability, which results in a longer service life for the devices.
It is an ultra compact tape library with up to 48 media slots and up to four drives on four height units. The ETERNUS LT60 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on the model the library can be connected via SAS or Fibre Channel to the server. The system is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The tape library offers a maximum compressed storage capacity of 76.8 TB in just four height units.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX60							
	V4Y ET DX60 1x FC 4G2P 2x1.0TB		VFY:DX600XF030IN			3744	
			VFY:DX600XF010IN			3675	
			VFY:DX600XF040IN			5558	
			VFY:DX600XF020IN			3815	
			VFY:DX600XF080IN			3815	
			VFY:DX600XF070IN			3763	
			VFY:DX600XF060IN			3591	
			VFY:DX600XF050IN			3522	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60							
	Eternus DX60 BASE 1x FC Controller 4G2P	ETERNUS DX60 Base-System with one FC Controller	FTS:ET06F12AG			3424	
	Eternus DX60 BASE 2x FC Controller 4G2P	ETERNUS DX60 Base-System with two FC Controller	FTS:ET06F22AG			5397	
	ETERNUS DX60 BASE 1x iSCSI Controller	ETERNUS DX60 Base-System with one iSCSI Controller	FTS:ET06L12AG			3258	
	ETERNUS DX60 BASE 2x iSCSI Controller	ETERNUS DX60 Base-System with two iSCSI Controller	FTS:ET06L22AG			5004	
	ETERNUS DX60 BASE 1x SAS Controller	ETERNUS DX60 Base-System with one SAS Controller	FTS:ET06S12AG			2934	
	ETERNUS DX60 BASE 2x SAS Controller	ETERNUS DX60 Base-System with two SAS Controller	FTS:ET06S22AG			4472	
ETERNUS DX60 2.5"							
	ETERNUS DX60 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with one FC Controller	FTS:ET06F12BG			5450	
	ETERNUS DX60 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with two FC Controller	FTS:ET06F22BG			7686	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 2.5" (Continued)							
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			1983	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2734	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			3843	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			3808	
ETERNUS LT60							
	ETERNUS LT60,1xLTO-5HH FC, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-5 FC-drive (4 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JFH1U			6634	Orderable from: 01/08/2010
	ETERNUS LT60,1xLTO-5FH SAS, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-5 SAS-drive (2 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JSG1U			7296	Orderable from: 01/08/2010

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-5HH SAS, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-5 SAS-drive (4 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JSH1U			6174	Orderable from: 01/08/2010
	ETERNUS LT60,1xLTO-3HH SAS, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SAS-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JSD1U			5576	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-4HH SAS, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 SAS-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JSF1U			5729	
	ETERNUS LT60,1xLTO-4HH FC, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 FC-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JFF1U			6387	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-4FH SAS, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-4 SAS-drive (2 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JSE1U			6803	
	ETERNUS LT60,1xLTO-4FH FC, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JFE1U			6907	
	ETERNUS LT60,1xLTO-5FH FC, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-5 FC-drive (2 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	FTS:LT60JFG1U			7514	Orderable from: 01/08/2010

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX80							
	V4Y ET DX80 1x FC 4G2P 2x450GB		VFY:DX800XF030IN			4464	
			VFY:DX800XF020IN			4191	
			VFY:DX800XF040IN			5042	
			VFY:DX800XF010IN			4838	
			VFY:DX800XF060IN			4197	
			VFY:DX800XF050IN			3954	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80							
	Eternus DX80 BASE 1x FC Controller 4G2P	ETERNUS DX80 Base-System with one FC Controller	FTS:ET08F12AG			4105	
	Eternus DX80 BASE 2x FC Controller 4G2P	ETERNUS DX80 Base-System with two FC Controller	FTS:ET08F22AG			6524	
	Eternus DX80 BASE 1x FC Controller 8G2P	ETERNUS DX80 Base-System with one FC Controller	FTS:ET08E12AG			4891	
	Eternus DX80 BASE 2x FC Controller 8G2P	ETERNUS DX80 Base-System with two FC Controller	FTS:ET08E22AG			8122	
	ETERNUS DX80 BASE 1x iSCSI Controller	ETERNUS DX80 Base-System with one iSCSI Controller	FTS:ET08L12AG			3895	
	ETERNUS DX80 BASE 2x iSCSI Controller	ETERNUS DX80 Base-System with two iSCSI Controller	FTS:ET08L22AG			5939	
	ETERNUS DX80 BASE 1x SAS Controller	ETERNUS DX80 Base-System with one SAS Controller	FTS:ET08S12AG			3528	
	ETERNUS DX80 BASE 2x SAS Controller	ETERNUS DX80 Base-System with two SAS Controller	FTS:ET08S22AG			5476	
ETERNUS DX80 2.5"							
	ETERNUS DX80 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller	FTS:ET08F12BG			5642	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller	FTS:ET08F22BG			7773	
	ETERNUS DX80 BASE 2,5" 1x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller	FTS:ET08E12BG			6332	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller	FTS:ET08E22BG			8777	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			1983	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2734	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			3843	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			3808	

FibreCAT TXF

Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT TXF storage subsystem consolidates data backup in 19-inch rack environments so that the servers do not have to have their own backup drives. The FibreCAT TXF storage subsystem and its 3 height unit 19“ rack housing offer space for backup drives that are directly connected to the servers and which can be installed in PRIMECENTER racks or in standard racks from other manufacturers. The rack installation can be with optional rack mount kits for fixed installation or with full extraction.
There are three basic versions with SCSI, SAS or USB technology available. Each I/O module has 4 ports to connect up to 4 servers as well as a power management for remote switch on/off of individual drives or the entire system.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT TXF							
	FibreCAT TXF 19" Tape Enclosure	19" rack mountable basic unit (3U) for connection of 4 servers incl. 1x power supply module; opt. mounting kit; 4x 1.6" bays only for 5.25" backup devices incl. terminator; interface: 4 seperat SCSI channels or 4 seperat SASI channels or 4 seperat USB channels	S26361-K1228-V100			736	

| Category | Description | Details | ETERNUS DX440 S2 | ETERNUS DX440 S2 Upgrade | ETERNUS DX90 S2 | ETERNUS DX90 S2 2,5" Upgrade | ETERNUS DX90 S2 2,5" Expansion | ETERNUS DX90 S2 | ETERNUS DX90 S2 3,5" | ETERNUS DX90 S2 3,5" Expansion | ETERNUS DX100 S3 | ETERNUS DX200 S3 | FibreCAT CX 4Gb Expand-ShelF | FibreCAT CX 4Gb Base-ShelF | FibreCAT CX600 Projects | FibreCAT CX500 Projects | FibreCAT CX40 S2 | FibreCAT CX40 S2 Expansion | FibreCAT CX40 S2 | FibreCAT CX40 S2 ExpansionShelF | FibreCAT CX40 S2 | FibreCAT CX40 S2 ExpansionShelF | FibreCAT CX600 S2 | FibreCAT CX600 S2 ExpansionShelF | FibreCAT CX700 | FibreCAT CX700 Expansion | FibreCAT NEO 1N-WFS | FibreCAT NEO 2N | FibreCAT NEO 2P | FibreCAT SX60 | FibreCAT SX60 S2 | FibreCAT SX60 S2 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT SX88 S2 | FibreCAT SX88 S2 Expansion | FibreCAT SX88 S2 Expansion | FibreCAT SX88 S2 Expansion | FibreCAT SX88 S2 Expansion | FibreCAT SX88 S2 Expansion | FibreCAT SX88 S2 Expansion | FibreCAT SX88 S2 Expansion | FibreCAT TX S2 | FibreCAT TX S2 Patch-A-Ladder | FibreCAT TX24 S1 | FibreCAT TX48 L1/S1 | FibreCAT TX48 L1/S1 S2 | FibreCAT TX48 L1/S2 | FibreCAT TX48 S1 | FibreCAT TX48 S2 | Library Solo 4 (SDX) | Library Solo 4 (SDX) | MSX5 DAT 160 | MSX5 DAT 320 | MSX5 DAT 320 Ext S2 | MSX5 DAT 320 Ext S2 | MSX5 Ultrium Desktop | MSX5 Ultrium Desktop | MSX5 Ultrium Desktop

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 Fibre Channel | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 4_8 | ETERNUS DX60 S3 8_8 | ETERNUS DX60 S3 8_16 | ETERNUS DX60 S3 16_16 | ETERNUS DX60 S3 16_32 | ETERNUS DX60 S3 32_32 | ETERNUS DX60 S3 32_64 | ETERNUS DX60 S3 64_64 | ETERNUS CS1x0 Expansionshelf | ETERNUS CS1x0 Expansionshelf | ETERNUS CS1x0 Expansionshelf | ETERNUS CS1x0 Progress | ETERNUS CS1x0 Progress | ETERNUS CS200 SAS | ETERNUS CS200 iSCSI | ETERNUS CS200 FC | ETERNUS CS400 SAS | ETERNUS CS400 iSCSI | ETERNUS CS400 FC | ETERNUS CS800 | ETERNUS CS800 S2 | ETERNUS CS800 S3 | FibreCAT CX100 | FibreCAT TX100 / TX200 S1 | FibreCAT TX140 | FibreCAT TX140 DPR | FibreCAT TX140 | FibreCAT TX140 S4 | FibreCAT TX150 S4 Tower / Rack Chas | FibreCAT SX100 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT TX200 | FibreCAT SX60 S2 | FibreCAT SX60 S2 Expansion | FibreCAT TX200 | FibreCAT TX210 PrimeUpdater | FibreCAT TX24 / CX 2 | FibreCAT TX24 LTO 3 | FibreCAT TX24 LTO | FibreCAT TX300 | Library Spider 6000 & 8000 | Library Spider 6000 | IBM i VIA Fibrebox | IBM i VIA Fibrebox | IBM SCALAR i2000 for 892 | IBM SCALAR i2000 for 892 | IBM i VIA Fibrebox | IBM i VIA Fibrebox | IBM i VIA Fibrebox

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX440 S2 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 Fibre Channel | ETERNUS DX60 S2 iSCSI | ETERNUS DX60 S_F | ETERNUS DX60 S_F iSCSI | ETERNUS DX60 S_F SAS | ETERNUS JX40 | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4 Gb Expansionshelf | FibreCAT CX 4 Gb Expansionshelf | FibreCAT CX20 Progress | FibreCAT CX20 Progress | FibreCAT CX30 iSCSI | FibreCAT CX30 SAS | FibreCAT CX30 SAS | FibreCAT CX30 Expansionshelf | FibreCAT CX40 | FibreCAT CX40 | FibreCAT CX40 Expansionshelf | FibreCAT CX40 Expansionshelf | FibreCAT CX4-240 | FibreCAT CX4-240C | FibreCAT CX4-480 | FibreCAT CX4-480C | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 | FibreCAT FC60 | FibreCAT FC60 | FibreCAT FX400 S4 | FibreCAT FX400 S4 | FibreCAT Internal Tape Drive | FibreCAT SX100 Expansion | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 Expansion | FibreCAT TX24 | FibreCAT TX24 | FibreCAT TX24 Rackmounter | FibreCAT TX24 S2 | FibreCAT TX48 | FibreCAT TX48 S2 | FibreCAT TX48 S2 | FibreCAT TX48 S2 | Library Spider 1000 | Library Spider 1000 | IBM i VIOA Internal | IBM i VIOA Internal | IBM SCALAR i500 for 892 | IBM SCALAR i500 for 892 | IBM TS3500 Tape Library | IBM TS3500 Tape Library | IBM TS3500 Tape Library

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 iSCSI | ETERNUS DX60 S2 iSCSI DataFusion | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 iSCSI_LF | ETERNUS DX60 S3 FC | ETERNUS DX60 S3 FC_LF | ETERNUS DX60 S3 SAS | ETERNUS DX60 S3 SAS_LF | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS CS1K EnumberedRef | ETERNUS CS1K EnumberedRef | ETERNUS CS1K EnumberedRef

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 / DX8700 Pedestal/rack | ETERNUS DX60 | ETERNUS DX60 S2/Server | ETERNUS DX60 S3 | ETERNUS DX60 S3_F | ETERNUS DX60 S4 | ETERNUS DX60 S4_F | ETERNUS JX40 | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4/8 Expander/shelf | FibreCAT CX 4/8 Expander/shelf | FibreCAT CX20 Progrès | FibreCAT CX30 Progrès | FibreCAT CX30 S2 | FibreCAT CX30 S2 | FibreCAT CX40 | FibreCAT CX40 Expander/shelf | FibreCAT CX40 S2 | FibreCAT CX40 S2 | FibreCAT CX60 | FibreCAT CX60 | FibreCAT CX600 | FibreCAT CX600 S2 | FibreCAT FT2B1 / MAT3 | FibreCAT FT4E1 / MAT4 | FibreCAT FT40 GPM | FibreCAT FT40 | FibreCAT FX40 | FibreCAT FX40 S4 | FibreCAT Internal Tape Drive | FibreCAT SX100 Expansion | FibreCAT TX24 | FibreCAT TX48 | FibreCAT TX48 Expansion | FibreCAT TX48 S2 | FibreCAT TX48 S2 Expansion | FibreCAT TX75 Rackmounter | FibreCAT TX150 S2 | FibreCAT TX24 S2/D S2 | FibreCAT TX48 S2/D | FibreCAT TX48 S2/D S2 | FibreCAT TYP | Library Space 6000 & 8000 | Library Space 8000 | IBM i VIOA Interface | IBM i VIOA Interface | IBM SCALAR i500 for 892 | IBM SCALAR i500 for 892 | MTC 1664 | MTC Desktop Drive | MTC SCALAR 50 | MTC Rapid# | MTC SCALAR 500 | MTC SCALAR 500 | MTC Stuf-it 200 for 892 | MTC Stuf-it 200 for 892 | N-Key 816 | N-Key 816 | Oracle T-Series Media | Other Peripherals | PRIME POWER Disk/Libraries | PRIME POWER Peripheral Boxes | PRIME RDY5 R | PRIME RDY5 4-GEF | PRIME RDY5 4-GES | PRIME RDY5 4-IB | PRIME RDY5 FXR | PRIME RDY5 SCSI | SAS LTO/DAT Multi-Drive | Product-Code | | List Sale Price (HRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibrecanale | ETERNUS DX60 | ETERNUS DX60 S.2F | ETERNUS DX60 S.2 Expansion | ETERNUS DX80 | ETERNUS DX80 S.2F | ETERNUS DX80 S.2 | ETERNUS DX90 | ETERNUS DX90 S.2F | ETERNUS DX90 S.2 | ETERNUS JX40 | ETERNUS CS10 | ETERNUS CS100 | FibreCAT CX4 N Expansionshelf | FibreCAT CX4 S Expansionshelf | FibreCAT CX4 Fibrecanale | FibreCAT CX4 Progress | FibreCAT CX4 S Progress | FibreCAT CX4 Progress | FibreCAT CX30 N4C | FibreCAT CX30 S4C | FibreCAT CX40 | FibreCAT CX40 S2 | FibreCAT CX40 Expansionshelf | FibreCAT CX40 S2 Expansionshelf | FibreCAT CX40 | FibreCAT CX40 S2 | FibreCAT CX40 N4C | FibreCAT CX40 S2 N4C | FibreCAT CX60 | FibreCAT CX60 S2 | FibreCAT CX600 | FibreCAT FX60 | FibreCAT FX60 S2 | FibreCAT Fibrecanale Over | FibreCAT SX10/SE Expansion | FibreCAT 10000 | FibreCAT 10000 Expansion | FibreCAT 10000 | FibreCAT 10000 SE/LE | FibreCAT S2000/S2000 Expansion | FibreCAT 10000 | FibreCAT 10000 Expansion | FibreCAT T200 | FibreCAT T210 Rackmodel | FibreCAT T210 | FibreCAT T210 LTO 3 | FibreCAT T210 LTO | FibreCAT T120 Z1 | FibreCAT T24 | Library System 6000 & 8000 | Library System 6000 | IBM SCALAR i500 for 992 | IBM i VIA Fibrechannel | IBM i VIA Tapedrive | MTC 1664 | MTC Desktop Drive | MTC LTO Ultrium | MTC Rackpac | MTC SCALAR 50Z | MTC SCALAR 100 | MTC Scalar i500 for 992 | Multipy RX | Multipy RX Fibrecanale | Omni-Fibrecanale | PRIME POWER Disk/Libsystems | PRIME RDX Peripheral Boxes | PRIME RDX T6 | PRIME RDX T-40 eSF | PRIME RDX T-40 LS | PRIME RDX T6 | PRIME RDX TAPE | SAS LTO Tape Disk Drive | Product/Code | | Ret Use Price (HRP) | Comments |
|---|---|---

Accessories Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 / DX8700 | ETERNUS DX60 | ETERNUS DX60 S3 | ETERNUS DX60 S3 Expansion | ETERNUS DX60 S3_F | ETERNUS DX60 S3_FE | ETERNUS DX60 S3_P | ETERNUS DX60 S3_S | ETERNUS AF250 | ETERNUS LT210 | ETERNUS LT260 | PRIMERGY CX1430 M1 Expanderdrauf | PRIMERGY CX1430 M1 Expanderdrauf | PRIMERGY CX1430 M1 Progress | PRIMERGY CX1430 M1C | PRIMERGY CX1430 M1C Progress | PRIMERGY CX1430 M2 | PRIMERGY CX1430 M2C | PRIMERGY CX1430 M2C Expanderdrauf | PRIMERGY CX1430 M2C Progress | PRIMERGY CX1430 M3 | PRIMERGY CX1430 M3C | PRIMERGY CX1430 M4 | PRIMERGY CX1430 M4C | PRIMERGY CX1430 M4C Expanderdrauf | PRIMERGY CX1430 M4C Progress | PRIMERGY CX1430 M5 | PRIMERGY CX1430 M5C | PRIMERGY CX1430 M5C Expanderdrauf | PRIMERGY CX1430 M5C Progress | PRIMERGY CX1430 M6 | PRIMERGY CX1430 M6C | PRIMERGY CX1430 M6C Expanderdrauf | PRIMERGY CX1430 M6C Progress | PRIMERGY CX1430

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Pedestal-to-Rackmount Kit | ETERNUS DX60 | ETERNUS DX60 S2 Controller Enclosure | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX80 S2 F | ETERNUS DX90 S2 | ETERNUS DX90 S2 F | ETERNUS DX400 | ETERNUS CS100 | ETERNUS LT60 | FibreCAT CX Expansion/Head | FibreCAT CX Expansion/Shelf | FibreCAT CX Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX30 | FibreCAT CX30 SC | FibreCAT CX40 | FibreCAT CX40 SC | FibreCAT CX40 Expansion/Shelf | FibreCAT CX4 | FibreCAT CX4 SC | FibreCAT CX4-240 | FibreCAT CX4-240 SC | FibreCAT CX4-480 | FibreCAT CX4-480 SC | FibreCAT CX600 | FibreCAT CX600 Projects | FibreCAT CX700 | FibreCAT CX700 Base | FibreCAT CX700 Base Chas | FibreCAT CX700 Expansion | FibreCAT S2 | FibreCAT TX150 S8 | FibreCAT TX200 S6 | FibreCAT TX200 S6 Expansion | FibreCAT TX300 S6 | FibreCAT TX300 S6 Expansion | FibreCAT TX300 S6 Projects | FibreCAT TX600 | FibreCAT TX600 Expansion | FibreCAT TX610 RackSolution | FibreCAT TX650 | FibreCAT TX650 LTO 3 | FibreCAT TX650 LTO | FibreCAT TX7 | Library Spare Units & 4000 | Library Spare Units | IBM SCALAR i500 for 892 | IBM VTA Frames | IBM VTS Virtual Tape Controller | MTC 1664 | MTC Desktop Drive | MTC LTO Drive | MTC Regular | MTC SCALAR 50Z | MTC Scalar i500 for 892 | MTC Scalar i500 for 8G2 | McKay RX8 | Other Peripherals | Other Platforms | PRIME POWER Disk Enclosures | PRIME POWER Peripheral Boxes | PRIME RDY5 R | PRIME RDY5 4GFC | PRIME RDY5 8 | PRIME RDY5 8GFC | PRIME RDY5 8 | PRIME RDY5 8 | PRIME RDY5 8

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Performance | ETERNUS DX60 | ETERNUS DX60 S2 Performance | ETERNUS DX60 S2 Capacity | ETERNUS DX60 S3 | ETERNUS DX60 S3 Performance | ETERNUS DX60 S3 Capacity | ETERNUS DX60 S4 | ETERNUS DX80 S2 | ETERNUS DX90 S2 | ETERNUS CS1x | ETERNUS CS2x | FibreCAT CX 4 Expansionshelf | FibreCAT CX 4 Expansionshelf | FibreCAT CX 3 Expansionshelf | FibreCAT CX3 Progress | FibreCAT CX3 Progress | FibreCAT CX30 S2 | FibreCAT CX30 S2 | FibreCAT CX30 S2 | FibreCAT CX40 | FibreCAT CX40 | FibreCAT CX40 | FibreCAT CX40 Expansionshelf | FibreCAT CX40 Expansionshelf | FibreCAT CX4 | FibreCAT CX4 | FibreCAT CX4 | FibreCAT CX4 | FibreCAT CX4 | FibreCAT CX4 | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 | FibreCAT FX500 S4 | FibreCAT Thinstar Chow | FibreCAT SX100E Xpansion | FibreCAT 5302 | FibreCAT 5600 | FibreCAT 5600 Expansion | FibreCAT 5602 | FibreCAT 5602/5604 Expansion | FibreCAT 5700 | FibreCAT 5700 | FibreCAT 5700 Expansion | FibreCAT 7300 | FibreCAT 7310 Rackloader | FibreCAT 7400 LTO | FibreCAT 7540 LTO 3 | FibreCAT 7540 LTO | FibreCAT 7410 LTO 4 | FibreCAT Tape | Library Spider 6000 & 8000 | Library Spider 6280 | IBM VIA Interface | IBM SCALAR i500 for 892 | IBM SCALAR i500 Rackloader | MTC 1804 | MTC Desktop Drive | MTC SCALAR 18i | MTC Magstar | MTC SCALAR 18i2 | MTC SCALAR 50 | MTC Stand Alone 892 to 892 | McKay RX 8 | McKay RX 8 Autoloader | Other Fabricate | PRIME POWER Distributeurs | PRIME POWER Peripheral Boxes | PRIME RDY® R | PRIME RDY® 40GF | PRIME RDY® 40GS | PRIME RDY® 5 | PRIME RDY® 5 KR | PRIME RDY® 5 KR | SAS LTO Tape Sub-Drive | Product-Code | | Ext. Unit Price (HKP) | | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Performance | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Performance | ETERNUS DX60 S3 | ETERNUS DX60 S3_F | ETERNUS DX60 S3_F | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS CS1x Expansionshelf | ETERNUS CS1x Expansionshelf | ETERNUS CS1x Progress | ETERNUS CS1x Progress | ETERNUS CS2x NAS | ETERNUS CS2x SAS | ETERNUS CS2x SAS | ETERNUS CS2x SAS | ETERNUS CS2x SAS | ETERNUS CS2x Expansionshelf | ETERNUS CS2x Expansionshelf | ETERNUS CS2x Progress | ETERNUS CS2x Progress | ETERNUS CS2x NAS | ETERNUS CS2x SAS | ETERNUS CS2x SAS | ETERNUS CS2x SAS | ETERNUS CS8000 | ETERNUS CS8000 | ETERNUS CS8000 Chorus | ETERNUS CS8000 Expansion | ETERNUS CS8000 Expansion | ETERNUS CS8000 Expansion

Accessories Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 Pedestal/rack | ETERNUS DX8700 | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Expansion | ETERNUS DX60 S3 | ETERNUS DX60 S3_F | ETERNUS DX60 S3 Expansion | ETERNUS DX60 S3_F | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS DX90 S2_F | ETERNUS DX90 S3 | ETERNUS DX90 S3_F | ETERNUS AF250 | ETERNUS AF650 | ETERNUS CS10 | ETERNUS CS100 | FibreCAT CX 4Gb Expansion/shelf | FibreCAT CX 4Gb Dual Controller | FibreCAT CX 4Gb Expansion/shelf | FibreCAT CX20 Progress | FibreCAT CX20 | FibreCAT CX20 Progress | FibreCAT CX20 S2 | FibreCAT CX30 | FibreCAT CX30 S2 | FibreCAT CX40 | FibreCAT CX40 S2 | FibreCAT CX40 Expansion/shelf | FibreCAT CX40 | FibreCAT CX40 S2 | FibreCAT CX4-240 | FibreCAT CX4-240 S2 | FibreCAT CX4-480 | FibreCAT CX4-480 S2 | FibreCAT CX600 | FibreCAT CX600 S2 | FibreCAT CX700 | FibreCAT CX700 S2 | FibreCAT FS200 / SNAP S | FibreCAT FS400 / SNAP S | FibreCAT FS400 EFM | FibreCAT FX400 | FibreCAT FX400 S2 | FibreCAT FX400 S4 | FibreCAT Internal Tape Drive | FibreCAT SX100/S2 4gestion | FibreCAT SX60 | FibreCAT SX60 S2 | FibreCAT SX80 Expansion | FibreCAT SX80 | FibreCAT SX80 S2 | FibreCAT SX80/SX88 Expansion | FibreCAT SX88 | FibreCAT SX88 S2 | FibreCAT TX24 | FibreCAT TX24 Rackmounter | FibreCAT TX150 S7 | FibreCAT TX24 S2/3 S3 | FibreCAT TX48 S2/3 | FibreCAT TX | Library Space 6000 & 8000 | Library Space 6000 | IBM SCALAR i2000 for 892 | IBM i VIA Interface | IBM SCALAR i2000 Controller | MTC 6004 | MTC Desktop Drive | MTC SCALAR 50 | MTC Rackpac | MTC SCALAR 500 | MTC SCALAR i500 for 892 | MTC SCALAR i500 for 8192 | NetApp R6 | NetApp R200 | Other Fabrics/Hubs | PRIME POWER Disk/Libraries | PRIME POWER Tape/Host Slots | PRIME RDY 8 | PRIME RDY 8 4GF | PRIME RDY 8 4GES | PRIME RDY 8 | PRIME RDY 8 KR | PRIME RDY 8 KR | SAS LTO Tape Disk Drive | ProductCode | | | Ind Use Price (HKP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 S2 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Dual Controller | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX80 S2 iSCSI | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS DX90 S2 iSCSI | ETERNUS AF250 | ETERNUS AF650 | ETERNUS CS800 | FibreCAT CX 4x Expandedshelf | FibreCAT CX 4x Dualshelf | FibreCAT CX 4x Dualshelf | FibreCAT CX 4x Progress | FibreCAT CX 4x Progress | FibreCAT CX30 | FibreCAT CX30 iSC | FibreCAT CX40 | FibreCAT CX40 iSC | FibreCAT CX40 Expandedshelf | FibreCAT CX40 Dualshelf | FibreCAT CX40 | FibreCAT CX40 iSC | FibreCAT CX60 | FibreCAT CX60 iSC | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 iSCSI | FibreCAT FX500 | FibreCAT FX500 iSCSI | FibreCAT FX500 Expansion | FibreCAT FX500 iSCSI Expansion | FibreCAT TX150 S8 | FibreCAT TX200 S6 | FibreCAT TX200 S6 Tower | FibreCAT TX300 S4 | FibreCAT TX300 S4 Tower | FibreCAT TX300 S4 Rackmodel | FibreCAT TX600 S1 | FibreCAT TX600 S1 Tower | FibreCAT TX600 S1 Rackmodel | FibreCAT TX650 S1 | FibreCAT TX650 S1 Tower | FibreCAT TX650 S1 Rackmodel | FibreCAT TX1310 M1 | FibreCAT TX1320 M1 | FibreCAT TX1320 M1 Tower | FibreCAT TX1330 M1 | FibreCAT TX1330 M1 Tower | FibreCAT TX1330 M1 Rackmodel | FibreCAT TX2540 M1 | FibreCAT TX2550 M1 | FibreCAT TX2550 M1 Tower | FibreCAT TX2550 M1 Rackmodel | Primergy RX100 S7 | Primergy RX200 S7 | Primergy RX300 S7 | Primergy RX350 S7 | Primergy RX600 S5 | Primergy RX900 S1 | Primergy RX900 S1 Expansion | Primergy RX900 S2 | Primergy RX900 S2 Expansion | Primergy RX1330 M1 | Primergy RX2530 M1 | Primergy RX2540 M1 | Primergy RX2540 M1 Expansion | Primergy RX2540 M2 | Primergy RX2540 M2 Expansion | Primergy RX4770 M1 | Primergy RX4770 M2 | Primergy RX4770 M2 Expansion | Primergy RX4770 M3 | Primergy RX4770 M3 Expansion | Primergy RX4770 M4 | Primergy RX4770 M4 Expansion | Primergy RX4770 M5 | Primergy RX4770 M5 Expansion | Primergy RX4770 M6 | Primergy RX4770 M6 Expansion | Primergy RX4770 M7 | Primergy RX4770 M7 Expansion | Primergy RX4770 M8 | Primergy RX4770 M8 Expansion | Primergy RX4770 M9 | Primergy RX4770 M9 Expansion | Primergy RX4770 M10 | Primergy RX4770 M10 Expansion | Primergy RX4770 M11 | Primergy RX4770 M11 Expansion | Primergy RX4770 M12 | Primergy RX4770 M12 Expansion | Primergy RX4770 M13 | Primergy RX4770 M13 Expansion | Primergy RX4770 M14 | Primergy RX4770 M14 Expansion | Primergy RX4770 M15 | Primergy RX4770 M15 Expansion | Primergy RX4770 M16 | Primergy RX4770 M16 Expansion | Primergy RX4770 M17 | Primergy RX4770 M17 Expansion | Primergy RX4770 M18 | Primergy RX4770 M18 Expansion | Primergy RX4770 M19 | Primergy RX4770 M19 Expansion | Primergy RX4770 M20 | Primergy RX4770 M20 Expansion | SAS 12 GB/s SAS Drive | Product/Code | | Bid Use Price (HKP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX440 Fibrecgnnnb | ETERNUS DX60 | ETERNUS DX60 S.E.P. | ETERNUS DX60 S2 Expansion | ETERNUS DX80 | ETERNUS DX80 S.E.P. | ETERNUS DX80 S2 S.E.P. | ETERNUS DX90 | ETERNUS DX90 S.E.P. | ETERNUS DX90 S2 S.E.P. | ETERNUS LT210 | ETERNUS LT260 | ETERNUS LT270 | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX20 Progkits | FibreCAT CX20 Progkits | FibreCAT CX20 Progkits | FibreCAT CX20 iSCSI | FibreCAT CX20 iSCSI | FibreCAT CX20 iSCSI | FibreCAT CX40 4GC | FibreCAT CX40 4GC | FibreCAT CX40 4GC | FibreCAT CX40 Expansionshelf | FibreCAT CX40 Expansionshelf | FibreCAT CX40 Expansionshelf | FibreCAT CX40 iSCSI | FibreCAT CX40 iSCSI | FibreCAT CX40 iSCSI | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 | FibreCAT CX700 | FibreCAT FC2010 iSCSI Blade | FibreCAT FC2010 iSCSI Blade | FibreCAT FC2010 iSCSI Blade | FibreCAT FC2010 iSCSI Blade | FibreCAT FC2010 iSCSI Blade | FibreCAT FC2010 iSCSI Blade | FibreCAT FC4010 | FibreCAT FC4010 | FibreCAT FC4010

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 / DX8700 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Dual Controller | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 iSCSI Dual Controller | ETERNUS DX60 S3 FC | ETERNUS DX60 S3 FC Dual Controller | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX80 S2 Dual Controller | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS DX90 S2 Dual Controller | ETERNUS DX90 S3 | ETERNUS DX90 S3 Dual Controller | ETERNUS DX200 | ETERNUS DX200 S2 | ETERNUS DX200 S2 Dual Controller | ETERNUS DX200 S3 | ETERNUS DX200 S3 Dual Controller | ETERNUS DX400 | ETERNUS DX400 S2 | ETERNUS DX400 S2 Dual Controller | ETERNUS DX400 S3 | ETERNUS DX400 S3 Dual Controller | ETERNUS DX500 S3 | ETERNUS DX500 S3 Dual Controller | ETERNUS DX600 | ETERNUS DX600 S2 | ETERNUS DX600 S2 Dual Controller | ETERNUS DX600 S3 | ETERNUS DX600 S3 Dual Controller | ETERNUS DX8100 S3 | ETERNUS DX8100 S3 Dual Controller | ETERNUS DX8700 S3 | ETERNUS DX8700 S3 Dual Controller | ETERNUS DX8900 S3 | ETERNUS DX8900 S3 Dual Controller | ETERNUS CS800 | ETERNUS CS800 S2 | ETERNUS CS800 S3 | ETERNUS CS8000 | ETERNUS CS8000 Expansion | ETERNUS CS8000 S2 | ETERNUS CS8000 S2 Expansion | ETERNUS CS8000 S3 | ETERNUS CS8000 S3 Expansion | ETERNUS CS8000 EP | ETERNUS CS8000 EP Expansion | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | ETERNUS LT60 Expansion | ETERNUS LT60 S2 | ETERNUS LT60 S2 Expansion | ETERNUS LT60 S3 | ETERNUS LT60 S3 Expansion | ETERNUS LT120 | ETERNUS LT120 S2 | ETERNUS LT120 S3 | ETERNUS LT220 | ETERNUS LT220 S2 | ETERNUS LT220 S3 | ETERNUS LT270 | ETERNUS LT270 S2 | ETERNUS LT270 S3 | ETERNUS LT380 | ETERNUS LT380 S3 | ETERNUS LT680 | ETERNUS LT680 S2 | ETERNUS LT680 S3 | Library System 6000 | Library System 8000 | MAID SCALUM 1000 for 892 | MAID SCALUM 2000 for 892 | MAID VAA Enterprise | MAID VAA Workgroup | MTC 6804 | MTC Desktop Drive | MTC LTO Ultrium 3 | MTC Model | MTC SCALAR 50 | MTC SCALAR 100 | MTC Stand Alone for 892 | NetApp R16 | Sun StorageTek | Other Fabricate | PRIME POWER Disk/Libraries | PRIME POWER Tape/Host Sides | PRIME RDY5 R | PRIME RDY10 4GF | PRIME RDY10 8GF | PRIME RDY5 SAS | PRIME RDY5 SCSI | SAS 5 LTO8 Half-Drive | ProductCode | | | List Price (HKD) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX4/8 | ETERNUS DX440 | ETERNUS DX400 Pathgroup | ETERNUS DX60 | ETERNUS DX60 S2/S3 Expansion | ETERNUS DX80 | ETERNUS DX80 S2/S3 | ETERNUS DX90 S2/S3 | ETERNUS DX410 | ETERNUS DX410 S2/S3 | ETERNUS DX440 S2/S3 | ETERNUS CS1x | ETERNUS CS2x | ETERNUS CS4x | FibreCAT CX 4x Expanded/def | FibreCAT CX 4x Expanded/def | FibreCAT CX 4x Expanded/def | FibreCAT CX3 Progress | FibreCAT CX3 Progress | FibreCAT CX30 NC | FibreCAT CX30 | FibreCAT CX30 2GC | FibreCAT CX40 | FibreCAT CX40 2GC | FibreCAT CX40 Expanded/def | FibreCAT CX4x | FibreCAT CX4x 2GC | FibreCAT CX4x 4GC | FibreCAT CX4x 4GC | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 Base Unit | FibreCAT FS720 / SN720 | FibreCAT FS740 | FibreCAT FS740 iSCSI | FibreCAT FS740 GPN | FibreCAT FX40 | FibreCAT FX40 | FibreCAT FX40 S4 | FibreCAT Internal Tape Drive | FibreCAT SX100 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60/SX80 Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT TX1 Rackmounter | FibreCAT TX120 S1 | FibreCAT TX140 S1/S2 | FibreCAT TX150 S7 | FibreCAT TX24 | Library Spider 1000 | Library Spider 4000 | MAS SCALAR i500/ for 892 | MAS VAA Firebird | MAS VAA Thunderbolt | MTC 1664 | MTC Desktop Drive | MTC LTO 5 FC | MTC Magstar | MTC SCALAR 50d | MTC Scalar i500 for 892 | MTC Scalar i500 for 892 | N-Key 210 | N-Key 410 | Other Fujitsu/Alt. | PRIME POWER Disk/Libraries | PRIME ROOT Peripheral Slides | PRIME ROOT 6 | PRIME ROOT 6 4GFC | PRIME ROOT 6 8GFC | PRIME ROOT 6 NX | PRIME ROOT 6 NX | SAS LTO/DAT/SLR Tape/Drive | ProductCode | | Ind Use Price (HKP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Expansion | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 iSCSI_E | ETERNUS DX60 S3_E | ETERNUS JX40 | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4Gb Expansion Shelf | FibreCAT CX 4Gb Expansion Shelf | FibreCAT CX20 Progress | FibreCAT CX20 Progress | FibreCAT CX20 iSCSI | FibreCAT CX20 iSCSI | FibreCAT CX40 4G | FibreCAT CX40 4G | FibreCAT CX40 Expansion Shelf | FibreCAT CX40 Expansion Shelf | FibreCAT CX40 iSCSI | FibreCAT CX40 iSCSI | FibreCAT CX40 iSCSI | FibreCAT CX40 iSCSI | FibreCAT CX600 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT CX700 | FibreCAT CX700 Base Unit | FibreCAT CX700 Base Unit | FibreCAT S2 Tape Library | FibreCAT S2 Tape Library | FibreCAT TA40 | FibreCAT TA40 | FibreCAT TA40 GPN | FibreCAT TA40 GPN | FibreCAT TA48 | FibreCAT TA48 | FibreCAT TA48 S4 | FibreCAT TA48 S4 | FibreCAT Universal Tape Drive | FibreCAT Universal Tape Drive | FibreCAT SX100 Expansion | FibreCAT SX100 Expansion | FibreCAT SX60 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 Expansion | FibreCAT SX60S2 | FibreCAT SX60S2 | FibreCAT SX60S2 Expansion | FibreCAT SX60S2 Expansion | FibreCAT SX88 | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT SX88 Expansion | FibreCAT TX1 Rackmodel | FibreCAT TX1 Rackmodel | FibreCAT TX24 S2 | FibreCAT TX24 S2 | FibreCAT TX48 LTO-3 | FibreCAT TX48 LTO-3 | FibreCAT TX48 LTO | FibreCAT TX48 LTO | FibreCAT TX48 LTO-3 E1 | FibreCAT TX48 LTO-3 E1 | FibreCAT TXP | FibreCAT TXP | Library Space 6000 & 8000 | Library Space 6000 | IBM i VIOA Internal | IBM i VIOA Internal | IBM SCALAR i500 for 892 | IBM SCALAR i500 for 892 | IBM i VIOA Externe | IBM i VIOA Externe | IBM TS3500 Tape Library | IBM TS3500 Tape Library | IBM TS3500 Tape Library

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 Fibre Channel | ETERNUS DX60 S2 | ETERNUS DX60 S2 iSCSI | ETERNUS DX60 S2 FC | ETERNUS DX60 S_F | ETERNUS DX60 S_F iSCSI | ETERNUS DX60 S_F FC | ETERNUS JX40 | ETERNUS LT20 | ETERNUS LT40 | FibreCAT CX 4Gb Expanded/eFeF | FibreCAT CX 4Gb Expanded/eFeF iSCSI | FibreCAT CX 4Gb Expanded/eFeF FC | FibreCAT CX 4Gb Progress | FibreCAT CX 4Gb Progress iSCSI | FibreCAT CX 4Gb Progress FC | FibreCAT CX20 S2 | FibreCAT CX20 S2 iSCSI | FibreCAT CX20 S2 FC | FibreCAT CX40 S2 | FibreCAT CX40 S2 iSCSI | FibreCAT CX40 S2 FC | FibreCAT CX4 Expanded/eFeF | FibreCAT CX4 Expanded/eFeF iSCSI | FibreCAT CX4 Expanded/eFeF FC | FibreCAT CX4-120 | FibreCAT CX4-120 iSCSI | FibreCAT CX4-120 FC | FibreCAT CX4-240 | FibreCAT CX4-240 iSCSI | FibreCAT CX4-240 FC | FibreCAT CX4-480 | FibreCAT CX4-480 iSCSI | FibreCAT CX4-480 FC | FibreCAT CX600 | FibreCAT CX600 iSCSI | FibreCAT CX600 FC | FibreCAT FX200 / MAFX | FibreCAT FX500 / SAFX | FibreCAT FX60 | FibreCAT FX60 iSCSI | FibreCAT FX60 FC | FibreCAT S2600 | FibreCAT S2600 iSCSI | FibreCAT S2600 FC | FibreCAT S2600 Expansion | FibreCAT S2600 iSCSI Expansion | FibreCAT S2600 FC Expansion | FibreCAT S2600B Expansion | FibreCAT S2600B iSCSI Expansion | FibreCAT S2600B FC Expansion | FibreCAT TX100 | FibreCAT TX100 iSCSI | FibreCAT TX100 FC | FibreCAT TX140 S1/S2 | FibreCAT TX140 S1/S2 iSCSI | FibreCAT TX140 S1/S2 FC | FibreCAT TX150 S7 | Library System 6000 | Library System 6000 iSCSI | IBM i SCALAR i500 for 892 | IBM i SCALAR i500 for 892 iSCSI | IBM i VIOA Interface | IBM i VIOA Interface iSCSI | MTC 1884 | MTC Desktop Drive | MTC Magnum | MTC SCALAR 50d | MTC SCALAR 50d iSCSI | MTC Stand Alone for 892 | MTC Stand Alone for 892 iSCSI | NetApp FAS | NetApp FAS iSCSI | Other Fujitsu/ETERNUS | PRIME POWER Disk/Libraries | PRIME POWER Tape/Host Bases | PRIME RDY3 R | PRIME RDY3 R iSCSI | PRIME RDY3 R FC | PRIME RDY3 R2 | PRIME RDY3 R2 iSCSI | PRIME RDY3 R2 FC | SAS LTO/DAT Half-Drive | ProductCode | | | List Sale Price (GBP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S3 Fibre Channel | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 SAS | ETERNUS DX60 S3_F | ETERNUS DX60 S3_iF | ETERNUS DX60 S3_SF | ETERNUS JX40 | ETERNUS CS10 | ETERNUS CS100 | FibreCAT CX 4Gb Expandedshelf | FibreCAT CX 4Gb Dualshelf | FibreCAT CX 4G Dualshelf | FibreCAT CX 4G Projekta | FibreCAT CX30 | FibreCAT CX30 SAS | FibreCAT CX30 iSC | FibreCAT CX40 | FibreCAT CX40 iSC | FibreCAT CX40 Expandedshelf | FibreCAT CX40 Dualshelf | FibreCAT CX4-8 | FibreCAT CX4-8SC | FibreCAT CX4-20SC | FibreCAT CX4-40SC | FibreCAT CX4-80SC | FibreCAT CX600 | FibreCAT CX600 iSC | FibreCAT CX700 | FibreCAT CX700 Fibre Channel Drive | FibreCAT CX700 iSCSI Expansion | FibreCAT 5600 | FibreCAT 5600 Expansion | FibreCAT 5600 | FibreCAT 5600 iSCSI | FibreCAT 5600/5600 Expansion | FibreCAT 5800 | FibreCAT 5800 Expansion | FibreCAT 7000 | FibreCAT 7000 Fibre Channel Controller | FibreCAT 7100 | FibreCAT 7100 LCD 3-3 | FibreCAT 7100 LCD | FibreCAT 7100 2-2 | FibreCAT Tray | Library Spider 6000 & 8000 | Library Spider 6000 | IBM LTO Ultrium Tape Drive | IBM SCALAR i500 for 992 | IBM i VIA Interface | IBM i VIA Tape Controller | MTC 1664 | MTC Desktop Drive | MTC SCALAR 50 | MTC SCALAR 100 | MTC Scal-i 500 for 992 | McData 414 | McData 4314 Fibre Module | Other Fabrics/Hubs | PRIME POWER Disk/Libraries | PRIME POWER Peripheral Boxes | PRIME RDY5 R | PRIME RDY5 40-EF | PRIME RDY5 40-S | PRIME RDY5 SAS | PRIME RDY5 XAS | SAS LTO/DAT/SLR Drive | Product Code | | Ind Use Price (HKP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 Fibre Channel | ETERNUS DX60 S2 iSCSI | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 SAS | ETERNUS DX60 S3 Fibre Channel | ETERNUS DX60 S3 Dual Controller | ETERNUS DX60 S3 Single Controller | ETERNUS DX60 S3 Expansion | ETERNUS DX60 S3 Fibre Channel | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 SAS | ETERNUS DX60 S3 Expansion | ETERNUS DX60 S3 Dual Controller | ETERNUS DX60 S3 Single Controller | ETERNUS DX60 S3 Expansion | ETERNUS DX60 S2 Fibre Channel | ETERNUS DX60 S2 iSCSI | ETERNUS DX60 S2 Expansion | ETERNUS DX60 S2 Dual Controller | ETERNUS DX60 S2 Single Controller | ETERNUS DX60 S2 Expansion | FibreCAT CX 4 Fx Expanded Rack | FibreCAT CX 4 Fx Expanded Shelf | FibreCAT CX 3 Fx Expanded Rack | FibreCAT CX 3 Fx Expanded Shelf | FibreCAT CX 3 Fx Projekt | FibreCAT CX 3 Fx Projekt | FibreCAT CX 3 Fx Projekt | FibreCAT CX 3 Fx Projekt | FibreCAT CX 3 Fx Projekt | FibreCAT CX 3 Fx Projekt | FibreCAT CX 4 Fx 4GC | FibreCAT CX 4 Fx 4GC | FibreCAT CX 4 Fx 4GC

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8700 S2 Fibre Channel | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX80 S2 Dual Controller | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS DX90 S2_LF | ETERNUS DX100 S3 | ETERNUS DX200 S3 | ETERNUS 2000 | ETERNUS 3000 | ETERNUS 4000 | FibreCAT CX 4x Expandedshelf | FibreCAT CX 4x Dependedshelf | FibreCAT CX Projekta | FibreCAT CX20 | FibreCAT CX20 Projekta | FibreCAT CX30 S2 | FibreCAT CX30 | FibreCAT CX40 | FibreCAT CX40 Expandedshelf | FibreCAT CX40 S2 | FibreCAT CX40 S2 Expandedshelf | FibreCAT CX60 | FibreCAT CX60 Expandedshelf | FibreCAT CX60 S2 | FibreCAT CX60 S2 Expandedshelf | FibreCAT CX600 | FibreCAT CX600 S2 | FibreCAT FC60 | FibreCAT FC60 Expandedshelf | FibreCAT FC80 | FibreCAT FC80 Expandedshelf | FibreCAT FC400 | FibreCAT FC400 Expandedshelf | FibreCAT FC400 S2 | FibreCAT FC400 S2 Expandedshelf | FibreCAT FC400 S2 Dual Controller | FibreCAT FC400 S2 Expandedshelf Dual Controller | FibreCAT FC400 Expandedshelf Dual Controller | FibreCAT FC400 Dual Controller | FibreCAT FC400 Projekta | FibreCAT FC400 Projekta Dual Controller | FibreCAT FC600 | FibreCAT FC600 Expandedshelf | FibreCAT FC600 Dual Controller | FibreCAT FC600 Expandedshelf Dual Controller | FibreCAT FC600 Projekta | FibreCAT FC600 Projekta Dual Controller | FibreCAT FC600 S2 | FibreCAT FC600 S2 Expandedshelf | FibreCAT FC600 S2 Dual Controller | FibreCAT FC600 S2 Expandedshelf Dual Controller | FibreCAT FC600 Expandedshelf Dual Controller | FibreCAT FC600 Dual Controller | FibreCAT FC600 Projekta | FibreCAT FC600 Projekta Dual Controller | FibreCAT FC800 | FibreCAT FC800 Expandedshelf | FibreCAT FC800 Dual Controller | FibreCAT FC800 Expandedshelf Dual Controller | FibreCAT FC800 Projekta | FibreCAT FC800 Projekta Dual Controller | FibreCAT FC800 S2 | FibreCAT FC800 S2 Expandedshelf | FibreCAT FC800 S2 Dual Controller | FibreCAT FC800 S2 Expandedshelf Dual Controller | FibreCAT FC800 Expandedshelf Dual Controller | FibreCAT FC800 Dual Controller | FibreCAT FC800 Projekta | FibreCAT FC800 Projekta Dual Controller | FibreCAT FC960 | FibreCAT FC960 Expandedshelf | FibreCAT FC960 Dual Controller | FibreCAT FC960 Expandedshelf Dual Controller | FibreCAT FC960 Projekta | FibreCAT FC960 Projekta Dual Controller | FibreCAT FC960 S2 | FibreCAT FC960 S2 Expandedshelf | FibreCAT FC960 S2 Dual Controller | FibreCAT FC960 S2 Expandedshelf Dual Controller | FibreCAT FC960 Expandedshelf Dual Controller | FibreCAT FC960 Dual Controller | FibreCAT FC960 Projekta | FibreCAT FC960 Projekta Dual Controller | FibreCAT FC960 Expandedshelf | FibreCAT FC960 Dual Controller | FibreCAT FC960 Expandedshelf Dual Controller | FibreCAT FC960 Projekta | FibreCAT FC960 Projekta Dual Controller | FibreCAT FC960 S2 | FibreCAT FC960 S2 Expandedshelf | FibreCAT FC960 S2 Dual Controller | FibreCAT FC960 S2 Expandedshelf Dual Controller | FibreCAT FC960 Expandedshelf Dual Controller | FibreCAT FC960 Dual Controller | FibreCAT FC960 Projekta | FibreCAT FC960 Projekta Dual Controller | FibreCAT FC960

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8700 S2 Fibrecanale | ETERNUS DX80 | ETERNUS DX80 S2/DX80 S2extension | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS DX90 S2 LF | ETERNUS DX90 S2 xLF | ETERNUS DX100 | ETERNUS DX200 | ETERNUS CS10 A (to Expandedshelf | ETERNUS CS10 A (to Expandedshelf | FibreCAT CX10 Projekte | FibreCAT CX20 | FibreCAT CX200 Projekte | FibreCAT CX20 SC | FibreCAT CX30 SC | FibreCAT CX40 | FibreCAT CX40 Expandedshelf | FibreCAT CX40 SC | FibreCAT CX40 Expandedshelf | FibreCAT CX40 SC | FibreCAT CX400 | FibreCAT CX400 SC | FibreCAT CX600 | FibreCAT CX600 SC | FibreCAT CX700 | FibreCAT TX150 S2 | FibreCAT TX24 | FibreCAT TX24 S2 | FibreCAT TX48 | FibreCAT TX48 S2 | FibreCAT Tridase Clone | FibreCAT Tridase Clone | FibreCAT Tridase Clone

Accessories Storage Tape Systems — Data Sheets: http://ts.fujitsu.com/storage

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 / DX8700 Fibre Channel | ETERNUS DX60 S2 | ETERNUS DX60 S2 Dual Controller | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 SAS | ETERNUS DX60 S3 SAS | ETERNUS DX60 S3 | ETERNUS DX60 S3 | ETERNUS CS1x0 | ETERNUS CS1x0 Expansionshelf | ETERNUS CS1x0 Expansionshelf | ETERNUS CS1x0 Expansionshelf | ETERNUS CS1x0 Progress | ETERNUS CS1x0 Progress | ETERNUS CS1x0 Progress

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 / DX8700 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Expansion | ETERNUS DX60 S3 | ETERNUS DX60 S3 iSCSI | ETERNUS DX60 S3 iSCSI_LP | ETERNUS DX60 S3_LP | ETERNUS DX80 | ETERNUS DX80 S2 | ETERNUS DX80 S2_LP | ETERNUS DX80 S3 | ETERNUS DX80 S3_LP | ETERNUS DX90 | ETERNUS DX90 S2 | ETERNUS CS1x0 Expansion Shelf | ETERNUS CS1x0 Controller Shelf | FibreCAT CX Expansion Shelf | FibreCAT CX Controller Shelf | FibreCAT CX Projects | FibreCAT CX200 | FibreCAT CX200 Projects | FibreCAT CX210 | FibreCAT CX210 SC | FibreCAT CX210E | FibreCAT CX210E SC | FibreCAT CX4 Expansion Shelf | FibreCAT CX4-120 | FibreCAT CX4-120 SC | FibreCAT CX4-240 | FibreCAT CX4-240 SC | FibreCAT CX4-480 | FibreCAT CX4-480 SC | FibreCAT CX600 | FibreCAT CX600 SC | FibreCAT CX700 | FibreCAT CX700 Expansion | FibreCAT CX700 Controller Chas | FibreCAT CX700 Controller Chas | FibreCAT SX100 Expansion | FibreCAT SX100 Controller | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T200 | FibreCAT T210 | FibreCAT T210 Rackmounter | FibreCAT T210 LTO | FibreCAT T210 LTO 3 | FibreCAT T210 LTO | FibreCAT T210 LTO 3 | FibreCAT T Tyr | Library Spare Units & ASCU | Library Spare Units | IBM SCALAR i500 for 892 | IBM i VIOA Interface | IBM i VIOA Interface | IBM i SCALAR i500 Controller | IBM i 5904 | IBM i 5904 | IBM i SCALAR i500 | IBM i SCALAR i500 | IBM i SCALAR i500

Accessories Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX8400 / DX8700 | ETERNUS DX60 S2 | ETERNUS DX80 S2 | ETERNUS DX90 S2 | ETERNUS DX200 S3 | ETERNUS DX400 S2 | ETERNUS DX8000 S2 | ETERNUS CS1x0 | ETERNUS CS1x0 Expansionshelf | ETERNUS CS2 Expansionshelf | ETERNUS CS2 Progress | ETERNUS CS200 | ETERNUS CS200 Progress | ETERNUS CS20 S2 | ETERNUS CS10-8G | ETERNUS CS10-8GC | ETERNUS CS10-16G | ETERNUS CS10-16GC | ETERNUS CS10-32G | ETERNUS CS10-32GC | ETERNUS CS800 | ETERNUS CS800 S2 | ETERNUS CX400 | ETERNUS FX881 / NR7S | ETERNUS FX881 / NR7S | ETERNUS FX881 / NR7S | FibreCAT CX Expansionshelf | FibreCAT CX Expansionshelf | FibreCAT CX Progress | FibreCAT CX200 Progress | FibreCAT CX20 S2 | FibreCAT CX20 S2C | FibreCAT CX40 | FibreCAT CX40 Expansionshelf | FibreCAT CX40 S2 | FibreCAT CX40 S2C | FibreCAT CX40 Expansionshelf | FibreCAT CX40 S2C | FibreCAT CX60 | FibreCAT CX60 S2 | FibreCAT CX600 | FibreCAT CX600 S2 | FibreCAT FX400 | FibreCAT FX400 S2 | FibreCAT FX400 S4 | FibreCAT Fibrechannel Drive | FibreCAT SX140 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT SX80/SX88 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX24 | FibreCAT TX24 Rackmounter | FibreCAT TX55 | FibreCAT TX55 S2 | FibreCAT TX65 / TX75 S1 | FibreCAT TX65 / TX75 S2 | FibreCAT TX150 S2 | FibreCAT TX | Library System 1000 | Library System 2000 | IBM SCALAR i2000 for 3592 | IBM TS 3500 Tape Library | IBM TS 7700 | IBM VTA Frontend | IBM VTA Virtualization Controller | MTC 1664 | MTC Desktop Drive | MTC SCALAR 24 | MTC SCALAR 50 | MTC SCALAR i500 for 3592 | MTC Stand Alone for 3592 | McData 4700 | McData Intrepid 6064 | Other Fabrics | PRIME POWER Disk Expansion | PRIME POWER Tape Expansion | PRIME RDY2 S | PRIME RDY2-4GF | PRIME RDY2-8GS | PRIME RDY2 SAS | PRIME RDY2 XAS | SAN / iSCSI Multi Drive | ProductCode | list Use Price (HKP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX440 | ETERNUS DX410 / DX440 S2 Fibre Channel | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Expansion | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS DX60 S2 iSCSI | ETERNUS DX60 S2 SAS | ETERNUS DX60 S2 FC

| Category | Description | Details | ETERNUS DX90 | ETERNUS DX60/DX80 Expansion | ETERNUS DX80 | ETERNUS DX60 | ETERNUS DX90 2_8" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT CX AX100 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX200 | FibreCAT CX200 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20 / WAFS | FibreCAT N20i-S4 | FibreCAT N8i-DPM | FibreCAT N8i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT 960 Base | FibreCAT 960 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX30 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 8Gb/8Gb | FibreCAT SX60 8Gb/4Gb Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT TX08 | FibreCAT TX10 PocketLoader | FibreCAT TX24 1 LTO | FibreCAT TX24 1 LTO S2 | FibreCAT TX48 1 LTO | FibreCAT TX48 1 LTO S2 | FibreCAT TXF | MBK VXA-PocketLoader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX5-10C | FibreCAT CX5-20 | FibreCAT CX5-20C | FibreCAT CX5-40C | FibreCAT CX5-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VMFS | FibreCAT N20i-34 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 iSCSI | FibreCAT SX60 iSCSI Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 24i LTO | FibreCAT T 24i LTO S2 | FibreCAT T 24X LTO | FibreCAT T 24X LTO S2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO S2 | FibreCAT T XF | MBK VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Dsk.Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / WAFS | FibreCAT N20i-34 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT SB8 Base | FibreCAT SB8 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80/SX40 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 200 PacketLoader | FibreCAT T 24i LTO | FibreCAT T 24i LTO G2 | FibreCAT T 24i LTO S2 | FibreCAT T 24i LTO U2 | FibreCAT T 24i LTO U3 | FibreCAT T 24i LTO U4 | FibreCAT T 24i LTO U5 | FibreCAT T 24i LTO U6 | FibreCAT T 24i LTO U7 | FibreCAT T 24i LTO

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VMFS | FibreCAT N20i-34 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 iSCSI | FibreCAT SX60/SX80 iSCSI Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 24 LTO | FibreCAT T 24 LTO S2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO S2 | FibreCAT T 96 | MBK VXA-PacketLoader | MTC SCALAR 100 | PRIMEPOWER Dist. Sa.Isystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX20 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX100 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX13 ExpansionShelf | FibreCAT CX13 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX5-10C | FibreCAT CX5-20 | FibreCAT CX5-20C | FibreCAT CX5-40 | FibreCAT CX5-40C | FibreCAT CX5-80 | FibreCAT CX14 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / VMFS | FibreCAT N20i-34 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80i SX81 | FibreCAT SX80i SX81E Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 24 LTO | FibreCAT T 24 LTO S2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO S2 | FibreCAT T XF | MBX VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / WAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 iSCSI | FibreCAT SX60 iSCSI Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 24 LTO | FibreCAT T 24 LTO S2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO S2 | FibreCAT T XF | MBX VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX 900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20i / WAFS | FibreCAT N20i-34 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 iSCSI | FibreCAT SX60 iSCSI Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 210 PacketLoader | FibreCAT T 24i LTO | FibreCAT T 24i LTO G2 | FibreCAT T 24X LTO | FibreCAT T 24X LTO G2 | FibreCAT T 7F | MBK VXA-PacketLoader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY 910 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N20/ / WAFS | FibreCAT N20i-S4 | FibreCAT N40-DPM | FibreCAT N40i | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60/SX40/iSCSI Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 24 LTO | FibreCAT T 24 LTO S2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO S2 | FibreCAT T XF | MBK VXA-PacketLoader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY 810 | PRIMERGY SX10 | PRIMERGY SX20 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX100 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX700 | FibreCAT N2SI / VMFS | FibreCAT N2SI-S4 | FibreCAT N4S-DPM | FibreCAT N4Si | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX80 | FibreCAT SX80/SX60 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 24 LTO | FibreCAT T 24 LTO S2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO S2 | FibreCAT T XF | MBX VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80/DX90 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT NX3i / VMAFS | FibreCAT NX5i-S4 | FibreCAT N4S-DPM | FibreCAT N4Si | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 (SC/SI) | FibreCAT SX60/SX80 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 924 LTO | FibreCAT T 924 LTO S2 | FibreCAT T 948 LTO | FibreCAT T 948 LTO S2 | FibreCAT T XF | MBK VXA-PacketLoader | MTC SCALAR 100 | PRIMEPOWER Disk Subsystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | ETERNUS DX60 | ETERNUS DX60/DX80 Expansion | ETERNUS DX80 | ETERNUS DX90 | ETERNUS DX90 2_5" | ETERNUS LT20 | ETERNUS LT40 | ETERNUS LT60 | FibreCAT AX900 | FibreCAT CX ATA ExpansionShelf | FibreCAT CX ExpansionShelf | FibreCAT CX200 | FibreCAT CX3 ExpansionShelf | FibreCAT CX3 Projects | FibreCAT CX300 | FibreCAT CX300 Projects | FibreCAT CX3-10C | FibreCAT CX3-20 | FibreCAT CX3-20C | FibreCAT CX3-40 | FibreCAT CX3-40C | FibreCAT CX3-80 | FibreCAT CX4 ExpansionShelf | FibreCAT CX400 | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX600 | FibreCAT CX700 | FibreCAT N2Si / WAFS | FibreCAT N2Si-S4 | FibreCAT N4S-DPM | FibreCAT N4Si | FibreCAT NX20 | FibreCAT NX40 | FibreCAT NX40 S4 | FibreCAT S80 Base | FibreCAT S80 Extension | FibreCAT SX100 | FibreCAT SX100 Expansion | FibreCAT SX20 | FibreCAT SX40 | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 iSCSI | FibreCAT SX60/SX80 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT T 200 | FibreCAT T 810 PacketLoader | FibreCAT T 24 LTO | FibreCAT T 24 LTO G2 | FibreCAT T 48 LTO | FibreCAT T 48 LTO G2 | FibreCAT T XF | MBX VXA-Packet Loader | MTC SCALAR 100 | PRIMEPOWER Dat. Sa.Isystems | PRIMEPOWER Peripheral Boxes | PRIMERGY SX10 | PRIMERGY SX30 | SAS LTO Desktop Drive | Product Code | | | End User Price (RRP) | Comments |
|---|---|---

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ExpansionShelf	FibreCAT CX A1A ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60 iSCSI	FibreCAT SX60/SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS 2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Customizing																																							
	switch off possibility of encryption	Order number to switch off the possibility of data encryption				x	x		x	x		x	x																						FTS:ETCRYPTOFF			44	
Removable Media Drives																																							
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)																												x					S26361-F3857-E1			139	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge																												x					S26361-F3324-E3			408	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with data and cleaning cartridge																												x					S26361-F3325-E3			605	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, , with data and cleaning cartridge																												x					S26361-F3225-E3			622	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge																												x					S26361-F3964-E3			1142	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																												x					S26361-F4009-E4			1142	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																												x					S26361-F3561-E4			1387	
	Tape Kit LTO4HH Ultr 800GB 120MB/s SAS	SAS 3GB Interface, SATA connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge																												x					S26361-F3963-E3			1928	
Hard Disks																																							
	DX SAS HD 146GB 10k 2,5"	ETERNUS DX 2.5" SAS HDD, 146GB 10,000rpm					x	x		x			x																							FTS:ETLSA1HBG			271	
	DX SAS HD 300GB 10k 2,5"	ETERNUS DX 2.5" SAS HDD, 300GB 10,000rpm					x	x		x			x																							FTS:ETLSA3HBG			515	
	DX Solid State Disk 100GB 2,5"	ETERNUS DX 2.5" SSD, 100GB						x		x			x																							FTS:ETLSS1HBG			8380	
	DX Solid State Disk 200GB 2,5"	ETERNUS DX 2.5" SSD, 200GB						x		x			x																							FTS:ETLSS2HBG			11349	
	DX4xx 300GB/15k disk drive x1 (single)	300GB/15Krpm (4GBps) disk drive (single)			x																														FTS:ETMFC3HU-E			863	Orderable from: 01/05/2010
	DX4xx 450GB/15k disk drive x1 (single)	450GB/15Krpm (4GBps) disk drive (single)			x																														FTS:ETMFC4HU-E			1137	Orderable from: 01/05/2010
	DX4xx 600GB/15k disk drive x1 (single)	600GB/15Krpm (4GBps) disk drive (single)			x																														FTS:ETMFC6HU-E			1515	Orderable from: 01/05/2010
	DX4xx 1TB/7.2k disk drive x1 (single)	1TB/7.2Krpm (SATA) disk drive (single)			x																														FTS:ETMNT1HU-E			907	Orderable from: 01/05/2010
	DX4xx 2TB/7.2k disk drive x1 (single)	2TB/7.2Krpm (SATA) disk drive (single)	x	x																															FTS:ETMNT2HU			1930	
	DX4xx 2TB/7.2k disk drive x1 (single)	2TB/7.2Krpm (SATA) disk drive (single)			x																														FTS:ETMNT2HU-E			1930	Deliverable from: 15/05/2010,Orderable from: 01/06/2010
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																						x											S26361-F3244-E514			238	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																						x											S26361-F3244-E530			414	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																						x											S26361-F3244-E545			568	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																						x											S26361-F3244-E560			670	
	HD SAS 3GB/s 73GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																						x											S26361-F3244-E573			194	
	HD SATA 3GB/s 1TB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																						x											S26361-F3245-E100			419	
	HD SATA 3GB/s 250GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																						x											S26361-F3245-E250			132	
	HD SATA 3GB/s 500GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																						x											S26361-F3245-E500			220	
	HD SATA 3GB/s 750GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																						x											S26361-F3245-E750			295	
	SX-HDD SAS 450GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm																					x	x			x	x	x	x					D:FCSX-SAS450			648	
	SX-HDD SAS 300GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm																					x	x			x	x	x	x					D:FCSX-SAS300			507	
	SX-HDD SAS 146GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 146GB 15,000rpm																					x	x			x	x	x	x					D:FCSX-SAS146			298	
	DX4xx 300GB/15k disk drive x1 (single)	300GB/15Krpm (4GBps) disk drive (single)	x	x																															FTS:ETMFC3HU			863	
	SX-HDD SATA 1 TB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 1 TB 7,200rpm																					x	x		x	x	x	x	x					D:FCSX-SATA1TB			489	
	DX4xx 450GB/15k disk drive x1 (single)	450GB/15Krpm (4GBps) disk drive (single)	x	x																															FTS:ETMFC4HU			1137	
	SX-HDD SATA 750GB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 750GB 7,200rpm																					x	x		x	x	x	x	x					D:FCSX-SATA750			304	
	DX4xx 600GB/15k disk drive x1 (single)	600GB/15Krpm (4GBps) disk drive (single)	x	x																															FTS:ETMFC6HU			1515	
	SX-HDD SATA 500GB 7.200rpm	FibreCAT SX60/SX80/SX88 SATA HDD, 500GB 7,200rpm																					x	x		x	x	x	x	x					D:FCSX-SATA500			220	
	DX4xx 500GB/7.2k disk drive x1 (single)	500GB/7.2Krpm (SATA) disk drive (single)	x	x																															FTS:ETMNT5HU			529	
	DX4xx 750GB/7.2k disk drive x1 (single)	750GB/7.2Krpm (SATA) disk drive (single)	x	x																															FTS:ETMNT7HU			740	
	DX4xx 1TB/7.2k disk drive x1 (single)	1TB/7.2Krpm (SATA) disk drive (single)	x	x																															FTS:ETMNT1HU			907	
	JX40 SAS 6G Disk 300GB 10k 2.5"	ETERNUS JX40 SAS 6G Disk 300GB 10k 2.5"												x																					FTS:ETJSA3MBG			370	
	DX SAS HD 600GB 15k	Etemus DX SAS HDD, 600GB 15,000rpm				x		x	x		x																								FTS:ETLSA6HAG			865	
	DX4xx 200GB SSD x1 (single)	200GB SSD Solid State Disk (single)	x	x																															FTS:ETMSS2HU			12227	
	DX4xx 400GB SSD x1 (single)	400GB SSD Solid State Disk (single)	x	x																															FTS:ETMSS4HU			22271	
	JX40 SAS 6G Disk 146GB 15k 2.5"	ETERNUS JX40 SAS 6G Disk 146GB 15k 2.5"												x																					FTS:ETJSA1HBG			366	
	DX SAS HD 450GB 15k	Etemus DX SAS HDD, 450GB 15,000rpm				x		x	x		x																								FTS:ETLSA4HAG			539	
	JX40 SAS 6G Disk 146GB 10k 2.5"	ETERNUS JX40 SAS 6G Disk 146GB 10k 2.5"												x																					FTS:ETJSA1MBG			198	
	DX SAS HD 300GB 15k	Etemus DX SAS HDD, 300GB 15,000rpm				x		x	x		x																								FTS:ETLSA3HAG			498	
	JX40 SAS 6G Disk 73GB 15k 2.5"	ETERNUS JX40 SAS 6G Disk 73GB 15k 2.5"												x																					FTS:ETJSA0HBG			233	
	DX NL-SAS HD 2TB 7.2k	Etemus DX NL-SAS HDD, 2TB 7,200rpm				x		x	x		x																								FTS:ETLNS2HAG			775	
	JX40 SATA Disk 500GB 2.5"	ETERNUS JX40 SATA Disk 3G 500GB 7.2K 2.5" BC												x																					FTS:ETJST3MBG			211	
	DX NL-SAS HD 1TB 7.2k	Etemus DX NL-SAS HDD, 1TB 7,200rpm				x		x	x		x																								FTS:ETLNS1HAG			480	
	JX40 SSD SATA 3G 64GB SLC 2.5"	ETERNUS JX40 SSD SATA 3G 64GB SLC 2.5"												x																					FTS:ETJSD1BG			1013	
	DX NL-SAS HD 750GB 7.2k	Etemus DX NL-SAS HDD, 750GB 7,200rpm				x		x	x		x																								FTS:ETLNS7HAG			262	
	JX40 SSD SATA 3G 32GB SLC 2.5"	ETERNUS JX40 SSD SATA 3G 32GB SLC 2.5"												x																					FTS:ETJSD0BG			542	
	DX Solid State Disk 200GB 3,5"	ETERNUS DX 3.5" SSD, 200GB, Released only for ETERNUS DX80/DX90 Base Shelf and ETERNUS Expansion Shelf in conjunction with ETERNUS DX80/DX90 Base Shelf						x	x		x																								FTS:ETLSS2HAG			10192	
	DX Solid State Disk 100GB 3,5"	ETERNUS DX 3.5" SSD, 100GB						x	x		x																								FTS:ETLSS1HAG			7070	
SCSI/RAID/SAS controller																																							
	I/O Modul	FibreCAT SX I/O Modul to cascading a shelf																						x		x		x		x					D:FCSX-IO			476	
	RAID Controller SX100	FibreCAT SX100 RAID Controller 4 GBit/s																					x												D:FCSX-RD100			4559	Phased out
	RAID Controller SX80 iSCSI	FibreCAT SX80 iSCSI RAID Controller																									x								D:FCSX-RD80I			2559	Phased out
	RAID Controller SX88	FibreCAT SX88 RAID Controller 4 GBit/s																											x						D:FCSX-RD88			3432	
Rack-Infrastructure																																							
	PRIMERGY Rackinstallation SX/DX ex works	Service for installation of a FibreCAT SX60 / SX80 Raid-Subsystem into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT SX will be premounted in a 12/24/38U Rack ex works.	x			x	x	x	x	x		x	x	x									x	x		x	x	x	x	x					D:FCSX-INPSR			101	
	Rackinstallation Tape Products	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.													x	x	x																		D:FCTX-INPSR			101	
	Rackinstallation CX3/4-xx works ABG	Service for installation of a FibreCAT CX3 Raid-Subsystem into a Rack ex works., With ordering this service, the FibreCAT CX3 will be premounted in a 12/24/38U Rack ex works.																x	x	x	x														D:FCX3-INSTALL-A			101	
	DX8xxx EU power cable (4x) for exp. rack	AC- Power cable with CEE plug., 4 cables for the Power Supply DACS module.									x																								FTS:ETHCAEUEU			175	
	DX4xx EU power cable set expansion rack	AC- Power cable with CEE plug., 2 cables for the PDU modul.	x	x																															FTS:ETMCAEUEU			88	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Rack-Infrastructure (Continued)																																							
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																						x						x						S26361-F1647-E302			56	
	RMK-S Vario Carrier w. L-shaped Brackets	with Vario carrier f. easy rack mounting for 19inch rack systems in PCRII racks max. load 50 kg																												x						S26361-F2735-E150			39	
	RMK-F1_1-2U Server (new)	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw																												x						S26361-F2735-E101			47	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks																												x						S26361-F2735-E8			26	
UPS/Power supply																																							
	SL500 Redundant Power Supply	SL500 redundant Power Supply. One Power Supply per Module.																															x			D:XSL500-RED-PWR			350	
Miscellaneous																																							
	FC SX100 244 Snapshots	Upgrade to 244 SnapShots for FibreCAT SX100																				x														D:FCSX100-SNAP			3057	
	FC SX80 iSCSI 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX80i																				x				x										D:FCSX80I-SNAP			1317	
	FC SX88 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX88																											x							D:FCSX88-SNAP			1317	
	FibreCat SX with LINUX	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with LINUX operating system.																				x				x		x								D:FCSX-ANLIN			2	
	FibreCat SX with SOLARIS	FibreCAT SX80/SX88 order position if connect it to a Server with SOLARIS operating system.																				x						x								D:FCSX-ANSUN			2	
	FibreCat SX with VMware	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with VMware operating system.																				x				x		x								D:FCSX-ANVM			2	
	FibreCat SX with Windows	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with WINDOWS operating system.																				x				x		x								D:FCSX-ANWIN			2	
	SL500 Partitioning for LEGATO Users	SL500 Physical Partitioning Feature for LEGATO User, Up to 8 partitions.																															x			D:X-SL500K-LEGPART			2079	
	SL500 Additional LTO CAP Magazine	SL500 additional LTO CAP (Cartridge Access Port) Magazine.																															x			D:XSL500-LTO-MAG5			35	
	SL500 Partitioning, up to 8 partitions	SL500 Physical Partitioning Feature, Up to 8 partitions																															x			D:X-SL500-PARTNG			2079	
	SL500 Touch Screen Operator Panel	Touch Screen Operator Panel for the SL500.																															x			D:XSL500-TSOP			700	
	Advanced copy feature (for ETERNUS DX80)	License label x 1										x																								ETLL8CPU			1	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order																						x						x						S26361-F1647-E410			21	
	SCSI IOM_TXF	SCSI I/O-Modul																												x						S26361-F3872-E110			105	
	SAS IOM_TXF	SAS I/O-Modul																												x						S26361-F3872-E120			169	
	USB IOM_TXF	USB I/O-Modul																												x						S26361-F3872-E130			126	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90																												x						S26361-F2735-E111			4	
MTC Devices																																							
	Installation SLxxx, LTO3 Tape Drive	Installation of a LTO3 Drive in a SL500 Base Unit or DEM.																															x			D:EIS-LTO3TDRV			254	
	Installation SLxxx, LTO4 Tape Drive	Installation of a LTO4 Drive in a SL500 Base Unit or DEM.																															x			D:EIS-LTO4TDRV			275	
	Installation SL500, Cartridge Expan Mod	Installation of a Cartridge Expansion Module (CEM) for a SL500.																															x			D:EIS-SL500-1CEM			285	
	Installation SL500, Base Unit + 2 Drives	Installation of a SL500 Base Unit with 2 Drives.																															x			D:EIS-SL500BNDL			687	
	Installation SL500, Drive Expansion Mod	Installation of a Drive Expansion Module (DEM) for a SL500.																															x			D:EIS-SL500-EXPMOD			584	
	Installation SL500, Redundant Power	Installation of a redundant Power Supply in a SL500																															x			D:EIS-SL500-RDPWR			127	
	Installation SL500, Touch screen	Installation of a Touch Screen Operator Control Panel.																															x			D:EIS-SL500SCREEN			201	
	Installation SL500, Base Unit	Installation of a SL500 Base Unit.																															x			D:EIS-SL500TL			687	
	Installation SL500,Base Unit Upgrade Key	Installation of the Base Unit Upgrade-Key from 30 to 50 cartridge slots.																															x			D:EIS-SL500-UP20			31	
	Installation SL500, Partitioning	Installation of a SL500 Partitioning.																															x			D:EIS-SL50PARTION			409	
RAID Systems																																							
	FibreCat SX non FSC Server Connection	FibreCAT SX60/SX80/SX88 order position to connect non Fujitsu Server.																				x				x		x								D:FCSX-ANNON			2	
	FibreCat SX Primergy Connection	FibreCAT SX60/SX80/SX88 order position to connect PRIMERGY Server.																				x				x		x								D:FCSX-ANPS			2	
	FibreCat SX Primepower/SES Connection	FibreCAT SX80/SX88 order position to connect PRIMEPOWER / Sparc Enterprise Server.																				x								x						D:FCSX-ANPW			2	
	SX100 host port add on 25-48	FibreCAT SX100 order position to connect the system from 25 up to 48 host ports.																				x														D:FCSX-HOSTPORT-48			2	
Cables																																							
	FC CX3_xx CABLE HSSDC to HSSDC2 (5 m)-	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack´s, HSSDC -HSSDC2 5M																	x																		D:FC1-HSSDC-5M			171	
	FC CX3_xx CABLE HSSDC2 to HSSDC2 (5 m)	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack´s, HSSDC2 -HSSDC2 5M																	x	x	x															D:FC2-HSSDC-5M			189	
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m																						x		x		x		x						D:FCSX-IO-CAB			62	
	Power Cable Italy,3x1mm2,Female/C13,2.5m	Power Cable,, Italy,, 2,5 meter.																															x			D:PWRCORD10083245			2	
	Power Cable Switzerland,3x1mm2,C13, 2.5m	Power Cable,, Schweiz,, 2,5 meter.																															x			D:PWRCORD10083246			2	
	Power Cable UK, 3x1mm2, Female/C13, 2.5m	Power Cable,, UK,, 2,5 meter.																															x			D:PWRCORD10083247			2	
	Power Cable Denmark,3x1mm2,Fem./C13,2.5m	Power Cable,, Denmark,, 2,5 meter.																															x			D:PWRCORD10083248			2	
	Power Cable South Africa,3x1mm2,C13,2.5m	Power Cable,, South Africa,, 2,5 meter.																															x			D:PWRCORD10083636			2	
	Power Cable Intl.Euro,3x1mm2,IEC320,2.5m	Power Cable,, Euro IEC320,, 2,5 meter.																															x			D:PWRCORD10187018			2	
	SCSI CABLE P2P UHD	internal SCSI cable for connection of a SCSI backup drive; interface SCSI UHD68																												x						S26361-F3872-E111			44	
	SCSI CABLE KIT DC UHD	internal daisy chain SCSI cable for connection of up to two SCSI backup drives; interface 2x SCSI UHD68																												x						S26361-F3872-E112			56	
	SAS CABLE KIT P2P SAS-SAS	internal SAS-cable for connection of a SAS-backup drive; Interface SAS 8088																												x						S26361-F3872-E121			18	
	P2P-SAS-SATA Cable-KIT	internal SAS-cable for connection of a SAS-backup drive; Interface SAS 8088																												x						S26361-F3872-E122			18	
	USB CABLE KIT P2P A-B	internal USB cable for connection of an USB backup drive; interface USB A-B																												x						S26361-F3872-E131			18	
Tape Drive																																							
	LTO3-HP-FC 4GB Drive, SL500	LTO-3 FC Drive (HP) for SL500.																															x			D:LTO3-HPFC-SL500			9982	
	LTO3-HP-SCSI Drive, SL500	LTO-3 SCSI Drive (HP) for SL500.																															x			D:LTO3-HPSC-SL500			7902	
	LTO3-IBM-FC 4GB Drive, SL500	LTO-3 FC Drive (IBM) for SL500.																															x			D:LTO3-IBFC-SL500			9982	
	LTO3-IBM-SCSI Drive, SL500	LTO-3 SCSI Drive (IBM) for SL500.																															x			D:LTO3-IBSC-SL500			7902	
	LTO4-HP-FC 4GB Drive, SL500	LTO-4 FC Drive (HP) for SL500.																															x			D:LTO4-HP4FC-SL500			11397	
	LTO4-HP-SCSI Drive, SL500	LTO-4 SCSI Drive (HP) for SL500.																															x			D:LTO4-HPSC-SL500			8183	
	LTO4-IBM-FC 4GB Drive, SL500	LTO-4 FC Drive (IBM) for SL500.																															x			D:LTO4-IBFC-SL500			11397	
	LTO4-IBM-SCSI Drive, SL500	LTO-4 SCSI Drive (IBM) for SL500.																															x			D:LTO4-IBSC-SL500			8183	
	SCI2K LTO-3 IBM TapeDrive FC 4GB	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																																x		D:SCI2K-FTDG-L3BA			10734	
	SCI2K LTO-4 IBM TapeDrive +Q-EKM FC 4GB	Quantum Scalar i2000 IBM LTO-4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is compatible with Q-EKM, but not with SKM.																														x				D:SCI2K-FTDG-L4BE			14043	
	SCI2K LTO-3 IBM TapeDrive FC-Netwk 4GB	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																x		D:SCI2K-FTDT-L3BA			12880	

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Tape Drive (Continued)																																							
	SCI2K LTO-4 IBM TapeDrv QEKM FCNwk 4GB	Quantum Scalar i2000 4GB IBM LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Q-EKM, but not with SKM. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																															x		D:SCI2K-FTDT-L4BE			16568	
	SCI500 LTO-4 FC IBM Drive , native	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB native Fibre Channel, field upgrade. This tape drive is compatible with Quantum Encryption Key Manager. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																x	D:SCI500-DU4F			10435	
	SCI500 LTO-4 drive NW	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB Storage Networking, field upgrade. This tape drive is compatible with Quantum Encryption Key Manager. For Scalar i500 14U or larger systems only. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																x	D:SCI500-DU4N			11850	
	SCI2000 1xSDLT 600 FC Drive	Quantum Scalar i2000 SDLT 600 Tape Drive Module, 2GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager.																													x				Q:LSC2K-FTDF-S3QA			9020	
	SCI2000 1xIBM LTO-3FC Drive	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																													x				Q:LSC2K-FTDG-L3BA			10734	
	SCI2000 1xHP LTO-3FC Drive	Quantum Scalar i2000 HP LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																													x				Q:LSC2K-FTDG-L3HA			10734	
	SCI2000 1xHP LTO-4FC Drive	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																													x				Q:LSC2K-FTDG-L4HA			12628	
	SCI2000 1xHP LTO-4FC Drive, SKM	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, Scalar Key Manager-Enabled, 4GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																													x				Q:LSC2K-FTDG-L4HQ			14043	
	SCI2000 1xDLT-4S FC Drive	Quantum Scalar i2000 DLT-S4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager.																													x				Q:LSC2K-FTDG-S4QA			12628	
	SCI2000 1xIBM LTO-3FC Dr, Q-EKM, NW	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																													x				Q:LSC2K-FTDT-L3BA			12880	
	SCI2000 1xHP LTO-3FC Dr, Q-EKM, NW	Quantum Scalar i2000 4GB HP LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																													x				Q:LSC2K-FTDT-L3HB			12880	
	SCI2000 1xHP LTO-4FC Dr, SKM, NW	Quantum Scalar i2000 4GB HP LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																													x				Q:LSC2K-FTDT-L4HA			15153	
	SCI2000 1xHP LTO-4FC Dr, SKM, NW	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, Scalar Key Manager-Enabled, 4GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																													x				Q:LSC2K-FTDT-L4HQ			16568	
	SCI2000 1xDLT-4S Dr, Q-EKM, NW	Quantum Scalar i2000 4GB DLT-S4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																													x				Q:LSC2K-FTDT-S4QA			15153	
	SCI500 1xHP LTO-5FC Drive, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, field upgrade, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																														x			Q:LSC5H-UTDJ-L5HA			12000	

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 ISCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Tape Drive (Continued)																																							
	SCi500 1xHP LTO-5FC Drive,SKM, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, field upgrade, Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																														x				Q:LSC5H-UTDJ-L5HQ			13061	
	SCi500 1xHP LTO-5SAS Drive, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, SAS, field upgrade, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																													x				Q:LSC5H-UTDM-L5HA			9742	
	SCi500 1xHP LTO-5SAS Drive, SKM, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, SAS, field upgrade, Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																													x				Q:LSC5H-UTDM-L5HQ			10803	
	SCi500 1xHP LTO-5FC Dr, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 4GB Storage Networking, field upgrade, For Scalar i500 14U or larger systems only. Includes Scalar i500 4GB Fibre Channel I/O Blade when required (every fourth tape drive added). This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Valid only with order for Scalar i500 14U or larger system.																													x				Q:LSC5H-UTDT-L5HA			13627	
	SCi500 1xHP LTO-5FC Dr, SKM, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 4GB Storage Networking, field upgrade, For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service **length and level of the library. Encryption Key** Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																													x				Q:LSC5H-UTDT-L5HQ			14688	
	SCi500 1xHP LTO-5FC Drive, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Storage Networking, field upgrade, Includes 8GB Storage Networking license key. This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																													x				Q:LSC5H-UTDU-L5HA			13061	
	SCi500 1xHP LTO-5FC Dr, SKM, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Storage Networking, field upgrade, Includes 8GB Storage Networking license key and Scalar Key Manager license key. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																													x				Q:LSC5H-UTDU-L5HQ			14122	
	SCi6000 1xHP LTO-5FC Drive	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																													x				Q:LSC6K-FTDJ-L5HA			14522	
	SCi6000 1xHP LTO-5FC Drive, SKM	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-5 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																													x				Q:LSC6K-FTDJ-L5HQ			15937	
	SCi6000 1xHP LTO-5FC Dr, SKM, NW	Quantum Scalar i6000 8GB HP LTO-5 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Includes Scalar i6000 Fibre Channel I/O Blade when required (every fourth tape drive added).																													x				Q:LSC6K-FTDT-L5HA			16998	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Tape Drive (Continued)																																							
	SCi6000 1xHP LTO-5FC Dr, SKM, NW	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, factory-installed. Includes Scalar Key Manager license key for use with HP LTO-5 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																													x				Q:LSC6K-FTDT-L5HQ			18413	
	SCi6000 1xHP LTO-5FC Dr. NW,Failover	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, 8GB Native Storage Networking, factory installed. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping. Does not include 4GB Fibre Channel I/O Blade.																											x				Q:LSC6K-FTDU-L5HA			16291	
	SCi6000 1xHP LTO-5FC Dr, SKM,NW,Failover	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Key-Enabled, 8GB Native Storage Networking, factory installed. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping. Does not include 4GB Fibre Channel I/O Blade. Also includes Scalar Key Manager license key for use with HP LTO-4 and HP LTO-5 drives. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000/Scalar i6000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																											x				Q:LSC6K-FTDU-L5HQ			17706	
	SCi500 LTO-3 FC IBM Drive, native	LTO Ultrium 3 FC drive for Scalar i500, Data transfer rate: 80 MB/s (native)., Data medium capacity : 400 GB (native).																															x	D:SCI500-DU3F			9243	
	ETERNUS LT40 LTO-4FH FC assem. Dr	ETERNUS LT40 , drive LTO4 Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface														x																			FTS:LT40JZ124E			3271	
	ETERNUS LT60 LTO-3HH SAS assem. Dr	ETERNUS LT60 , drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., SAS SFF8088 interface															x																	FTS:LT60JZ233E			1937	
	~~SCi500 1xHP LTO-4FC Drive,SKM, UPG~~	~~"Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, 4GB native Fibre Channel, field upgrade.Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."~~																												x				~~Q:LSC5H-UTDG-L4HQ~~			~~11496~~	
	SCi500 1xHP LTO-4FC Drive, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, 4GB native Fibre Channel, field upgrade. , This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately."																												x				Q:LSC5H-UTDG-L4HA			10435	
	ETERNUS LT40 LTO-4FH SAS assem. Dr	ETERNUS LT40 , drive LTO4 Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface														x																			FTS:LT40JZ134E			3097	
	ETERNUS LT60 LTO-4HH SAS assem. Dr	ETERNUS LT60 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface															x																	FTS:LT60JZ234E			2090	
	ETERNUS LT40 LTO-3HH SAS assem. Dr	ETERNUS LT40 , drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., SAS SFF8088 interface														x																			FTS:LT40JZ233E			1937	
	ETERNUS LT60 LTO-4HH FC assem. Dr	ETERNUS LT60 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface															x																	FTS:LT60JZ224E			2226	
	SCi500 1xHP LTO-4FC Dr,SKM,NW, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, 4GB Storage Networking, field upgrade. For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of Scalar Key Manager drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																												x				Q:LSC5H-UTDT-L4HQ			12911	
	SCi500 1xHP LTO-4FC Drive,NW, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, 4GB Storage Networking, field upgrade, This tape drive is not compatible with Quantum Encryption Key Manager. For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																												x				Q:LSC5H-UTDT-L4HA			11850	

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Tape Drive (Continued)																																							
	ETERNUS LT40 LTO-4HH FC assem. Dr	ETERNUS LT40 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface														x																		FTS:LT40JZ224E			2226	
	ETERNUS LT60 LTO-4FH SAS assem. Dr	ETERNUS LT60 , drive LTO4 Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface															x																		FTS:LT60JZ134E			3097	
	SCi500 1xHP LTO-4SAS Drive, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, SAS, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately."																														x			Q:LSC5H-UTDM-L4HA			8472	
	SCi500 1xHP LTO-4SAS Drive,SKM, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, SAS, field upgrade. Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																														x			Q:LSC5H-UTDM-L4HQ			9533	
	ETERNUS LT40 LTO-4HH SAS assem. Dr	ETERNUS LT40 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface														x																		FTS:LT40JZ234E			2090	
	ETERNUS LT60 LTO-5FH FC assem. Dr	ETERNUS LT60 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface															x																		FTS:LT60JZ125E			3788	Orderable from: 01/08/2010
	ETERNUS LT40 LTO-5HH FC assem. Dr	ETERNUS LT40 , drive LTO5 Half-Hight, LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface														x																		FTS:LT40JZ225E			2681	Orderable from: 01/08/2010
	ETERNUS LT60 LTO-4FH FC assem. Dr	ETERNUS LT60 , drive LTO4 Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface															x																		FTS:LT60JZ124E			3271	
	ETERNUS LT40 LTO-5FH SAS assem. Dr	ETERNUS LT40 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface														x																		FTS:LT40JZ135E			3659	Orderable from: 01/08/2010
	ETERNUS LT60 LTO-5FH SAS assem. Dr	ETERNUS LT40 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface															x																		FTS:LT60JZ135E			3659	Orderable from: 01/08/2010
	SCi500 1xIBM LTO-4SCSI,UPG	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, LVD SCSI, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately."																														x			Q:LSC5H-UTDL-L4BA			8118	
	SCi500 1xIBM LTO-3SCSI Drive, UPG	Quantum Scalar i500 LTO-3 Tape Drive Module, LVD SCSI, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately.																														x			Q:LSC5H-UTDL-L3BA			6650	
	ETERNUS LT40 LTO-5HH SAS assem. Dr	ETERNUS LT40 , drive LTO5 Half-Hight, LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface up to 6GBit/s														x																		FTS:LT40JZ235E			2518	Orderable from: 01/08/2010
	ETERNUS LT60 LTO-5HH SAS assem. Dr	ETERNUS LT60 , drive LTO5 Half-Hight, LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface up to 6GBit/s															x																		FTS:LT60JZ235E			2518	Orderable from: 01/08/2010
	SCi500 1xIBM LTO-3FC Drive, UPG	Quantum Scalar i500 LTO-3 Tape Drive Module, 4GB native Fibre Channel, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																														x			Q:LSC5H-UTDG-L3BA			9243	
	ETERNUS LT40 LTO-5FH FC assem. Dr	ETERNUS LT40 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface														x																		FTS:LT40JZ125E			3788	Orderable from: 01/08/2010
	ETERNUS LT60 LTO-5HH FC assem. Dr	ETERNUS LT60 , drive LTO5 Half-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface															x																		FTS:LT60JZ225E			2681	Orderable from: 01/08/2010
Installation licences																																							
	Scalar i2000 to Scalar i6000 Upgrade Kit	Quantum Scalar i2000 to Scalar i6000 Upgrade Kit, Includes the necessary hardware and software to upgrade a Scalar i2000 to a Scalar i6000 library. This upgrade enables enhanced functionality not available in a Scalar i2000, including iLayer features like Extended IE, a streamlined firmware download process, and other software updates. In addition, Scalar i2000 systems must be upgraded to a Scalar i6000 with this kit to take advantage of the additional 'i6000-unique' upgrade options like LTO-5 tape drives and the iLayer MeDIA feature.																														x			Q:LSC2K-UU6K-0001			7074	
	SCi500 SKM Lic. Key, LTO-5, 2-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, Two-Drive, field upgrade, Includes license key to enable Storage Networking features on up to two (2) HP LTO-5 drives in a Scalar i500.																														x			Q:LSC5H-USN2-L5HA			2122	
	SCi500 SKM Lic. Key, LTO-5, 4-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, four-Drive, field upgrade, Includes license key to enable Storage Networking features on up to four (4) HP LTO-5 drives in a Scalar i500.																														x			Q:LSC5H-USN4-L5HA			4245	
	SCi500 SKM Lic. Key, LTO-5, 6-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, six-Drive, field upgrade, Includes license key to enable Storage Networking features on up to six (6) HP LTO-5 drives in a Scalar i500.																														x			Q:LSC5H-USN6-L5HA			6367	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Installation licences (Continued)																																							
	SCi500 SKM Lic. Key, LTO-5, 10-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, ten-Drive, field upgrade. Includes license key to enable Storage Networking features on up to ten (10) HP LTO-5 drives in a Scalar i500.																														x				Q:LSC5H-USNA-L5HA			10611	
	SCi6000 Aisle Light Kit, Per Module	Quantum Scalar i6000 Aisle Light Kit, Per Module, Includes all necessary hardware to install an internal blue aisle light at the top of a Scalar i6000 Control Module or Expansion Module. Order quantity one per Control Module and Expansion Module."																													x				Q:LSC6K-AALK-0001			536	
	SCi6000 72Slot LTO I/E-Station for Expan	Quantum Scalar i6000 72-Slot LTO Import/Export (I/E) Station for Expansion Module, One 72-slot or 24-slot I/E Station can be added to each of the first seven Expansion Modules. This 72-slot I/E station includes 72 LTO import/export slots. Reduces EM capacity by 168 LTO slots.																													x				Q:LSC6K-AIES-072A			5659	
	SCi6000 iLayer MeDIA Kit for Scanning	Quantum Scalar i6000 iLayer MeDIA Kit, High Performance, For Scanning LTO-2 Through LTO-4 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system. Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																													x				Q:LSC6K-AMEH-LT2A			22838	
	SCi6000 iLayer MeDIA Kit High for Scanni	Quantum Scalar i6000 iLayer MeDIA Kit, High Performance, For Scanning LTO-3 Through LTO-5 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system. Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																													x				Q:LSC6K-AMEH-LT3A			22638	
	SCi6000 iLayer MeDIA Kit for Scanning	Quantum Scalar i6000 iLayer MeDIA Kit, Standard, For Scanning LTO-2 Through LTO-4 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system. Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																													x				Q:LSC6K-AMES-LT2A			11319	
	SCi6000 iLayer MeDIA Kit for Scanning	Quantum Scalar i6000 iLayer MeDIA Kit, Standard, For Scanning LTO-3 Through LTO-5 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system. Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																													x				Q:LSC6K-AMES-LT3A			11319	
	SCi6,SKM Lic.Key, LTO5,2xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, Two-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																													x				Q:LSC6K-USK2-L5HA			3537	
	SCi6,SKM Lic.Key, LTO5,4xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, four-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																													x				Q:LSC6K-USK4-L5HA			7074	
	SCi6,SKM Lic.Key,LTO5,12xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key,12-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																													x				Q:LSC6K-USKC-L5HA			21223	
	SCi6,SKM Lic.Key,LTO5,24xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, 24-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																													x				Q:LSC6K-USKF-L5HA			42445	
	QTM Vision Server,1Lizenz,Media Kit,ini	Quantum Vision 4.0 Server with One Quantum System License and Media Kit, initial order, Includes media kit and license for one supported Quantum Disk or Tape System. Compatible with Scalar i500 and Scalar i2000/i6000. Requires Server with Windows 2003/2008 or RHEL 5.0, 4GB memory and 200GB free disk space. Includes support when used with supported Quantum Disk or Tape System under a current support contract.																													x	x			Q:WSVLA-FQDA-040A			3891	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Installation licences (Continued)																																							
	SCi500+SCi2k FTS Installations & Service	Optional position for decision between Quantum and FTS Service., Installation FTS Service and FTS Maintenance for Scalar i500 , This position is to be ordered if FTS is the preffered provider for the FTS Installation Service and FTS Maintenance Service., This is only an optional position (place holder) not the number for the Installation and Maintenance Service itself!, An offer for the FTS Installation Service and for FTS Maintenance Service Products is separated to catch up with SBO (Sales Backup Office).																														x	x		x	x	FTS:SCI500-INST			2	
	SCi2000 Partitioning Option License Key	Quantum Scalar i2000 Partitioning Option License Key, Enables partitioning functionality, up to 16 partitions. Required for multi-media systems. Also required for systems connected to a key manager if the system has more than one partition.																														x			x		Q:LSC2K-APAR-001A			5659	
	SCi500 Q-EKM License Key, 2-Drive	"Quantum Scalar i500 Q-EKM License Key, Two-Drive, field upgrade. Includes license key to enable Q-EKM on up to two (2) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																															x			x	Q:LSC5H-UEK2-L4BA			2122	
	SCi500 Q-EKM License Key, 4-Drive	"Quantum Scalar i500 Q-EKM License Key, four-Drive, field upgrade. Includes license key to enable Q-EKM on up to two (2) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																															x			x	Q:LSC5H-UEK4-L4BA			4245	
	SCi500 Q-EKM License Key, 6-Drive	"Quantum Scalar i500 Q-EKM License Key, six-Drive, field upgrade. Includes license key to enable Q-EKM on up to two (2) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																															x				Q:LSC5H-UEK6-L4BA			6367	
	SCi500 Q-EKM License Key, 10-Drive	"Quantum Scalar i500 Q-EKM License Key, ten-Drive, field upgrade. Includes license key to enable Q-EKM on up to two (2) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																															x				Q:LSC5H-UEKA-L4BA			10611	
	SCi500SCALAR Key Manager Lic. Key,2-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, Two-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to two (2) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																															x				Q:LSC5H-UQK2-L4BA			2122	
	SCi500SCALAR Key Manager Lic. Key,4-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, four-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to two (2) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																															x				Q:LSC5H-UQK4-L4BA			4245	
	SCi500SCALAR Key Manager Lic. Key,6-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, six-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to two (2) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																															x				Q:LSC5H-UQK6-L4BA			6367	
	SCi500SCALAR Key Manager Lic. Key,10-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, ten-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to two (2) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																															x				Q:LSC5H-UQKA-L4BA			10611	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 (SC51	FibreCAT SX80/SX80i Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Installation licences (Continued)																																							
	SKM High-Availability Appliance Pair	"Scalar Key Manager High-Availability Appliance Pair. For use with HP LTO-4 drives in both the Scalar i500 and Scalar i2000. Includes two Scalar Key Manager Appliances (one primary, one secondary). Scalar Key Manager drive licenses must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																													x	x		x	x	Q:LSCBB-AKMA-001A			10611	
	SCALAR Drive Upgrade LTO4 to LTO5	Upgrade LTo4 to LTO5. It is a subscription right on the changeover of LTO-4 tape Drives on LTO-5 tape Drives (as long as LTO-5 tape Drives are available).																													x	x		x	x	Q:SCI5-FTDZ-L5HX			6431	Phased out
Inst. licences zone 1																																							
	SCi500 5U, Installation, Z1	Quantum Scalar i500 5U, Installation, zone 1., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																														x			x	Q:SLBBM-NSYS-0001			642	
	SCi2000, Inst & Config, Basic, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																													x			x		Q:SLBBN-NSYN-PB01			4493	
	SCi500 5U & 14U, Installation, Z1, UPG	Quantum SuperLoader 3, Scalar 24, Scalar 50/50e, Scalar i500 5U and Scalar i500 14U, Configuration, zone 1., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																														x			x	Q:SLBBL-NSYC-0001			2724	
	SCi2000, Inst & Config, small, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																													x			x		Q:SLBBN-NSYN-PE01			5748	
	SCi2000, Inst & Config, medium, PX720,Z1	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 1, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																													x			x		Q:SLBBN-NSYN-PH01			8401	
	SCi500 14U, Installation, Z1	Quantum Scalar i500 14U, Installation, zone 1 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																														x				Q:SSC53-NSYS-0001			785	
	SCi2000, Inst & Config, large, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																													x			x		Q:SLBBN-NSYN-PL01			12822	
	SCi500 23U, Installation, Z1	Quantum Scalar i500 23U, Installation and Configuration, zone 1. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																														x				Q:SSC55-NSYN-0001			5394	
	SCi500 9U, Installation, Z1	Quantum Scalar i500 9U Expansion Module, Installation, zone 1, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																														x			x	Q:SSC5H-NEXM-0001			642	
	SCi500+SCi2k FC Drive Install. Up to12Z1	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 1., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																													x	x		x	x	Q:SSCBB-NTDF-0121			3095	
	SCi500+SCi2k SAS / SCSI Drive Install.Z1	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 1., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																													x	x		x	x	Q:SSCBB-NTDL-0121			893	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Inst. licences zone 1 (Continued)																																							
	SCi500+SC2k Q-EKM Install. Single SerZ1	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 1., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																														x	x		x	x	Q:SLBBB-NEK1-0001			1769	
	SCi500+SC2k Q-EKM Add. Server Z1	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 1, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																														x	x		x	x	Q:SLBBB-NEK2-0001			1070	
	SCi500+SC2k Q-EKM Add. Server Z1	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 1, Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																														x	x		x	x	Q:SLBBB-NEK3-0001			1769	
Inst. licences zone 2																																							
	SCi500+SC2k Q-EKM Install. Single SerZ2	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 2., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																														x	x		x	x	Q:SLBBB-NEK1-0002			2034	
	SCi500+SC2k Q-EKM Install. Add. Ser Z2	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 2, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																														x	x		x	x	Q:SLBBB-NEK2-0002			1220	
	SCi500+SC2k Q-EKM Add. Server Z2	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 2., Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																														x	x		x	x	Q:SLBBB-NEK3-0002			2034	
	SCi500 5U & 14U, Installation, Z2, UPG	Quantum Scalar i500 5U and Scalar i500 14U, Configuration, zone 2., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																															x			x	Q:SLBBL-NSYC-0002			3133	
	SCi500 5U, Installation, Z2	Quantum Scalar i500 5U, Installation, zone 2., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																															x			x	Q:SLBBM-NSYS-0002			738	
	SCi2000, Inst & Config, Basic, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																														x			x		Q:SLBBN-NSYN-PB02			5166	
	SCi2000, Inst & Config, small, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																														x			x		Q:SLBBN-NSYN-PE02			6610	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Inst. licences zone 2 (Continued)																																							
	SCi2000, Inst & Config, medium, PX720,Z2	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 2, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																													x			x		Q:SLBBN-NSYN-PH02			9660	
	SCi2000, Inst & Config, large, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																													x			x		Q:SLBBN-NSYN-PL02			14746	
	SCi500 14U, Installation, Z2	Quantum Scalar i500 14U, Installation, zone 2 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																														x				Q:SSC53-NSYS-0002			903	
	SCi500 23U, Installation, Z2	Quantum Scalar i500 23U, Installation and Configuration, zone 2 , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																														x				Q:SSC55-NSYN-0002			6203	
	SCi500 9U, Installation, Z2	Quantum Scalar i500 9U Expansion Module, Installation, zone 2, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																														x			x	Q:SSC5H-NEXM-0002			738	
	SCi500+SCi2k FC Drive Install. Up to12Z2	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 2., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																													x	x		x	x	Q:SSCBB-NTDF-0122			3559	
	SCi500+SCi2k SAS / SCSI Drive Install.Z2	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 2., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																													x	x		x	x	Q:SSCBB-NTDL-0122			1026	
Inst. licences zone 3																																							
	SCi500+SC2k Q-EKM Install. Single SerZ3	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 3., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																													x	x		x	x	Q:SLBBB-NEK1-0003			3095	
	SCi500+SC2k Q-EKM Install. Add. Ser Z3	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 3, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																													x	x		x	x	Q:SLBBB-NEK2-0003			1857	
	SCi500+SC2k Q-EKM Add. Server Z3	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 3., Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																													x	x		x	x	Q:SLBBB-NEK3-0003			3095	
	SCi500 5U & 14U, Installation, Z3, UPG	Quantum Scalar i500 5U and Scalar i500 14U, Configuration, zone 3., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																														x			x	Q:SLBBL-NSYC-0003			4767	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Inst. licences zone 3 (Continued)																																							
	SCi500 5U, Installation, Z3	Quantum Scalar i500 5U, Installation, zone 3., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																														x			x	Q:SLBBM-NSYS-0003			1124	
	SCi2000, Inst & Config, Basic, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																													x			x	Q:SLBBN-NSYN-PB03			7862	
	SCi2000, Inst & Config, small, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																													x			x	Q:SLBBN-NSYN-PE03			10059	
	SCi2000, Inst & Config, medium, PX720,Z3	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 3, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																													x			x	Q:SLBBN-NSYN-PH03			14701	
	SCi2000, Inst & Config, large, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																													x			x	Q:SLBBN-NSYN-PL03			22438	
	SCi500 14U, Installation, Z3	Quantum Scalar i500 14U, Installation, zone 3 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																														x				Q:SSC53-NSYS-0003			1362	
	~~SCi500 23U, installation, Z3~~	~~Quantum Scalar i500 23U, installation and~~ Configuration, zone 3. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																														~~x~~				~~Q:SSC55-NSYN-0003~~			~~9440~~	
	SCi500 9U, Installation, Z3	Quantum Scalar i500 9U Expansion Module, Installation, zone 3, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																														x			x	Q:SSC5H-NEXM-0003			1124	
	SCi500+SCi2k FC Drive Install. Up to12Z3	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 3., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																													x	x		x	x	Q:SSCBB-NTDF-0123			5416	
	SCi500+SCi2k SAS / SCSI Drive Install.Z3	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 3., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																													x	x		x	x	Q:SSCBB-NTDL-0123			1548	
Slot Upgrade																																							
	SL500 Key f. 2nd or 3rd 1/3(each 31)slot	DEM Upgrade-Key of the SL500. Key for activating of the middle or last third of the slots (= each 31 slots)., This order option is a software key, as the slots are already physical present in the Drive Expansion Module.																															x			D:X-SL500K-13SLUP			4891	
	SL500 Base Upgrade Key, 30 to 50 slots	Base Unit Upgrade-Key of the SL500. Upgrade from 30 to 50 cartridge slots., This order option is a Software Key, as the slots are already physical present in the Base Unit.																															x			D:X-SL500K-BA30-50			1762	
	ETERNUS LT40 Slot license 13 - 24	ETERNUS LT40 license 13 - 24 Slot, Activation of the slots 13 to 24 at the factory for ETERNUS Model LT40														x																					FTS:LT40HZ03E			878	
	ETERNUS LT40 license for partitioning	ETERNUS LT40 license for Partitioning, , This licence can be used only if at least two tapes Drives are inserted in the Library and all 24 Slots are activated!														x																					FTS:LT40HZ04			880	
	ETERNUS LT60 Slot license 25 - 36	ETERNUS LT60 license 25 - 36 Slot, Activation of the slots 25 to 36 at the factory for ETERNUS Model LT60															x																					FTS:LT60HZ03E			702	
	ETERNUS LT80 Slot license 37 - 48	ETERNUS LT60 license 37 - 48 Slot, Activation of the slots 37 to 48 at the factory for ETERNUS Model LT60															x																					FTS:LT60HZ04E			702	
	ETERNUS LT60 license for partitioning	ETERNUS LT60 license for Partitioning, , This licence can be used only if at least two tapes Drives are inserted in the Library and all 48 Slots are activated!															x																					FTS:LT60HZ05			880	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX 80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Slot Upgrade (Continued)																																							
	SCi2000 100-slot License Key	Quantum Scalar i2000 100-slot License Key, Quantum Scalar i2000 100-slot License Key , Depending on a further expansion of the base library expansion module slot may be needed (one or more). , It may therefore incur extra costs for field upgrades. It should first be examined whether required by this license, a slot expansion module. , In this case, fill out a Work Order Sheet with relevant organizations and to state the quantum-based library serial number. Quantum will provide in accordance with the Work Order Sheet hardware you need.																														x			x		Q:LSC2K-ALSL-100A			8843	
	SCi500 46slot License Key, factory inst.	Quantum Scalar i500 46-slot License Key, factory installed (EMEA). , Valid only with order for Scalar i500. Order one or two with initial 14U base system to configure library with 87 or 133 activated slots. Order one, two, three or four with initial 23U base system to configure library with 87, 133, 179 or 225 activated slots.																															x			x	Q:LSC5H-FLSL-046E			3891	
Tape Accessories																																							
	ETERNUS LT60 power supply assem.	With this component you can upgrade the ETERNUS LT60 with a redundante power supply at the factory																x																		FTS:LT60HZ06E			367	
Storage FibreCAT																																							
	Single Disk CX4-xx 450GB/10K 4GBit	Single Disk 450GB/10K for CX3-xx Model., Interface: FC with 4 GBit/s.																		x	x															D:FCX4D1-45010-E			1242	
	Single Disk CX3/4-xx 450GB/15K 4GBit	Single Disk 450GB/15K for CX3-xx Model., Interface: FC with 4 GBit/s.																		x	x															D:FCX4D1-45015-E			1581	
	Single Disk CX4-xx 600GB/10K 4GBit	Single Disk 600GB/10K for CX3-xx Model., Interface: FC with 4 GBit/s.																		x	x															D:FCX4D1-60010-E			1590	
	Single Disk CX4-xx 600GB/15K 4GBit	Single Disk 600GB/15K for CX4-xx Model., Interface: FC with 4 GBit/s.																			x															D:FCX4D1-60015-E			2114	
	FlashDisk FibreCAT CX4 400GB 4GBit/s	Solid-State Disk 400GB for CX4-xxx Model., Interface: FC with 4 GBit/s.																			x															D:FCX4SSD-400-E			27511	
	Flash Disk FibreCAT CX4 73GB 4GBit/s	Solid-State Disk 73GB for CX4-xxx Model., Interface: FC with 4 GBit/s.																			x															D:FCX4SSD-73-E			7018	
	Single Disk SATA II 1TB/7k2 FC CX3/4	Single Disk 1TB/7200 rpm for CX3/4-xx Model., SATA II Harddisk with converter to FC interface., (Adapter: Northstar)																			x	x															D:FCXAD1-1T72N-E			1053	
	Single Disk ATA 500GB/7k2 f FibreCAT CX	Single Disk 500GB/7200 for CX Model., ATA Harddisk only actuate for ATA Entry Shelf.																	x																	D:FCXAD1-50072D			982	Phased out
	Single Disk SATA II 750GB/7k2 FC CX3	Single Disk 750GB/7200 rpm for CX3-xx Model., SATA II Harddisk with converter to FC interface., (Adapter: Northstar)																			x	x															D:FCXAD1-75072N-E			1454	Phased out
	Single Disk CX3/4-xx 146GB/15K 4GBit	Single Disk 146GB/15K for CX3/4 Model., Interface: FC with 4 GBit/s.																			x	x															D:FCX4D1-14615-E			837	
	Single Disk CX3-xx 30GB/10K 4GBit	Single Disk 300GB/10K for CX3/4-xx Model., Interface: FC with 4 GBit/s.																			x															D:FCX4D1-30010-E			872	
	Single Disk CX3/4-xx 300GB/15K 4GBit	Single Disk 300GB/15K for CX3/4-xx Model., Interface: FC with 4 GBit/s.																		x	x	x														D:FCX4D1-30015-E			1207	
	Single Disk CX3/4-xx 400GB/10K 4GBit	Single Disk 400GB/10K for CX3-xx Model., Interface: FC with 4 GBit/s.																			x	x															D:FCX4D1-40010-E			1163	
	Single Disk FC 300GB/10k f FibreCAT CX	Single Disk 300GB/10K for FibreCAT CX3/5/7 and CX3-xx Model., Interface: FC with 2 GBit/s. (520BPS)																		x	x															D:FCXD1-30010D			1220	
	Single Disk FC 146GB/15k f FibreCAT CX	Single Disk 146GB/15K for FibreCAT CX3/5/7 and CX3-xx Model., Interface: FC with 2 GBit/s. (520BPS)																		x																D:FCXD1-14615D			1216	
	Single Disk 146GB/10k f FibreCAT CX	Single Disk 146GB/10K for FibreCAT CX3/5/7 and CX3-xx Model., Interface: FC with 2 GBit/s. (520BPS)																		x	x															D:FCXD1-14610D			846	
Services																																							
	SCi500 5U, 15% of Annual Renewal, all Zo	Quantum Reactivation Fee, 15% of Annual Renewal, if expired less than six months, all zones, CALL FOR QUOTE																														x	x			x	Q:SAABB-NRA1-0000			873362	
	Quantum Reactivation Fee, 40%	Quantum Reactivation Fee, 40% of Annual Renewal, if expired six months or more, all zones, CALL FOR QUOTE																														x	x			x	Q:SAABB-NRA6-0000			873362	
	SCi2000 Advanced Reporting Opt. Lic.Key	Quantum Scalar i2000 Management Control Blade, Order as a spare or replacement.																														x			x	Q:LSC2K-AADR-001A			2087	
	SCi2000 Management Control Blade	Quantum Scalar i2000 Management Control Blade, Order as a spare or replacement.																														x			x	Q:LSC2K-AMCB-001A			10081	
	SCi2000 Extn. SUP Q-EKM Br./Silver all Z	Quantum Scalar i2000 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, Provides one year of 5x9 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																														x			x	Q:SSC2K-LEKM-BL10			81	
	SCi2000 Extn. SUP SKM/ Q-EKM Gold all Z	Quantum Scalar i2000 Encryption Key Management Solution, Gold Software Support Plan (7x24 telephone), Per Drive Uplift, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																														x			x	Q:SSC2K-LEKM-GL10			99	
	SCi500 Q-EKM Extn. Bronze/Silver all Z	Quantum Scalar i500 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 5X9 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																															x			x	Q:SSC5H-LEKM-BL10			139	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Services (Continued)																																							
	SCi2000 UPG SUP Q-EKM Br./Silver all Z	Quantum Scalar i2000 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Renewal, annual, all zones, Provides one year of 5x9 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																														x			x		Q:SSC2K-REKM-BL10			104	
	SCi500 Q-EKM Gold all Zone	"Quantum Scalar i500 Encryption Key Manager Solution, Gold Software Support Plan (7x24 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 7x24 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5."																															x			x	Q:SSC5H-LEKM-GL10			170	
	SCi2000 UPG SUP SKM/ Q-EKM Gold all Z	Quantum Scalar i2000 Encryption Key Management Solution, Gold Software Support Plan (7x24 telephone), Per Drive Renewal, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																															x			x		Q:SSC2K-REKM-GL10			128	
	SCi500 Q-EKM SUP Bronze/Silver all Z	Quantum Scalar i500 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 5X9 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																															x			x		Q:SSC5H-REKM-BL10			181	
	SCi500 Q-EKM Gold all Zone	Quantum Scalar i500 Encryption Key Management Solution, Gold Software Support Plan (7x24 telephone), Per Drive Renewal, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5."																															x			x		Q:SSC5H-REKM-GL10			220	
Services zone 1																																							
	SCi500 Bronze SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1, Price is per tape drive.																															x			x		Q:SLBBM-LTDX-BL11			517	
	SCi500 Gold SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1, Price is per tape drive.																															x			x		Q:SLBBM-LTDX-GL11			910	
	SCi500Silver SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1. Price is per tape drive."																															x			x		Q:SLBBM-LTDX-SL11			819	
	SCi500 Bronze SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1, Price is per tape drive.																															x			x		Q:SLBBM-RTDX-BL11			673	
	SCi500 Gold SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																															x			x		Q:SLBBM-RTDX-GL11			1183	
	SCi500 Silber SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																															x			x		Q:SLBBM-RTDX-SL11			1065	
	SCi2000 Extn. SUP Tape Drives Bronze, Z1	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 1.Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																															x			x		Q:SLBBN-ETDX-BL11			546	
	SCi500 5U Extn.SUP Library0 Dr,Bronze,Z1	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																															x			x		Q:SSC51-LS00-BL11			357	
	SCi2000 Extn. SUP Tape Drives Silver, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1, Price is per tape drive., , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																															x			x		Q:SLBBN-LTDX-SL11			960	
	SCi500 5U Extn.SUP Library0 Dr,Silber,Z1	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																															x			x		Q:SSC51-LS00-SL11			642	

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Services zone 1 (Continued)																																							
	SCi2000 Extn. SUP Tape Drives Gold, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 1, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x			x		Q:SLBBN-LTDX-GL11			1067	
	SCi500 5U Extn.SUP Library 0 Dr, Gold,Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																													x				x	Q:SSC51-LS00-GL11			714	
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																													x			x		Q:SSC2K-ES01-BL11			1500	
	SCi500 14U Extn.SUPLibrary0 Dr,Bronze,Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																													x					Q:SSC53-LS00-BL11			714	
	SCi2000 Extn.SUP 100Slot,0Dri, silver,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x			x		Q:SSC2K-LS01-SL11			2916	
	SCi500 14U Extn.SUPLibrary0 Dr,Silver,Z1	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																													x					Q:SSC53-LS00-SL11			964	
	SCi2000 Extn.SUP 100Slot,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x			x		Q:SSC2K-LS01-GL11			3240	
	SCi500 14U Extn.SUPLibrary0 Dr,Gold,Z1	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																													x					Q:SSC53-LS00-GL11			1070	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 1																													x			x		Q:SSC2K-ES07-BL11			1875	
	SCi500 23U Extn.SUPLibrary0 Dr,Bronze,Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																													x					Q:SSC55-LS00-BL11			1213	
	SCi2000 Extn.SUP 700Slot,0Dri, silver,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 1, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x			x		Q:SSC2K-LS07-SL11			3645	
	SCi500 23U Extn.SUPLibrary0 Dr,Silver,Z1	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																													x					Q:SSC55-LS00-SL11			1910	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 1, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x			x		Q:SSC2K-LS07-GL11			4050	
	SCi500 23U Extn.SUPLibrary0 Dr,Gold,Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																													x					Q:SSC55-LS00-GL11			2122	
	SCi500 5U UPG SUP Library0 Dr,Bronze, Z1	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																													x				x	Q:SSC51-RS00-BL11			464	
	SCi500 5U UPG SUP Library, Silver Z1	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																													x				x	Q:SSC51-RS00-SL11			835	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 1																													x			x		Q:SSCBB-ES01-BL11			649	
	SCi500 5U UPG SUP Library, Gold, Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																													x				x	Q:SSC51-RS00-GL11			928	
	SCi2000 Extn. per 100Slots,Silber Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																													x			x		Q:SSCBB-LS01-SL11			884	
	SCi500 14U UPG SUPLibrary0 Dr,Bronze, Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																													x					Q:SSC53-RS00-BL11			928	
	SCi2000 Extn. per 100Slots, Gold Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																													x			x		Q:SSCBB-LS01-GL11			981	
	SCi2000 UPG SUP Tape Drives Bronze, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1, Price is per tape drive.																													x			x		Q:SLBBN-RTDX-BL11			710	
	SCi500 14U UPG SUPLibrary0 Dr,Silver, Z1	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																													x					Q:SSC53-RS00-SL11			1242	
	SCi2000 UPG SUP Tape Drive, Silver, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																													x			x		Q:SLBBN-RTDX-SL11			1238	
	SCi500 14U UPG SUP Library0 Dr,Gold, Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																													x					Q:SSC53-RS00-GL11			1380	
	SCi2000 UPG SUP Tape Drive, Gold, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1. Price is per tape drive.																													x			x		Q:SLBBN-RTDX-GL11			1376	
	SCi500 23U UPG SUPLibrary0 Dr,Bronze, Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																													x					Q:SSC55-RS00-BL11			1563	
	SCi2000 UPG SUP 100Slots,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 1																													x			x		Q:SSC2K-RS01-BL11			1755	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 (SC51	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Services zone 1 (Continued)																																							
	SCi500 23U UPG SUPLibrary0 Dr,Silver, Z1	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																														x				Q:SSC55-RS00-SL11			2483	
	SCi2000 UPG SUP 100Slots,0Dri, silver,Z1	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 1																														x			x	Q:SSC2K-RS01-SL11			3412	
	SCi500 23U UPG SUPLibrary0 Dr,Gold Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																														x				Q:SSC55-RS00-GL11			2759	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1																														x			x	Q:SSC2K-RS01-GL11			3791	
	SCi500 9U Extn.SUP Library0 Dr,Bronze,Z1	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																														x				Q:SSC5H-LEXM-BL11			357	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 1																														x			x	Q:SSC2K-RS07-BL11			2437	
	SCi500 9U Extn.SUP Library0 Dr,Silver,Z1	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																														x				Q:SSC5H-LEXM-SL11			642	
	SCi2000 UPG SUP 700Slots,0Dri, Silver,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 1																														x			x	Q:SSC2K-RS07-SL11			4739	
	SCi500 9U Extn.SUP Library0 Dr,Gold,Z1	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																														x				Q:SSC5H-LEXM-GL11			714	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1																														x			x	Q:SSC2K-RS07-GL11			5266	
	SCi2000 UPG per 100 Slots, Bronze Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																														x			x	Q:SSCBB-RS01-BL11			844	
	SCi2000 UPG per 100 Slots, Silber Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																														x			x	Q:SSCBB-RS01-SL11			1148	
	SCi2000 UPG per 100 Slots, Gold Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																														x			x	Q:SSCBB-RS01-GL11			1265	
	SCi500 9U Bronze SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																														x			x	Q:SSC5H-REXM-BL11			464	
	SCi500 9U Silver SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																														x			x	Q:SSC5H-REXM-SL11			835	
	SCi500 9U Gold SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																														x			x	Q:SSC5H-REXM-GL11			928	
Services zone 2																																							
	SCi500 Bronze SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBM-LTDX-BL12			596	
	SCi500 Gold SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive **Module, Gold Support Plan (7x24x4 on-site),** Uplift, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBM-LTDX-GL12			1046	
	SCi500 Silber SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2., Price is per tape drive.																														x			x	Q:SLBBM-LTDX-SL12			941	
	SCi500 Bronze SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBM-RTDX-BL12			774	
	SCi500 Gold SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBM-RTDX-GL12			1348	
	SCi500 Silber SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBM-RTDX-SL12			1213	
	SCi2000 Extn. SUP Tape Drives Bronze, Z2	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 2.Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price)																														x			x	Q:SLBBN-ETDX-BL12			628	
	SCi2000 Extn. SUP Tape Drives Gold, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 2, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x	Q:SLBBN-LTDX-GL12			1226	
	SCi2000 Extn. SUP Tape Drives Silber, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x	Q:SLBBN-LTDX-SL12			1104	
	SCi2000 UPG SUP Tape Drives Bronze, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBN-RTDX-BL12			817	
	SCi2000 UPG SUP Tape Drive, Gold, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2. Price is per tape drive.																														x			x	Q:SLBBN-RTDX-GL12			1581	
	SCi2000 UPG SUP Tape Drive, Silber, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2, Price is per tape drive.																														x			x	Q:SLBBN-RTDX-SL12			1424	
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																														x			x	Q:SSC2K-ES01-BL12			1725	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 2																														x			x	Q:SSC2K-ES07-BL12			2156	

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Services zone 2 (Continued)																																							
	SCi2000 Extn.SUP 100Slot,0 Dri, Gold,Z2	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x		x		Q:SSC2K-LS01-GL12			3726	
	SCi2000 Extn.SUP 100Slot,0Dri, silber,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x		x		Q:SSC2K-LS01-SL12			3353	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 2, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x		x		Q:SSC2K-LS07-GL12			4658	
	SCi2000 Extn.SUP 700Slot,0Dri, Silber,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 2, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																													x		x		Q:SSC2K-LS07-SL12			4192	
	SCi2/i6 UPG SUP 100Slots,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 2																													x		x		Q:SSC2K-RS01-BL12			2017	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2																													x		x		Q:SSC2K-RS01-GL12			4359	
	SCi2000 UPG SUP 100Slots,0Dri, silber,Z2	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 2																													x		x		Q:SSC2K-RS01-SL12			3923	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 2																													x		x		Q:SSC2K-RS07-BL12			2803	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2																													x		x		Q:SSC2K-RS07-GL12			6055	
	SCi2000 UPG SUP 700Slots,0Dri, Silber,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 2																													x		x		Q:SSC2K-RS07-SL12			5449	
	SCi500 5U Extn.SUP Library0 Dr,Bronze,Z2	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																														x		x	Q:SSC51-LS00-BL12			411	
	SCi500 5U Extn.SUP Library 0 Dr, Gold,Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																														x		x	Q:SSC51-LS00-GL12			821	
	SCi500 5U Extn.SUP Library0 Dr,Silber,Z2	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																														x		x	Q:SSC51-LS00-SL12			738	
	SCi500 5U UPG SUP Library0 Dr,Bronze, Z2	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																														x		x	Q:SSC51-RS00-BL12			534	
	SCi500 5U UPG SUP Library, Gold, Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																														x		x	Q:SSC51-RS00-GL12			1067	
	SCi500 5U UPG SUP Library, Silber Z2	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																														x		x	Q:SSC51-RS00-SL12			960	
	SCi500 14U Extn.SUPLibrary0 Dr,Bronze,Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																														x			Q:SSC53-LS00-BL12			821	
	SCi500 14U Extn.SUPLibrary0 Dr,Gold,Z2	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																														x			Q:SSC53-LS00-GL12			1220	
	SCi500 14U Extn.SUPLibrary0 Dr,Silber,Z2	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																														x			Q:SSC53-LS00-SL12			1108	
	SCi500 14U UPG SUPLibrary0 Dr,Bronze, Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																														x			Q:SSC53-RS00-BL12			1067	
	SCi500 14U UPG SUP Library0 Dr,Gold, Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																														x			Q:SSC53-RS00-GL12			1587	
	SCi500 14U UPG SUPLibrary0 Dr,Silber, Z2	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																														x			Q:SSC53-RS00-SL12			1428	
	SCi500 23U Extn.SUPLibrary0 Dr,Bronze,Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																														x			Q:SSC55-LS00-BL12			1383	
	SCi500 23U Extn.SUPLibrary0 Dr,Gold,Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																														x			Q:SSC55-LS00-GL12			2441	
	SCi500 23U Extn.SUPLibrary0 Dr,Silber,Z2	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																														x			Q:SSC55-LS00-SL12			2197	
	SCi500 23U UPG SUPLibrary0 Dr,Bronze, Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																														x			Q:SSC55-RS00-BL12			1798	
	SCi500 23U UPG SUPLibrary0 Dr,Gold Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																														x			Q:SSC55-RS00-GL12			3173	
	SCi500 23U UPG SUPLibrary0 Dr,Silber, Z2	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																														x			Q:SSC55-RS00-SL12			2856	
	SCi500 9U Extn.SUP Library0 Dr,Bronze,Z2	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																														x		x	Q:SSC5H-LEXM-BL12			411	
	SCi500 9U Extn.SUP Library0 Dr,Gold,Z2	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																														x		x	Q:SSC5H-LEXM-GL12			821	
	SCi500 9U Extn.SUP Library0 Dr,Silber,Z2	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																														x		x	Q:SSC5H-LEXM-SL12			738	
	SCi500 9U Bronze SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																														x		x	Q:SSC5H-REXM-BL12			534	
	SCi500 9U Gold SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																														x		x	Q:SSC5H-REXM-GL12			1067	

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Services zone 2 (Continued)																																							
	SCi500 9U Silver SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																													x			x	Q:SSC5H-REXM-SL12			960	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 2																													x			x		Q:SSCBB-ES01-BL12			747	
	SCi2000 Extn. pro 100Slots, Gold Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																													x			x		Q:SSCBB-LS01-GL12			1129	
	SCi2000 Extn. pro 100Slots,Silber Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																													x			x		Q:SSCBB-LS01-SL12			1016	
	SCi2000 UPG pro 100 Slots, Bronze Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																													x			x		Q:SSCBB-RS01-BL12			971	
	SCi2000 UPG pro 100 Slots, Gold Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																													x			x		Q:SSCBB-RS01-GL12			1454	
	SCi2000 UPG pro 100 Slots, Silber Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																													x			x		Q:SSCBB-RS01-SL12			1309	
Services zone 3																																							
	SCi500 Bronze SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3, Price is per tape drive.																														x			x	Q:SLBBM-LTDX-BL13			906	
	SCi500 Gold SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3, Price is per tape drive.																														x			x	Q:SLBBM-LTDX-GL13			1578	
	SCi500 Silber SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3., Price is per tape drive.																														x			x	Q:SLBBM-LTDX-SL13			1420	
	SCi500 Bronze SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3, Price is per tape drive.																														x			x	Q:SLBBM-RTDX-BL13			1177	
	SCi500 Gold SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3, Price is per tape drive.																														x			x	Q:SLBBM-RTDX-GL13			2052	
	SCi500 Silber SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3, Price is per tape drive.																														x			x	Q:SLBBM-RTDX-SL13			1847	
	SCi2000 Extn. SUP Tape Drives Bronze, Z3	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 3.Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price)																														x			x		Q:SLBBN-ETDX-BL13			956	
	SCi2000 Extn. SUP Tape Drives Gold, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 3, Price is per tape drive., , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x		Q:SLBBN-LTDX-GL13			1851	
	SCi2000 Extn. SUP Tape Drives Silber, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3, Price is per tape drive., , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x		Q:SLBBN-LTDX-SL13			1666	
	SCi2000 UPG SUP Tape Drives Bronze, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3, Price is per tape drive.																														x			x		Q:SLBBN-RTDX-BL13			1241	
	SCi2000 UPG SUP Tape Drive, Gold, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3. Price is per tape drive.																														x			x		Q:SLBBN-RTDX-GL13			2406	
	SCi2000 UPG SUP Tape Drive, Silber, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3, Price is per tape drive.																														x			x		Q:SLBBN-RTDX-SL13			2165	
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site) , , Extension, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																														x			x		Q:SSC2K-ES01-BL13			2624	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 3																														x			x		Q:SSC2K-ES07-BL13			3281	
	SCi2000 Extn.SUP 100Slot,0 Dri, Gold,Z3	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site) , , Uplift, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x		Q:SSC2K-LS01-GL13			5870	
	SCi2000 Extn.SUP 100Slot,0Dri, silber,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site) , , Uplift, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x		Q:SSC2K-LS01-SL13			5103	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site) , , Extension, annual, zone 3, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x		Q:SSC2K-LS07-GL13			7087	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX 80 (GC)1	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL1500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Services zone 3 (Continued)																																							
	SCi2000 Extn.SUP 700Slot,0Dri, Silber,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 3, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																														x			x		Q:SSC2K-LS07-SL13			6379	
	SCi2000 UPG SUP 100Slots,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 3																														x			x		Q:SSC2K-RS01-BL13			3071	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3																														x			x		Q:SSC2K-RS01-GL13			6634	
	SCi2000 UPG SUP 100Slots,0Dri, silber,Z3	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 3																														x			x		Q:SSC2K-RS01-SL13			5970	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 3																														x			x		Q:SSC2K-RS07-BL13			4265	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3																														x			x		Q:SSC2K-RS07-GL13			9213	
	SCi2000 UPG SUP 700Slots,0Dri, Silber,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 3																														x			x		Q:SSC2K-RS07-SL13			8293	
	SCi500 5U Extn.SUP Library0 Dr,Bronze,Z3	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																															x			x	Q:SSC51-LS00-BL13			625	
	SCi500 5U Extn.SUP Library 0 Dr, Gold,Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																															x			x	Q:SSC51-LS00-GL13			1238	
	SCi500 5U Extn.SUP Library0 Dr,Silber,Z3	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																															x			x	Q:SSC51-LS00-SL13			1124	
	SCi500 5U UPG SUP Library0 Dr,Bronze, Z3	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																															x			x	Q:SSC51-RS00-BL13			812	
	SCi500 5U UPG SUP Library, Gold, Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																															x			x	Q:SSC51-RS00-GL13			1610	
	SCi500 5U UPG SUP Library, Silber Z3	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																															x			x	Q:SSC51-RS00-SL13			1449	
	SCi500 14U Extn.SUPLibrary0 Dr,Bronze,Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																															x				Q:SSC53-LS00-BL13			1238	
	SCi500 14U Extn.SUPLibrary0 Dr,Gold,Z3	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																															x				Q:SSC53-LS00-GL13			1857	
	SCi500 14U Extn.SUPLibrary0 Dr,Silber,Z3	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																															x				Q:SSC53-LS00-SL13			1672	
	SCi500 14U UPG SUPLibrary0 Dr,Bronze, Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																															x				Q:SSC53-RS00-BL13			1610	
	SCi500 14U UPG SUP Library0 Dr,Gold, Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																															x				Q:SSC53-RS00-GL13			2415	
	SCi500 14U UPG SUPLibrary0 Dr,Silber, Z3	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																															x				Q:SSC53-RS00-SL13			2173	
	SCi500 23U Extn.SUPLibrary0 Dr,Bronze,Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																															x				Q:SSC55-LS00-BL13			2105	
	SCi500 23U Extn.SUPLibrary0 Dr,Gold,Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																															x				Q:SSC55-LS00-GL13			3714	
	SCi500 23U Extn.SUPLibrary0 Dr,Silber,Z3	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																															x				Q:SSC55-LS00-SL13			3342	
	SCi500 23U UPG SUPLibrary0 Dr,Bronze, Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																															x				Q:SSC55-RS00-BL13			2736	
	SCi500 23U UPG SUPLibrary0 Dr,Gold Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																															x				Q:SSC55-RS00-GL13			4828	
	SCi500 23U UPG SUPLibrary0 Dr,Silber, Z3	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																															x				Q:SSC55-RS00-SL13			4346	
	SCi500 9U Extn.SUP Library0 Dr,Bronze,Z3	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																															x			x	Q:SSC5H-LEXM-BL13			625	
	SCi500 9U Extn.SUP Library0 Dr,Gold,Z3	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																															x			x	Q:SSC5H-LEXM-GL13			1238	
	SCi500 9U Extn.SUP Library0 Dr,Silber,Z3	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																															x			x	Q:SSC5H-LEXM-SL13			1124	
	SCi500 9U Bronze SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																															x			x	Q:SSC5H-REXM-BL13			812	
	SCi500 9U Gold SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																															x			x	Q:SSC5H-REXM-GL13			1610	
	SCi500 9U Silver SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																															x			x	Q:SSC5H-REXM-SL13			1449	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 3																														x			x		Q:SSCBB-ES01-BL13			1137	
	SCi2000 Extn. pro 100Slots, Gold Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																														x			x		Q:SSCBB-LS01-GL13			1702	
	SCi2000 Extn. pro 100Slots,Silber Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																														x			x		Q:SSCBB-LS01-SL13			1532	
	SCi2000 UPG pro 100 Slots, Bronze Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																														x			x		Q:SSCBB-RS01-BL13			1465	
	SCi2000 UPG pro 100 Slots, Gold Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																														x			x		Q:SSCBB-RS01-GL13			2213	
	SCi2000 UPG pro 100 Slots, Silber Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																														x			x		Q:SSCBB-RS01-SL13			1991	
Upgrades																																							

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX80/SX90 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
Upgrades (Continued)																																							
	SCi2000 IPv6 Compact Flash Upgrade Kit	Quantum Scalar i2000 IPv6 Compact Flash Upgrade Kit, This kit is only needed for those few customers that are connecting a Scalar i2000 to an IPv6 network. This kit includes a standard Scalar i2000 Compact Flash card with special code that allows a Scalar i2000 to connect to an IPv6 network. Flash must be installed at point of sale in the factory or by Quantum personnel as a post-sale upgrade. If customers want to upgrade firmware, they should open a Service Request and the upgrade will be scheduled with Quantum's field service group. Installation charges may apply.																														x			x		Q:LSC2K-ACFU-006A			2	
	SCi2000 FC I/O Blade, 4GB UPG	Quantum Scalar i2000 Fibre Channel I/O Blade, 4GB, Includes two host/SAN Fibre Channel ports and four tape drive Fibre Channel ports, all with LC connectors. Order to convert one to four native Fibre Channel drives to Storage Networking. If the Control Module (CM) or Expansion Module (EM) containing the drives being converted does not already include other Storage Networking drives (i.e., the conversion is the first time the cabinet will be configured with Storage Networking), then the Scalar i20000 Native Fibre Channel to Storage Networking Upgrade Kit (LSC2K-USNC-001A) is also required.																														x			x		Q:LSC2K-AFCC-001A			10102	
	SCi2000 (I/E) Station Expansion Module	Quantum Scalar i2000 Import/Export (I/E) Station for Expansion Module, One I/E Station can be added to each Expansion Module. Includes 24 LTO or 20 DLT import/export slots. Reduces EM capacity by 36 LTO or 30 DLT slots. Maximum seven.																														x			x		Q:LSC2K-AIES-001A			2916	
	SCi2000 Five-slot SDLT Magazine	Quantum Scalar i2000 Five-slot SDLT Magazine, Includes dust cover.																														x			x		Q:LSC2K-AMAG-D06A			49	
	SCi2000 Power Supply	Quantum Scalar i2000 Redundant (2N) Power Supply Module, Order one for Control Module (base system) plus one for each Expansion Module that is configured with tape drives.																														x			x		Q:LSC2K-ARPS-001E			4598	
	SCi2000 Multi-media Picker UPG Kit,UPG	"Quantum Scalar i2000 Multi-media Picker Upgrade Kit, field upgrade (EMEA), Required when adding DLT media to an installed library initially ordered with LTO only. Not required when ordering a new library in a multi-media configuration nor when adding LTO media to an installed library initially ordered with DLT. The Scalar i2000 Partitioning Option must be purchased with multi-media libraries."																														x			x		Q:LSC2K-UMMP-001E			3537	
	SCi2000 FC Networking Conversion Kit,UPG	Quantum Scalar i2000 Native Fibre Channel to Storage Networking Conversion Kit, field upgrade, Includes network chassis fan and Control Management Blade (CMB). One kit is required when ordering a Fibre Channel I/O Blade to convert existing native Fibre Channel drives to Storage Networking if the Control **Module (CM) or Expansion Module (EM)** containing the drives being converted does not already contain Storage Networking drives. Maximum one kit per CM or EM being converted to Storage Networking for the first time.																														x			x		Q:LSC2K-USNC-001A			6842	
	SCi500 Advanced Reporting Option Lic.Key	"Quantum Scalar i500 Advanced Reporting Option License Key, Field Upgrade. Includes Drive Resource Utilization and Media Integrity reporting."																															x			x	Q:LSC5H-UADR-000A			2087	
	SCi500 Cable Management Kit, UPG	Quantum Scalar i500 Cable Management Kit, field upgrade, For Scalar i500 14U and larger systems only. Includes two "wire saddles" that can hold one to four Ethernet cables and two Velcro straps for routing Ethernet cables and power cords. This kit is included with every Scalar i500 Fibre Channel I/O Blade. However, this kit may be ordered for configurations without an I/O Blade to bundle together a large number of drive and power cords for easier cable management.																															x			x	Q:LSC5H-UCMK-001A			36	
	SCi500 5U and 14U Desktop Kit, UPG	Quantum Scalar i500 5U and 14U Desktop Kit, field upgrade, , Valid only for field-installed Scalar i500 5U or 14U base system. Configures the base system for desktop use rather than rackmount installation.																															x			x	Q:LSC5H-UDTK-000A			31	
	SCi500 Fibre Channel I/O Blade, UPG	Quantum Scalar i500 Fibre Channel I/O Blade, 4GB, field upgrade, For Scalar i500 14U and larger systems only. Includes two host/SAN Fibre Channel ports and four tape drive Fibre Channel ports, all with LC connectors.																															x				Q:LSC5H-UFCC-001A			5659	
	SCi500 Power Supply	Quantum Scalar i500 Redundant (2N) Power Supply Module, field upgrade, Add one, two, three, four or five to 5U, 9U, 14U, 23U, 32U or 41U library, respectively."																															x			x	Q:LSC5H-URPS-000A			2119	
	QTM Vision Server,1Lizenz, field add-on	Quantum Vision 4.0 Server, One Quantum System License, field add-on, Valid only after the initial purchase and installation of Quantum Vision 4 software. Includes licenses for One supported Quantum Disk or Tape System. Compatible with DXi2500-D, DXi3500, DXi5500, DXi6500, DXi7500, Scalar i40/i80, Scalar i500 and Scalar i2000/i6000. Quantum Disk or Tape System must be covered under a current support contract."																														x	x				Q:WSVLA-UQDA-040A			1946	
SF (Express)																																							
	ETERNUS SFEXP14 DX60 LocalCopyLic512	ETERNUS SF Express V14 Local Copy License for 512 snaps/clones with ETERNUS DX60,, enabling 9 to 512 snaps/clones., This license requires no further options as it already includes annual maintenance fee for the lifetime of the hardware.				x	x																													FTS:D01900E81H			1747	
	ETERNUS SFEXP14 DX80/90 LocalCopyLic1024	ETERNUS SF Express V14 Local Copy License for 1024 snaps/clones with ETERNUS DX80/DX90,, enabling 9 to 1,024 snaps/clones., This license requires no further options as it already includes annual maintenance fee for the lifetime of the hardware.							x	x		x	x																							FTS:D01900E82H			2393	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	ETERNUS DX4x0 Field upgrade	ETERNUS DX60	ETERNUS DX60 2_5"	ETERNUS DX60/DX80 Expansion	ETERNUS DX80	ETERNUS DX80 2_5"	ETERNUS DX8400	ETERNUS DX90	ETERNUS DX90 2_5"	ETERNUS JX40	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 Expansionshelf	FibreCAT CX4 Expansionshelf	FibreCAT SX 100	FibreCAT SX 100 Expansion	FibreCAT SX 40	FibreCAT SX 60 Expansion	FibreCAT SX 80 iSCSI	FibreCAT SX80/SX60 Expansion	FibreCAT SX88	FibreCAT SX 88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	Library SL500	MBK SCALAR i2000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																							
SF (Express) (Continued)																																							
	ETERNUS SFEXP14 DX90 RemoteCopyLic	ETERNUS SF Express V14 Remote Copy License for storage-based replication with ETERNUS DX90., Synchron / Asynchron mirroring between two DX90., This license requires no further options as it already includes annual maintenance fee for the lifetime of the hardware.										x	x																						FTS:D01900E83H			3668	
SF (Standard)																																							
	ETERNUS SFACM14 DX60 LocalCopyUpg512	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 512 snaps/clones with ETERNUS DX60 Software Upgrade., enabling 9 to 512 snaps/clones				x	x																												FTS:D01901E80H			828	
	ETERNUS SFACM14 DX80 LocalCopyUpg1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX80 Software Upgrade., enabling 9 to 1,024 snaps/clones							x	x																								FTS:D01901E81H			828	
	ETERNUS SFACM14 DX90 LocalCopyUpg1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX90 Software Upgrade., enabling 9 to 1,024 snaps/clones										x	x																						FTS:D01901E82H			828	
	ETERNUS SFACM14 DX90 RemoteCopyU	ETERNUS SF AdvancedCopy Manager V14 Remote Copy License for storage-based replication with ETERNUS DX90 Software Upgrade., enabling storage-based replication										x	x																						FTS:D01902E80H			1542	
	ETERNUS SF Storage Cruiser 14.x	ETERNUS SF Storage Cruiser Standard Edition 14.x				x	x		x	x		x	x																						FJS:D01916E81H			11258	
	Annual Support fee for FJS:D01916E81H	Annual Support fee for ETERNUS SF Storage Cruiser Standard Edition License FJS:D01916E81H., Support is for one Year.				x	x		x	x		x	x																						FJS:D01916ES1H			2096	
	SF Storage Cruiser Media Pack WIN	ETERNUS SF Storage Cruiser Standard Edition Media Pack 14.x for Windows				x	x		x	x		x	x																						FTS:B0251YEB0H			245	Orderable from: 15/06/2010
	SF Storage Cruiser Media Pack Solaris	ETERNUS SF Storage Cruiser Standard Media Pack 14.x for Solaris				x	x		x	x		x	x																						FTS:B0112QEB0H			245	Orderable from: 15/06/2010
	SF Storage Cruiser Media Pack Linux	ETERNUS SF Storage Cruiser Standard Media Pack 14.x for Linux				x	x		x	x		x	x																						FTS:B0213REB0H			245	Orderable from: 15/06/2010
	SF Storage Cruiser MediaPack PRIMEQLinux	ETERNUS SF Storage Cruiser Standard Media Pack 14.x for PRIMEQUEST Linux				x	x		x	x		x	x																						FTS:B0213SEB0H			245	Orderable from: 15/06/2010
	ETERNUS SFACM14 DX60 LocalCopyLic512	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 512 snaps/clones with ETERNUS DX60., enabling 9 to 512 snaps/clones				x	x																												FTS:D01910E85H			1656	
	ETERNUS SFACM14 DX80 LocalCopyLic1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX80., enabling 9 to 1,024 snaps/clones							x	x																								FTS:D01910E86H			1656	
	ETERNUS SFACM14 DX90 LocalCopyLic1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX90., enabling 9 to 1,024 snaps/clones										x	x																						FTS:D01910E87H			1656	
	ACM Mediapack 14.x for Windows	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Windows				x	x		x	x		x	x																						FTS:B0251SEB0H			245	Orderable from: 15/06/2010
	ACM Mediapack 14.x for Solaris	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Solaris				x	x		x	x		x	x																						FTS:B0112CEB0H			245	Orderable from: 15/06/2010
	~~ACM Mediapack 14.x for Linux~~	~~ETERNUS SF AdvancedCopy Manager~~ Standard Edition Mediapack 14.x for Linux				~~x~~	~~x~~		~~x~~	~~x~~		~~x~~	~~x~~																						~~FTS:B0212DEB0H~~			~~245~~	~~Orderable from: 15/06/2010~~
	ACM Mediapack 14.x for PRIMEQUEST Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for PRIMEQUEST Linux				x	x		x	x		x	x																						FTS:B0212EEB0H			245	Orderable from: 15/06/2010
	Annual Support Fee for ACM license DX60	Annual Support Fee for ETERNUS SFACM14 DX60 LocalCopyLic512 FTS:D01910E85H or upgrade FTS:D01901E80H., Support for one year.				x	x																												FTS:D01910ES5H			273	
	Annual Support Fee for ACM license DX80	Annual Support Fee for ETERNUS SFACM14 DX80 LocalCopyLic1024 FTS:D01910E86H or upgrade FTS:D01901E81H., Support for one year.							x	x																								FTS:D01910ES6H			273	
	Annual Support Fee DX90 ACM LocalCopyLic	Annual Support Fee for ETERNUS SFACM14 DX90 LocalCopyLic1024 FTS:D01910E87H or upgrade FTS:D01901E82H., Support for one year.										x	x																						FTS:D01910ES7H			273	
	ETERNUS SFACM14 DX90 RemoteCopyLic	ETERNUS SF AdvancedCopy Manager V14 Remote Copy License for storage-based replication with ETERNUS DX90., enabling storage-based replication										x	x																						FTS:D01913E85H			3048	
	Annual Support Fee DX90 RemoteCopyLic	Annual Support Fee for ETERNUS SFACM14 DX90 RemoteCopyLic FTS:D01913E85H or upgrade FTS:D01902E80H., Support for one year.										x	x																						FTS:D01913ES5H			573	
System training																																							
	SCi500+SC2kCust Training,SAN #1-0600	Quantum SAN Fundamentals Customer Training, online [Course# 1-0600]																														x	x		x	x	Q:EAABB-ASNF-L00A			428	
	SCi500+SC2kCust Training,SAN #2-0600	Quantum SAN Methodologies Customer Training, Intermediate, classroom [Course# 2-0600]																														x	x		x	x	Q:EAABB-ASNM-C00A			999	
	SCi500+SC2k Cust Training,Media #1-0806	Quantum Media Handling Customer Training, online [Course# 1-0806]																														x	x		x	x	Q:ELBBB-APRT-L00A			71	
	SCi2000 Customer Training #1-0302	Quantum Scalar i2000 Customer Training, online [Course# 1-0302]																														x			x		Q:ESC2K-APRT-L00A			214	
	SCi2000 Customer Training WS, #1-0300	Quantum Scalar i2000 Customer Training Workshop, classroom [Course# 1-0300]																														x			x		Q:ESC2K-APRW-C00A			500	
	SCi500 Cust. Training, online #1-0212	Quantum Scalar i500 Customer Training, online [Course# 1-0212]																															x			x	Q:ESC5H-APRT-L00A			250	
	SCi500 Cust. Training, W-Shop #1-0201	Quantum Scalar i500 Customer Training Workshop, classroom [Course# 1-0201]																															x			x	Q:ESC5H-APRW-C00A			500	
	SCi500 Cust Training,VAR SAN #4-0206	Quantum Scalar i500 VAR SAN Certification Customer Training, classroom [Course# 4-0206]																															x			x	Q:ESC5H-ASNC-C00A			999	
	SCi6000 EssentialTraining Course# 1-0371	Quantum Scalar i6000 Essential Training, online, [Course# 1-0371]																														x			x		Q:ESC6K-APET-L001			214	
	SCi6000 Oper.Workshop Course# 1-0372	Quantum Scalar i6000 Operator Workshop, classroom [Course# 1-0372]																														x			x		Q:ESC6K-APRW-C00A			999	
	SCi500+SCi2K Cust Training,SKM #1-0530	Quantum Scalar Key Manager Customer Training, online self-paced (Course # 1-0530)																														x	x		x	x	Q:ESCBB-APKM-L00A			214	
	SCi500+SC2kCust Training,ST care #2-0510	Quantum StorageCare Guardian Customer Training, online [Course# 1-0510], StorageCare Guardian is compatible with Scalar i500, Scalar i2000 and Scalar 10K.																														x	x		x	x	Q:ESGSG-APRT-L00A			143	
	SCi500 Cust Training,VISION #2-0507	Quantum Vision Customer Training, online [Course# 1-0507], Quantum Vision is compatible with Scalar i500 and Scalar i2000.																														x	x		x	x	Q:ESVSR-APRT-L00A			214	

Positioning SAN components

Data Sheets: http://ts.fujitsu.com/storage

Switches and routers
The fibre channel switch is the key component of a SAN. It delivers high performance and throughput for the network. The Routers are the connection from SCSI tape devices to a Storage Area Network.

Fibre channel switches

Fibre channel switches
The SilkWorm family stand for high performance SAN concepts and high availability. 4 Gbit/s fibre channel is the latest and currently fastest technology for connecting the servers and storage devices. The 8-, 16-, 32- and 128-port, auto-sensing fibre channel switches significantly increases performance and functionality for Storage Area Networks (SANs).

Fibre channel routers

FibreChannel Switch Brocade 300

The Brocade 300 FibreChannel Switch with 8Gbit/s technology and 8, 16, or 24 ports.

FibreChannel Switch Brocade 5100

The Brocade 5100 FibreChannel Switch with 8Gbit/s technology and 24, 32, or 40 ports.

FibreChannel Switch Brocade 5300

The Brocade 5300 FibreChannel Switch with 8Gbit/s technology and 48, 64, or 80 ports.

Fibre channel routers

Fibre channel routers
The ideal product for connecting tape libraries to a fibre channel network. Supports a fast and secure backup via a Storage Area Network

FiberChannel Switch Brocade 300

Data Sheets: http://ts.fujitsu.com/storage

The Brocade 300 is an 8 Gb/s Fibre Channel switch and provides the flexible building blocks customers need for high performance easily manageable storage area networks in large or fast growing server and virtual server environments. With a flexible architecture that supports 1, 2, 4 and 8Gbit/sec technology with 8, 16, or 24 ports, the Brocade 300 provides a highly available, lossless networking between application and data as well as between server and storage networks.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 300							
	FC-Switch 300 8/24 Port WT ZO (for DX)	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-DX			2087	
	FC-Switch Brocade 300 8/24 Port WT ZO	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-300L			2087	
	FC-Switch BRCD 300 8/24 Port WT ZO,PP	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning,, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates, Power Pack	D:FCSW-300E			6638	

FiberChannel Switch Brocade 5100

Data Sheets: http://ts.fujitsu.com/storage

The Brocade 5100 FibreChannel Switch is ideal for organizations requiring a flexible solution that will meet rapidly evolving storage requirements, either as a building-block switch for a small SAN or as a high-performance edge switch in larger core-to-edge SAN configurations. With a flexible architecture that supports 1, 2, 4 and 8 Gbit/sec technology with 24, 32, or 40 ports, the Brocade 5100 provides an affordable high-port-count, single-domain solution.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 5100							
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM,PP	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Power Pack (EF,TR, AN, APM, FW), upgrade to 32 or 40 ports by activating the port license,, 1 year on site warranty incl right to use software updates, Power Pack	D:FCSW-5100E			18777	
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 32 or 40 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5100L			12489	

FiberChannel Switch Brocade 5300 — Data Sheets: http://ts.fujitsu.com/storage

The Brocade 5300 is an 8 Gb/sec FibreChannel Switch which provides the highest performance, highest availability, scalability and best investment protection to meet the needs of today s consolidated virtual data center. With a flexible architecture that supports 1, 2, 4 and 8 Gbit/sec technology with 48, 64, or 80 ports, the Brocade 5300 provides an affordable high-port-count, single-domain solution.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 5300							
	FC-Switch 5300 48/80Port WT,ZO,FF,EGM,PP	Fibre Channel switch with 80 ports, 48 active ports,, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Power Pack (EF,TR, AN, APM, FW),, upgrade to 64 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates, Power Pack	D:FCSW-5300E			45153	
	FC-Switch 5300 48/80 Port,WT,ZO,FF,EGM	Fibre Channel switch with 80 ports, 48 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 64 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5300L			32227	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch Director							
	Chassis DCX-4S, 0port, EGM	Chassis DCX-4S, , 2x CP + 2x Core-Blade, 2 / (2) PSU, 4 Slots for Blades , SW: EGM, (w/o EB), RMK Rack Mount Kit, Maintenance: POH M1-12	D:FCSW-DCX4S-C			38681	
	Chassis DCX-4S SAN Director ENTERPRISE	Chassis DCX-4S ENTERPRISE, 2x CP + 2x Core-Blade, 2 / (2) PSU, 4 Slots for Blades , SW: EGM, EB SW Bundle: (EF, FW, APM, TRK, AN, SAO), RMK Rack Mount Kit, Maintenance: POH M1-12	D:FCSW-DCX4SEB-C			45677	Orderable from: 01/05/2010
	Chassis DCX, 8 BL-Slots, E-Bundle	Chassis DCX, 0-port, 2 CP (Control Processor Blade), , 2x CB (Core-Blade),, Std rack mount kit, , serial cable (RS232), 2 Power Supply, (max 4 power supplies possible), , Software: FW, APM, TR, EF, EGM, AN, 1 year POH (Pair on Hands)	D:FCSW-DCX-C			87467	
	Chassis SW48K 0port, WebTools Zoning FF	Chassis 48000, 0-port, 2 CP (Control Processor Blade), , Std rack mount kit, , serial cable (RS232), 2 Power Supply, (max 4 power supplies possible), , WebTools, Zoning and Full Fabric License,, 1 year POH (Pair on Hands)	D:FCSW-48K-C			47286	
	SW48K, DCX, 16-port, FC 8 GB blade 0SFP	8 GB Fibre Channel Blade , 16-port,, 8 GB blade,, 0 SFPs,, , 16/32 Ports:, FICON and FC AL, , 1 year on site warranty incl right to use software updates	D:FCSW-48KBL8-16P			19092	
	SW48K, DCX, 32-port, FC 8 GB blade 0SFP	8 GB Fibre Channel Blade , 32-port,, 8 GB blade,, 0 SFPs,, , 16/32 Ports:, FICON and FC AL, , , 1 year on site warranty incl right to use software updates	D:FCSW-48KBL8-32P			33031	
	SW48K, DCX, 48-port, FC 8 GB blade 0SFP	8 GB Fibre Channel Blade , 48-port,, 8 GB blade,, 0 SFPs,, , 1 year on site warranty incl right to use software updates	D:FCSW-48KBL8-48P			44716	
	SW48K, DCX, 16-port, FC 8 GB blade 16SFP	8 GB Fibre Channel Blade , 16-port,, 8 GB blade,, 16 SFPs,, , 16/32 Ports:, FICON and FC AL, , 1 year on site warranty incl right to use software updates	D:FCSW-BL8G-16SFP			14751	Orderable from: 01/05/2010
	SW48K, DCX, 32-port, FC 8 GB blade 32SFP	8 GB Fibre Channel Blade , 32-port,, 8 GB blade,, 32 SFPs,, , 16/32 Ports:, FICON and FC AL, , 1 year on site warranty incl right to use software updates	D:FCSW-BL8G-32SFP			23397	Orderable from: 01/05/2010
	SW48K, DCX, 48-port, FC 8 GB blade 48SFP	8 GB Fibre Channel Blade , 48-port,, 8 GB blade,, 48 SFPs,, , 16/32 Ports:, FICON and FC AL, , 1 year on site warranty incl right to use software updates	D:FCSW-BL8G-48SFP			32655	Orderable from: 01/05/2010
	FS8-18 Encryption Blade 16 Ports	FS8-18, Encryption Blade 16Port 8GB/s FC, Requires DCFM Management, (base crypto: 48GB/s bandwidth), 1 year POH	D:FCSW-BL-818CRYP			86594	
	FCoE/CEE Blade 24x XFP 10GBE installed	FCoE/CEE Blade , , 24Port 10GBE , 24 SFP+, 1 year on site warranty incl right to use software updates	D:FCSW-BL-FCOE24			46323	
	DCX Extension blade 12x 8G MMF SFP inst.	Extension blade DCX, FCIP Router 10G , 12Port 8GB/s FC, , 10x 1GBE Ports, , 2x 10GBE Ports; , 0 SFP, 1 year on site warranty incl right to use software updates	D:FCSW-BL-FX8-24			45913	
	SW48K FC4-18IP 16+2p 4G FC-IP blade 0XFP	4GB FC-IP Routing Blade , FCRouting and FCIP Port Blade, 0SFP, (must add 16 FC SFP and 2 GBE SFPs) 1 year POH , (Chassis PSU must add from 2 to 4), , 1 year on site warranty incl right to use software updates	D:FCSW-48KBL4R18IP			29886	

Storage SAN Components — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch Director (Continued)							
	SW48K FC10-6, 6 port FC 10GB blade 0XFP	10 GB Fibre Channel Blade , 6 port 10GBit FC, 0 XFPs, for ISLConnectivity and betw.FOS Products only, 1 year POH, , 1 year on site warranty incl right to use software updates	D:FCSW-48KBL10-6FC			62253	
	SW48K FC4-16IS 8+8p 4G FCiSCSI blade0XFP	iSCSI Blade , iSCSI, 8 Fix GBE Copper Ports, , 8 4GB FC Ports, , 0 SFP, , 1 year POH , (Chassis PSU must add from 2 to 4), , 1 year on site warranty incl right to use software updates	D:FCSW-48KBL4-16IS			53794	
	Power Supply Unit DCX	DCX, UPGRADE POWER SUPPLY, 2000W @ 230VAC, 1000W @ 115VAC	D:FCSW-DCX-PSU			7258	
	Power Supply Unit 48000	SW48000 Director power supply	D:FCSW-48K-PSU			2362	
FC Switches							
	CS FC Switch 40Port, 24Port free	FC Switch 8GB/s, 40 Ports, 24 Ports enabled. Trunking and Extended Fabric installed.	CS-FSW-5124			21834	
	CS FC SWITCH 32PORT,16PORT enab, 516	FC Switch 4GB/s, 32 Ports. With SW 3.1C and larger 32 Ports are supported. See Cfg Hints.	CS-FSW-516			19066	Phased out

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC SWITCH	FC Switch 8000	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																						
Rack-Infrastructure																						
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle for PRIMECENTER and DataCenter rack, 1U up to 50kg		x														S26361-F2735-L10			19	
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle for PRIMECENTER and DC rack, 2U up to 150kg		x														S26361-F2735-L15			22	
UPS/Power supply																						
	Power Supply Module 600W (hot plug)	for PS redundancy, incl. power cord														x		S26113-F453-L30			134	Phased out
	Power Supply Conversion Kit 600W	hot plug PS upgrade kit , incl. 2 PS modules														x		S26113-F453-L33			351	Phased out
	Power Supply Module 600W (hot plug)	for PS redundancy improved successor for L30, incl Power cable rack														x		S26113-F453-L40			129	Phased out
	Power Supply Module 450W (hot plug)	for PS redundancy														x		S26113-F483-L11			132	Phased out
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module														x		S26113-F483-L6			242	Phased out
	Power Supply Upgrade 650W for RX200S3	for optional PS redundancy														x		S26113-F509-L1			147	Phased out
	Power Supply Module 700W (hot plug)	for optional PS redundancy														x		S26113-F525-L10			99	Phased out
	Fan and PSU upgrade kit	conversion standard PSU into hot plug PSU and standard into redundant fans, incl. 1 hot plug PS module, fan kit and 1 redundant fan														x		S26113-F525-L11			348	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and standard into hot plug fans, incl.1 PS module, fan kit and 2 hot plug fans														x		S26113-F525-L22			402	Phased out
	Power Supply Upgrade 650W for RX200S4	for optional PS redundancy incl. mounting kit														x		S26113-F527-L1			144	Phased out
	Power Supply Module 700W (hot plug)	2nd PS hp for redundancy														x		S26113-F529-L10			99	Phased out
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit														x		S26113-F539-L1			169	
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU and conversion standard into redundant fans														x		S26113-F540-L1			191	
	Power Supply Module 450W (hot plug)	for optional PS redundancy														x		S26113-F540-L11			129	
	Power Supply Module 800W (hot plug)	for optional PS redundancy														x		S26113-F541-L10			153	
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans														x		S26113-F541-L11			389	
	Power Supply Module 800W (hot plug)	2nd PS hp for redundancy														x		S26113-F543-L10			153	Phased out
	Power Supply Module 800W gold hp	2nd gold PS hp for redundancy														x		S26113-F555-L10			182	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy														x		S26113-F556-L10			148	
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)														x		S26113-F561-L10			269	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU														x		S26113-F570-L1			125	Orderable from: 30/06/2010
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3./4. PSU), with power cord														x		S26113-F603-L1			499	
	Power Supply Module 625W (hot plug)	for PS redundancy, incl. power cord														x		S26113-F604-L1			129	
	PY BX900 Power Supply Unit 100-240V AC	for PS redundancy (4. - 6. PSU), with power cord 3m														x		S26113-F606-L200			598	
FC/IP-Infrastructure																						
	SFP SM 4 GB 30 km LC f. FSW 516 (LL)	4GBit, SM, bis 30km, LC		x														CS-SFP-FS430			802	Phased out
	SFP SM 8GBit up to 10 km, Dual LC (LL)	8GBit, SM, bis 10km, LC		x														CS-SFP-FS810L			1397	
	S/W EP BUNDLE UPG (EF,FW,APM,TRK,AN,SAO)	S/W ENTERPRISE BUNDLE, (EF, FW, APM, TRK, AN, SAO)														x		D:DCX4SEB-01-L			36397	
	ICL License UPG (single chassis)	License ICL (single chassis)														x		D:DCX4S-ICL-L			24109	
	SW Encryption Upgrade FS8-18 UPG	SW Encryption Upgrade FS8-18, advanced crypto for disk, chassis license														x		D:ENCPRF48-1-L			66852	
	LAN Switch Stacking cable 3m, UPG	LAN IP Switch daisy chian cable 3m															x	D:FCKAB-STAK-3M-L			221	
	XFP 10G 300m MMF for LAN Switch, UPG	XFP Multi Mode Fibre, 10 GB/s, 300 m, (used for IP Switch, Brocade branded XFP)															x	D:FCSFP-BLS10-03-L			995	
	SFP 1G 500m MMF for LAN Switch, UPG	SFP Multi Mode Fibre, 1 GB/s, 500 m, (used for IP Switch, Brocade branded XFP)															x	D:FCSFP-BL-S1-05-L			362	
	XFP, MULTI MODE Fibre 10G,300 m	SFP Single Mode Fibre, 10 GB/s, 300 m														x		D:FCSFP-B-M10-03-L			1775	
	SFP Multi Mode Fibre, 4 GB/s 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m	x						x	x	x	x	x	x	x	x		D:FCSFP-B-MM4G-L			93	
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)								x				x	x	x		D:FCSFP-B-MM8G-L			130	
	XFP, SINGLE MODE FIBRE,10G,10KM	SFP Single Mode Fibre, 10 GB/s, 10 km														x		D:FCSFP-B-S10-10-L			3525	
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km							x	x	x	x	x	x	x	x		D:FCSFP-B-SM4-04-L			426	
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km							x	x	x	x	x	x	x	x		D:FCSFP-B-SM4-10-L			765	
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km							x	x	x	x	x	x	x	x		D:FCSFP-B-SM4-30-L			1403	
	SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 8 GB/s, 10 km (Brocade branded SFP)								x				x	x	x		D:FCSFP-B-SM8-10-L			1563	
	SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25 km (Brocade branded SFP)								x				x	x	x		D:FCSFP-B-SM8-25-L			5214	
	SFP+, SR, MULTI MODE Fibre 10GBE, 300m	SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 m (OM3 cable needed)			x											x		D:FCSFPP-BM10-03-L			685	
	SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)			x											x		D:FCSFPP-BS10-10-L			1825	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!							x		x	x	x					D:FCSFP-SM4G-30-L			1718	Phased out
	8 ports on demand (300), ports 17-24	Brocade 300 switch port license for upgrade from 17 to 24 ports								x								D:FCSW-300-UPG24			2087	
	8 ports on demand (5100), ports 33-40	Brocade 300 switch port license for upgrade from 33 to 40 ports												x				D:FCSW-5100-UPG40			3755	
	16-ports on demand (5300), ports 65-80	Brocade 5300 switch port license for upgrade from 65 to 80 ports													x			D:FCSW-5300-UPG80			11170	
	LAN Switch connect & mounting kit, UPG	LAN IP Switch connect & mounting Kit. Needed for stand alone use.															x	D:FCSW-648S-KIT-L			66	

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC SWITCH	FC Switch 8000	FCSW 12/8P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																						
FC/IP-Infrastructure (Continued)																						
	LAN Switch secound power supply, UPG	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W														x	x	D:FCSW-648S-PSU-L			370	
	Power Supply Unit DCX upgrade	DCX, UPGRADE POWER SUPPLY for later mounting, 2000W @ 230VAC, 1000W @ 115VAC														x		D:FCSW-DCX-PSU-L			7621	
	LAN Switch Module 10G, 2 Ports,0 XFP UPG	LAN IP Switch 10G Modul with 2 Slots für 10 G XFP															x	D:FCSW-MODUL10G2-L			1301	
	Advanced Performance Monitoring (APM)UPG	Advanced Performance Monitoring (APM) for Brocade 7800	x															EBR780APM-L			3441	Orderable from: 18/06/2010
	Fabric Watch (FW) UPG	Fabric Watch (FW) for Brocade 7800	x															EBR780FW-L			3135	Orderable from: 18/06/2010
	S/W, Integrated Routing UPG	Integrated Routing License, Incl.1st year Support Extended	x															EBR780IR-L			7371	Orderable from: 01/04/2010
	SW,7800 upg, 16P,12 8G MM SFP, 0 1GE SFP	EBR780 UPG, Extension of FC Ports 4 => 16 and , license for 4 add. IP Ports, , , incl. 12x 8G MM SFP, , Incl.1st year Support Extended	x															EBR780MM			23965	Orderable from: 18/06/2010
	S/W, Advanced Extension UPG	Advanced Extension License for Router EBR780 , Expands Router with , FCIP Trunking , , Caution: OSTP (Open Systems tape Pipelining) is not supported for EBR780 , Incl.1st year Support Extended	x															EBR780SAE-L			5712	Orderable from: 18/06/2010
	ISL Trunking (TRK) UPG	ISL Trunking (TRK) for Brocade 7800	x															EBR780TR-L			4445	Orderable from: 18/06/2010
	ADV PERF MONITORING UPG	ADV PERFORMANCE MONITORING for Brocade 8000			x													EBR800ADV-L			1476	
	Fabric Watch (FW) UPG	Fabric Watch (FW) for Brocade 8000			x													EBR800FW-L			1301	
	Trunking (TRK) UPG	Trunking (TRK) for Brocade 8000			x													EBR800TR-L			1712	
Cables																						
	FC-Cable MMF, 5m, LC/SC, (1xSheat)	optical multimode- cable (9um) having LC-SC-connector combination), length 5 m		x	x	x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-MM-B05L-L			42	
	FC-Cable MMF, 10m, LC/SC, (1xSheat)	optical multimode- cable (9um) having LC-SC-connector combination), length 10 m		x	x	x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-MM-B10L-L			42	
	FC-Cable MMF, 20m, LC/SC, (2xSheat)	optical multimode- cable (9um) having LC-SC-connector combination), length 20 m		x	x	x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-MM-B20L-L			55	
	FC-Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 5 m, optimized for multimode 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM3-C05L-L			36	
	FC-Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 10 m, optimized fot mutimode 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM3-C10L-L			41	
	FC-Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 20 m, optimized for multimode 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM3-C20L-L			48	
	FC-Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for multimode 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM3-C50L-L			80	
	FC-Cable SMF, 10m, LC/LC, (1xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m		x		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-SM-C10L-L			83	
	FC cable SMF, 20m, LC/LC, (2xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m		x	x	x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-SM-C20L-L			92	
	Direct Attached cable SFP+ Cop, 3m UPG	Direct Attached cable SFP+, Copper, 3m			x											x		EBR800-TWX-3M-L			114	
	Direct Attached cable SFP+ Cop, 5m UPG	Direct Attached cable SFP+, Copper, 5m			x											x		EBR800-TWX-5M-L			140	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Options matrix																
Rack-Infrastructure																
	PRIMERGY rack install. switch ex work	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMERGY Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x			x	D:FCSW-INPSR			101	
FC/IP-Infrastructure																
	ACE 20 Hardware	ACE 20 Hardware, Load Balancer Modul für Catalyst 65xx, max 2 per chassis								x		CIO:ACE20-MOD-K9			2	
	C3750-E / 3560-E 1150WAC power supply	Redundand power supply for Power System RPS2300							x			CIO:C3K-PWR1150WAC			1029	
	C3750-E / 3560-E 750WAC power supply	Redundand power supply for Power System RPS2300							x			CIO:C3K-PWR750WAC			685	
	RPS2300 Cable for C3750E/3560E/2960 PoE	Connects the switches Catalyst 3560E, 3750E or 2960 PoE with the redundand Power System RPS2300							x			CIO:CAB-RPS2300-E			104	
	Cisco 3750 Stack Cable 1m non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches							x			CIO:CAB-STACK1MNH			104	
	Cisco 3750 Stack Cable 3m non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches							x			CIO:CAB-STACK3MNH			172	
	Cisco 3750 Stack Cable 50cm non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches							x			CIO:CAB-STACK50CMN			35	
	GE SFP, LC connector LX/LH transceiver	GE SFP, LC connector LX/LH transceiver, max. 10km							x			CIO:GLCLHSM			685	
	GE SFP, LC connector SX transceiver	GE SFP, LC connector SX transceiver, max. 500m							x			CIO:GLCSXMM			344	
	1000BASE-T SFP	GE SFP, RJ45 1000Base-T transceiver, max. 100 m							x			CIO:GLC-T			272	
	N2K 1GE FEX 200W AC Power Supply	Cisco Nexus 2000 PSU module, A/C, 200W (take 2 for red.)							x			CIO:N2K-PAC-200W			1235	
	Nexus 5010 Storage ProtocolsServicesLic	Nexus 5010 Storage Protocols Services License							x			CIO:N5010-SSK9			8252	
	Nexus 5020 Storage ProtocolsServicesLic	Nexus 5020 Storage Protocols Services License							x			CIO:N5020-SSK9			16505	
	N5000 1000 Series Module 8xFC 4/2/1 G	Extesion module 8 port FC 4/2/1G Ports							x			CIO:N5K-M1008			2201	
	N5000 Module 4portx10GE 4portxFC 4/2/1G	Extesion module 6 port 4 10GBEthernet und 4 FC 4/2/1G Ports							x			CIO:N5K-M1404			3576	
	N5000 Module 6port 10GE(req SFP+)	Extesion module 6 port 10 GBE							x			CIO:N5K-M1600			3714	
	Nexus 5020 PSU module, A/C, 1200W	Cisco Nexus 5020 PSU module, A/C, 1200W (take 2 for red.)							x			CIO:N5K-PAC-1200W			1032	
	Nexus 5010 PSU module, A/C, 550W	Cisco Nexus 5010 PSU module, A/C, 550W (take 2 for red.)							x			CIO:N5K-PAC-550W			516	
	Cisco 4948 PSU300W	Cisco 4948 PSU300W, redundand power supply							x			CIO:PWR-C49300AC			344	
	4900M AC power supply, 1000 watts	Cisco Nexus 5020 PSU module, A/C, 1200W							x			CIO:PWR-C49M-AC			688	
	Redundant AC PS for 4900M	Cisco Nexus 5020 PSU module, A/C, 1200W							x			CIO:PWR-C49M-AC2			688	
	10GBASE-SR SFP Module	optical transceiver for 10GB Ethernet ports, 10GBASE-SR SFP+ transceiver module for MMF, 850-nm wavelength, LC duplex connector							x			CIO:SFP-10G-SR			1235	
	10GBASE-CU SFP+ Cable 1 Meter	Cable with 2 integrated 10 GBE transceiver modules							x			CIO:SFP-H10GB-CU1M			104	
	10GBASE-CU SFP+ Cable 3 Meter	Cable with 2 integrated 10 GBE transceiver modules							x			CIO:SFP-H10GB-CU3M			145	
	10GBASE-CU SFP+ Cable 5 Meter	Cable with 2 integrated 10 GBE transceiver modules							x			CIO:SFP-H10GB-CU5M			179	
	Cat 6500 Supervisor 720 with2ports10GBE	Catalyst 6500 Virtual Switching Supervisor Engine 720. 2 X2-SFP 10 GBE ports and 2 SFP 1GBE ports								x		CIO:VS-S720-10G-3C			26133	
	Cisco 6506-E Chassis Fan Tray	Cisco 6506-E Chassis Fan Tray								x		CIO:WS-C6506EFAN			341	
	Cisco 6509-E Chassis Fan Tray	Cisco 6509-E Chassis Fan Tray								x		CIO:WS-C6509EFAN			341	
	Cisco 6500 PSU 3000W (take 2 for red.)	Cisco 6509 PSU 3000W (take 2 for red.)								x		CIO:WS-CAC-3000W			2064	
	Cisco 6500 PSU 6000W (take 2 for red.)	Cisco 6509 PSU 6000W (take 2 for red.)								x		CIO:WS-CAC-6000W			3439	
	Catalyst 6500/Cisco 7600 Supervisor 720	Catalyst 6500/Cisco 7600 Supervisor 720. One of the two 1GB/s-ports is selectable SFP or 10/100/1000 RJ-45.								x		CIO:WS-SUP720-3B			19256	
	4 port wire speed 10GE card	Cisco 4900M LineCard 4xIP 10GE							x			CIO:WS-X4904-10GE			3439	
	8 port 2:1 10 GE card	Cisco 4900M LineCard 8xIP 10GE							x			CIO:WS-X4908-10GE			5158	
	20 port 10/100/1000 RJ45	Cisco 4900M LineCard 20xIP 1GE							x			CIO:WS-X4920GBRJ45			2407	
	Catalyst 6000 8-port GE, Enhanced QoS	Catalyst 6000 8-port GE, Enhanced QoS								x		CIO:WS-X6408A-GBIC			6874	
	Cisco 65xx LineCard 8xIP 10GE	Cisco 65xx LineCard 8xIP 10GE								x		CIO:WS-X6708-10G3C			25789	
	Cisco 65xx LineCard 48xIP 1GE, Copper	Cisco 65xx LineCard 48xIP 1GE, Copper								x		CIO:WS-X6748-GE-TX			10316	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Options matrix																
FC/IP-Infrastructure (Continued)																
	Cisco 65xx LineCard 48xlP 1GE, for SFP	Cisco 65xx LineCard 48xlP 1GE, for SFP								x		CIO:WS-X6748-SFP			17193	
	10GBASE-CX4 X2 Module	transceiver for 10GB Ethernet ports, 10GBASE-CX4 X2 transceiver module for CX4 cable, copper, Infiniband 4X connector							x			CIO:X2-10GB-CX4			413	
	10GBASE-LR X2 Module	optical transceiver for 10 GB Ethernet, 10GBASE-LR X2 transceiver module for SMF, 1310-nm wavelength, SC duplex connector							x			CIO:X2-10GB-LR			2751	
	10GBASE-LRM X2 Module	optical transceiver for 10GB Ethernet ports, 10GBASE-LRM X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector							x			CIO:X2-10GB-LRM			1029	
	10GBASE-LX4 X2 Module	optical transceiver for 10GB Ethernet ports, 10GBASE-LX4 X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector							x			CIO:X2-10GB-LX4			2060	
	10GBASE-SR X2 Module	optical transceiver for 10GB Ethernet ports, 10GBASE-SR X2 transceiver module for MMF, 850-nm wavelength, SC duplex connector							x			CIO:X2-10GB-SR			1372	
	S/W EP BUNDLE (EF,FW,APM,TRK,AN,SAO)	S/W ENTERPRISE BUNDLE, (EF, FW, APM, TRK, AN, SAO)						x				D:DCX4SEB-01-E			34664	
	ICL License (single chassis)	License ICL (single chassis)						x				D:DCX4S-ICL-E			22961	
	Integrated Routing (Includes ¿M)	SW Integrated Routing DCX-4S						x				D:DCX4S-IR1M-E			16507	
	Server Application Opti. Lic DCX4S	SW Server Apps Optimization , chassis License, No SUP						x				D:DCX4S-SAO-1-E			4795	
	SW Encryption Upgrade FS8-18	SW Encryption Upgrade FS8-18, advanced crypto for disk, chassis license						x				D:ENCPRF48-1-E			63668	
	XFP 10G 300m MMF for LAN Switch	XFP Multi Mode Fibre, 10 GB/s, 300 m, (used for IP Switch, Brocade branded XFP)									x	D:FCSFP-BLS10-03			905	
	SFP 1G 500m MMF for LAN Switch	SFP Multi Mode Fibre, 1 GB/s, 500 m, (used for IP Switch, Brocade branded XFP)									x	D:FCSFP-BL-S1-05			328	
	XFP, MULTI MODE Fibre 10G,300 m	XFP Single Mode Fibre, 10 GB/s, 300 m, (Brocade branded SFP)						x				D:FCSFP-B-M10-03			1690	
	SFP Multi Mode Fibre, 4 GB/s 150 m		x		x	x	x	x				D:FCSFP-B-MM4G			87	
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)	x	x	x	x	x	x				D:FCSFP-B-MM8G			123	
	XFP, SINGLE MODE FIBRE,10G,10KM	XFP Single Mode Fibre, 10 GB/s, 10 Km, (Brocade branded SFP)						x				D:FCSFP-B-S10-10			3356	
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4km			x	x	x	x				D:FCSFP-B-SM4-04			405	
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km			x	x	x	x				D:FCSFP-B-SM4-10			728	
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km			x	x	x	x				D:FCSFP-B-SM4-30			1348	
	SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 8 GB/s, 10km			x	x	x	x				D:FCSFP-B-SM8-10			1488	
	SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25km			x	x	x	x				D:FCSFP-B-SM8-25			4965	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP	x					x				D:FCSFP-COP-1GBE			424	
	SFP+, SR, MULTI MODE Fibre 10GBE, 300m	SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 m (OM3 cable needed)		x				x				D:FCSFPP-BM10-03			652	
	SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)		x				x				D:FCSFPP-BS10-10			1738	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!						x				D:FCSFP-SM4G-30			1636	Phased out
	ports on demand, ports 9-24, full ports	Brocade 300 switch port license for upgrade from 9to 24 ports, full ports			x							D:FCSW-300-UPF			4087	
	8 ports on demand, ports 9-16	Brocade 300 switch port license for upgrade from 9 to 16 ports			x							D:FCSW-300-UPG16			2087	
	ports on demand, ports 25-40, full ports	Brocade 300 switch port license for upgrade from 25 to 40 ports, full ports				x						D:FCSW-5100-UPF			7424	
	8 ports on demand, ports 25-32	Brocade 300 switch port license for upgrade from 25 to 32 ports				x						D:FCSW-5100-UPG32			3755	
	ports on demand, ports 49-80, full ports	Brocade 5300 switch port license for upgrade from 49 to 80 ports, full ports					x					D:FCSW-5300-UPF			22253	
	16 ports on demand (5300) ports 49-64	Brocade 300 switch port license for upgrade from 49 to 64 ports					x					D:FCSW-5300-UPG64			11170	
	LAN Switch connect & mounting kit	LAN IP Switch connect & mounting Kit. Needed for stand alone use.									x	D:FCSW-648S-KIT			47	
	LAN IP Switch power supply	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W. , If necessary, use the CX1000 only 1x power supply!									x	D:FCSW-648S-PSU			341	
	DCX-4S Adaptive Networking	DCX4S Adaptive Networking, SW Encryption Upgrade FS8-18, (advanced crypto for disk, chassis license						x				D:FCSW-DCX4S-AN-01			19380	Orderable from: 01/10/2009

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Options matrix																
FC/IP-Infrastructure (Continued)																
	DCX-4S SW FICON CUP 12 month SUS	SW FICON CUP, 1 year SUP						x				D:FCSW-DCX4S-CUP1M			8795	Orderable from: 01/10/2009
	DCX4S SW E-Bundle (EF,FW,APM,TR,AN,SAO)	SW Enterprise bundle , (Extended Fabric, Fabric Watch, Performance Monitoring, Trunking), ohne Adaptive Networking						x				D:FCSW-DCX4S-EB-1			40279	Orderable from: 01/10/2009
	DCX-4S SW Integrated Routing	SW Integrated Routing DCX-4S						x				D:FCSW-DCX4S-IR1M			18096	Orderable from: 01/10/2009
	SW FICON Accelerator CUP License	SW FICON CUP, Brocade FICON Accelerator, XRC emulation and read/write Tape pipelining, , includes 1-year software maintenance						x				D:FCSW-DCX-FICU-M			11712	Orderable from: 01/10/2009
	Integrated Routing License	Integrated Routing, , includes 1-year software maintenance						x				D:FCSW-DCXIR-01-M			25633	Orderable from: 01/10/2009
	Server Application Optimization Lic f DC	Server Application Optimization License for DCX						x				D:FCSW-DCX-SAO			12646	Orderable from: 01/10/2009
	LAN Switch Module 10G, 2 Ports, 0 XFP	LAN IP Switch 10G Modul with 2 Slots für 10 G XFP									x	D:FCSW-MODUL10G2			1183	
	DCFM Prof.Plus Management SW DVD	DCFM Professional Plus Management Software DVD, Version 10.x, includes 1-year software maintenance			x	x	x	x				D:FCSW-PMV10-E			6037	Orderable from: 01/05/2010
	DFCM Prof. Plus Management SW (UPG), 1Y	DFCM Professional Plus Management Software (Serialized), Version 10.x, includes 1-year software maintenance			x	x	x	x				D:FCSW-PSV10-1			3617	Orderable from: 01/05/2010
	Adaptive Networking (300)	Adaptive Networking for Brocade 300			x							D:FCSW-SW300-AN			2035	
	Extended Fabric (300)	Extended Fabric License for Brocade 300			x							D:FCSW-SW300-EF			1651	
	Full Fabric (300)	Full Fabric for Brocade 300			x							D:FCSW-SW300-FF			696	
	Fabric Watch (300)	Fabric Watch for Brocade 300			x							D:FCSW-SW300-FW			1233	
	Long Distance Bundle (300) FF,EGM,EF	Long Distance Bundle for Brocade 300			x							D:FCSW-SW300-LD			2882	
	Power Pack (300) FF,EGM,TR,APM,EF,FW,AN	Power Pack for Brocade 300			x							D:FCSW-SW300-PP			4803	
	Trunking (300)	Trunking for Brocade 300			x							D:FCSW-SW300-TR			2620	
	Advanced Performance Monitor 48K	Advanced Performance Monitor (APM) (1 x per Chassis)						x				D:FCSW-SW48K-APM			24382	
	CUP License for FICON 48K	CUP License for FICON (1 x per Chassis)						x				D:FCSW-SW48K-CUP			17914	
	SW 12000 Bundle FW,TR,APM 48K	SW 12000 Bundle (FW Fabric Watch, TR Trunking, APM Advanced Performance Monitoring) (1 x per Chassis)						x				D:FCSW-SW48K-EB			49969	
	Extended Fabrics 48K	Extended Fabrics (EF) (1 x per Chassis)						x				D:FCSW-SW48K-EF			20167	
	License to FR4-18 Port Blade 48K	License to FR4-18 Port Blade (FCIP) (1 x per Chassis)						x				D:FCSW-SW48K-FCIP			15153	
	Fabric Watch 48K	Fabric Watch (FW) (1 x per Chassis)						x				D:FCSW-SW48K-FW			20167	
	Trunking 48K	Trunking (TR) (1 x per Chassis)						x				D:FCSW-SW48K-TR			29038	
	Adaptive Networking (5100)	Adaptive Networking for Brocade 5100				x						D:FCSW-SW5100-AN			2795	
	Fabric Watch (5100)	Fabric Watch for Brocade 5100				x						D:FCSW-SW5100-FW			1921	
	Integrated Routing (5100)	Integrated Routing for Brocade 5100				x						D:FCSW-SW5100-IR			9869	
	Long Distance Bundle (5100) EF	Long Distance Bundle for Brocade 5100				x						D:FCSW-SW5100-LD			1799	
	Power Pack (5100) EGM,TR,APM,EF,FW,AN	Long Distance Bundle for Brocade 5100				x						D:FCSW-SW5100-PP			7729	
	Trunking (5100)	Trunking for Brocade 5100				x						D:FCSW-SW5100-TR			2620	
	Adaptive Networking (5300)	Adaptive Networking for Brocade 5300					x					D:FCSW-SW5300-AN			4716	
	Fabric Watch (5300)	Fabric Watch for Brocade 5300					x					D:FCSW-SW5300-FW			4891	
	Integrated Routing (5300)	Integrated Routing for Brocade 5300					x					D:FCSW-SW5300-IR			14672	
	Long Distance Bundle (5300) EF	Long Distance Bundle for Brocade 5300					x					D:FCSW-SW5300-LD			3987	
	Power Pack (5300) EGM,TR,APM,EF,FW,AN	Power Pack Bundle for Brocade 5100					x					D:FCSW-SW5300-PP			11913	
	Trunking (5300)	Trunking for Brocade 5300					x					D:FCSW-SW5300-TR			5852	
	Addit. 5-user license for IP Netw. Mngmt	Additional 5-User License for IP Network Managment. For the monitoring of an IP network with five other administrators.									x	D:FCSW-SWIPNM-5ADM			3061	
	IP Network Management for Linux SW	IP Network Management for Linux operating system, For the monitoring of an IP network by a single administrator.									x	D:FCSW-SWIPNM-LIN			6358	
	IP Network Management for Solaris SW	IP Network Management for Solaris operating system, For the monitoring of an IP network by a single administrator.									x	D:FCSW-SWIPNM-SOL			6358	
	IP Network Management for Windows SW	IP Network Management for Windows operating system, For the monitoring of an IP network by a single administrator.									x	D:FCSW-SWIPNM-WIN			6358	
	GE SFP, LC connector LX/LH transceiver	SFP 1GB/s SMF for CISCO Switches, max 10km							x			D:FF-GLC-LH-SM			650	
	GE SFP, LC connector SX transceiver	SFP 1GB/s MMF for CISCO Switches, max 500m							x			D:FF-GLC-SX-MM			327	
	SFP Single Mode (max 70km) CISCO	SFP 1GB/s SMF 70km for CISCO Switches							x			D:FF-GLC-ZX-SM			2585	
	10GBASE-CX4 X2 Module	transceiver for 10GB Ethernet ports, 10GBASE-CX4 X2 transceiver module for CX4 cable, copper, Infiniband 4X connector							x			D:FF-X2-10GB-CX4			413	
	10GBASE-LRM X2 Module	optical transceiver for 10GB Ethernet ports, 10GBASE-LRM X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector							x			D:FF-X2-10GB-LRM			1029	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Options matrix																
FC/IP-Infrastructure (Continued)																
	10GBASE-SR X2 Module	optical transceiver for 10GB Ethernet ports, 10GBASE-SR X2 transceiver module for MMF, 850-nm wavelength, SC duplex connector							x			D:FF-X2-10GB-SR			1372	
	SW Maintenance 1y DC FM EP, Extended	Software Maintenance 1 year DC Fabric Manager V10 Enterprice, Extended			x	x	x	x				D:SUP-FMV10-1-EXT			3443	Orderable from: 01/05/2010
	SW Maintenance 1y DC FM EP, Renewal	Software Maintenance 1 year DC Fabric Manager V10 Enterprice, Renewal			x	x	x	x				D:SUP-FMV10-1-UPG			4077	Orderable from: 01/05/2010
	SUP DC Fabric Manager + EP 1Y, Extended	Software Maintenance 1 year DC Fabric Manager Plus V10 Enterprise, Extended			x	x	x	x				D:SUP-PMV10-1-EXT			1048	Orderable from: 01/05/2010
	SUP DC Fabric Manager + EP 1Y, Renewal	Software Maintenance 1 year DC Fabric Manager Plus V10 Enterprise, Renewal			x	x	x	x				D:SUP-PMV10-1-UPG			1236	Orderable from: 01/05/2010
	License FR4-18 Port Blade (FCIP)	License to FR4-18 Port Blade (FCIP) (1 x per Chassis)						x				D:SW48K-FCIP-E			13790	
	Advanced Performance Monitoring (APM)	Advanced Performance Monitoring (APM) for Brocade 7800	x									EBR780APM-E			3441	Orderable from: 18/06/2010
	SUP 7800F Router 1 year extended	SUP 7800 Router 1 year extended	x									EBR780F-SUP-1-EXT			1172	Orderable from: 18/06/2010
	SUP 7800F Router 1 year renewal	SUP 7800 Router 1 year Renewal	x									EBR780F-SUP-1-UPG			1383	Orderable from: 18/06/2010
	Fabric Watch (FW)	Fabric Watch (FW) for Brocade 7800	x									EBR780FW-E			3135	Orderable from: 18/06/2010
	S/W, Integrated Routing	Integrated Routing License, Incl.1st year Support Extended	x									EBR780IR-E			7371	Orderable from: 18/06/2010
	SUP SW I-Routing 1year extended	SUP SW I-Routing 1year extended	x									EBR780IR-SUP-1-EXT			749	Orderable from: 18/06/2010
	SUP SW I-Routing 1year renewal	SUP SW I-Routing 1year extended	x									EBR780IR-SUP-1-UPG			890	Orderable from: 18/06/2010
	SUP 7800 to 7800F UPG 1year extended	SUP 7800 to 7800F UPG 1year extended	x									EBR780MM-SUP-1-EXT			1013	Orderable from: 18/06/2010
	SUP 7800 to 7800F UPG 1 year renewal	SUP 7800 to 7800F UPG 1 year renewal	x									EBR780MM-SUP-1-UPG			1198	Orderable from: 18/06/2010
	S/W, Advanced Extension	Advanced Extension License for Router EBR780 , Expands Router with , FCIP Trunking , , Caution: OSTP (Open Systems tape Pipelining) is not supported for EBR780 , Incl.1st year Support Extended	x									EBR780SAE-E			5712	Orderable from: 18/06/2010
	SUP SW Advanced Extension 1year extended	SUP SW Advanced Extension 1Jahr Extended	x									EBR780SAE-SUP1-EXT			581	Orderable from: 18/06/2010
	SUP SW Advanced Extension 1year renewal	SUP SW Advanced Extension 1year Renewal	x									EBR780SAE-SUP1-UPG			678	Orderable from: 18/06/2010
	SUP 7800 Router 1 year extended	SUP 7800 Router 1 year extended	x									EBR780-SUP-1-EXT			308	Orderable from: 18/06/2010
	SUP 7800 Router 1 year renewal	SUP 7800 Router 1 year renewal	x									EBR780-SUP-1-UPG			370	Orderable from: 18/06/2010
	ISL Trunking (TRK)	ISL Trunking (TRK) for Brocade 7800	x									EBR780TR-E			4445	Orderable from: 18/06/2010
	ADV PERF MONITORING	ADV PERFORMANCE MONITORING for Brocade 8000		x								EBR800ADV-E			1563	
	Fabric Watch (FW)	Fabric Watch (FW) for Brocade 8000		x								EBR800FW-E			1242	
	SUP 8000 Switch 1 year extended	SUP 8000 Router 1 year extended		x								EBR800-SUP-1-EXT			1093	
	SUP 8000 Switch 1 year renewal	SUP 8000 Router 1 year extended		x								EBR800-SUP-1-UPG			1389	
	Trunking (TRK)	Trunking (TRK) for Brocade 8000		x								EBR800TR-E			1817	
	Upgrade from FM5x to DCFM (FMV10)	DFCM Enterprise Management Software (Serialized), Version 10.x, upgrade from FM5x to DCFM (FMV10)			x	x	x	x				D:FCSW-MSV10-1			3615	
	FC Switch 300 SUP for first 3 years	Software Maintenance for Switch brocade 300, valid for year 1-3; covers: - 3rd level support and right for software updates			x							D:SUP-300-3			238	
	FC Switch 5100 SUP for first 3 years	Software Maintenance for Switch brocade 5100, valid for year 1-3; covers: - 3rd level support and right for software updates				x						D:SUP-5100-3			1542	
	FC Switch 5300 SUP for first 3 years	Software Maintenance for Switch brocade 5300, valid for year 1-3; covers: - 3rd level support and right for software updates					x					D:SUP-5300-3			3833	
	DC Fabric Manager V10 Enterprice	DC Fabric Manager V10 □Enterprice (1 x per Chassis)			x	x	x	x				D:FCSW-FMV10-E			22623	
	FC Switch 300 SUP for first 4 years	Software Maintenance for Switch brocade 300, valid for year 1-4; covers: - 3rd level support and right for software updates			x							D:SUP-300-4			357	
	FC Switch 5100 SUP for first 4 years	Software Maintenance for Switch brocade 5100, valid for year 1-4; covers: - 3rd level support and right for software updates				x						D:SUP-5100-4			2313	
	FC Switch 5300 SUP for first 4 years	Software Maintenance for Switch brocade 5300, valid for year 1-4; covers: - 3rd level support and right for software updates					x					D:SUP-5300-4			5749	
	FC Switch 300 SUP for first 5 years	Software Maintenance for Switch brocade 300, valid for year 1-5; covers: - 3rd level support and right for software updates			x							D:SUP-300-5			475	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Options matrix																
FC/IP-Infrastructure (Continued)																
	FC Switch 5100 SUP for first 5 years	Software Maintenance for Switch brocade 5100, valid for year 1-5; covers: - 3rd level support and right for software updates				x						D:SUP-5100-5			3083	
	FC Switch 5300 SUP for first 5 years	Software Maintenance for Switch brocade 5300, valid for year 1-5; covers: - 3rd level support and right for software updates					x					D:SUP-5300-5			7666	
	Soft Maint first 3 years DC FM V10 Ent	Software Maintenance first 3 years DC Fabric Manager V10 Enterprice (Only with DC Fabric Manager)						x				D:SUP-FMV10-E-3			3738	
	Soft Maint first 4 years DC FM V10 Ent	Software Maintenance first 4 years DC Fabric Manager V10 Enterprice (Only with DC Fabric Manager)						x				D:SUP-FMV10-E-4			5607	
	Soft Maint first 5 years DC FM V10 Ent	Software Maintenance first 5 years DC Fabric Manager V10 Enterprice (Only with DC Fabric Manager)						x				D:SUP-FMV10-E-5			7475	
Cables																
	CSS11500 10-Meter Fiber MM SX LC-to-SC	CSS11500 10-Meter Fiber MM SX LC-to-SC cabel for Cisco X2 transceiver							x			CIO:CSS5CABSX-LCSC			272	
	FC-Cable OM3, MMF, 5m, LC/LC 8GBit/s				x				x			D:FCKAB-MM-C05L-Z			36	
	Direct Attached cable SFP+ Copper, 3m	Direct Attached cable SFP+, Copper, 3m		x				x				EBR800-TWX-3M			106	
	Direct Attached cable SFP+ Copper, 5m	Direct Attached cable SFP+, Copper, 5m		x				x				EBR800-TWX-5M			137	
Services																
	SUS for SW FICON for DCX for first 3 y	SUP for SW I-Routing for DCX; first 3 Years						x				D:FCSW-SUP-FICU-3			1869	Orderable from: 01/10/2009
	SUS for SW FICON for DCX for first 4 y	SUP for SW I-Routing for DCX; first 4 Years						x				D:FCSW-SUP-FICU-4			2838	Orderable from: 01/10/2009
	SUS for SW FICON for DCX for first 5 y	SUP for SW I-Routing for DCX; first 5 Years						x				D:FCSW-SUP-FICU-5			3808	Orderable from: 01/10/2009
	SUS SW I-Routing for DCX for first 3 y	SUP for SW I-Routing for DCX; first 3 Years						x				D:FCSW-SUS-IRDX-3			1172	Orderable from: 01/10/2009
	SUS SW I-Routing for DCX for first 4 y	SUP for SW I-Routing for DCX; first 4 Years						x				D:FCSW-SUS-IRDX-4			1747	Orderable from: 01/10/2009
	SUS SW I-Routing for DCX for first 5 y	SUP for SW I-Routing for DCX; first 5 Years						x				D:FCSW-SUS-IRDX-5			2341	Orderable from: 01/10/2009
	FC 10GBit Port Blade POH 1y Extended	FC 10GBit Port Blade POH Support 1 years, Extended						x				D:POH-BL10GB-1-EXT			4114	Orderable from: 01/05/2010
	FC 10GBit Port Blade POH UPG 1y Renewal	FC 10GBit Port Blade POH Support 1 years, Renewal						x				D:POH-BL10GB-1-UPG			4876	Orderable from: 01/05/2010
	POH Maint BLADE CRYPTO 1Y Extended	POH Maint BLADE CRYPTO; 1Y Extended						x				D:POH-BLCRYP-1-EXT			15093	Orderable from: 01/05/2010
	POH Maint BLADE CRYPTO 1Y Renewal	POH Maint BLADE CRYPTO; 1year Renewal						x				D:POH-BLCRYP-1-UPG			17869	Orderable from: 01/05/2010
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended						x				D:POH-BLFCIP-1-EXT			2681	Orderable from: 01/05/2010
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal						x				D:POH-BLFCIP-1-UPG			3181	Orderable from: 01/05/2010
	GBE Port Blade POH 1Y Extended	GBE Port Blade POH Support 1 year Extended						x				D:POH-BLGBE-1-EXT			1939	Orderable from: 01/05/2010
	GBE Port Blade POH 1Y Renewal	GBE Port Blade POH Support 1 year Renewal						x				D:POH-BLGBE-1-UPG			2291	Orderable from: 01/05/2010
	DCX Chassis POH Support for first 3 y	Chassis POH Support for first 3 years (DCX)						x				D:POH-DCX-CHAS-3			16672	Orderable from: 01/10/2009
	DCX Chassis POH Support for first 4 y	Chassis POH Support for first 4 years (DCX)						x				D:POH-DCX-CHAS-4			25389	Orderable from: 01/10/2009
	DCX Chassis POH Support for first 5 y	Chassis POH Support for first 5 years (DCX)						x				D:POH-DCX-CHAS-5			34105	Orderable from: 01/10/2009
	POH Maint BLADE CRYPTO for first 3 y	POH Maint BLADE CRYPTO for first 3 year's						x				D:POH-DCX-CRYP-3			16882	Orderable from: 01/10/2009
	POH Maint BLADE CRYPTO for first 4 y	POH Maint BLADE CRYPTO for first 4 year's						x				D:POH-DCX-CRYP-4			25712	Orderable from: 01/10/2009
	POH Maint BLADE CRYPTO for first 5 y	POH Maint BLADE CRYPTO for first 5 year's						x				D:POH-DCX-CRYP-5			34541	Orderable from: 01/10/2009
	POH Maint BLADE FX824 for first 3 y	POH Maint BLADE FX824 for first 3 year's						x				D:POH-DCX-FX824-3			4987	Orderable from: 01/10/2009
	POH Maint BLADE FX824 for first 4 y	POH Maint BLADE FX824 for first 4 year's						x				D:POH-DCX-FX824-4			7590	Orderable from: 01/10/2009
	POH Maint BLADE FX824 for first 5 y	POH Maint BLADE FX824 for first 5 year's						x				D:POH-DCX-FX824-5			10183	Orderable from: 01/10/2009
	SUP SW FICON f DCX4S 1Y Extended	SUP for SW FICON for DCX; 1Y Extended						x				D:SUP-FIDX-1-EXT			1251	Orderable from: 01/05/2010
	SUP SW FICON f DCX4S 1Y Renewal	SUP for SW FICON for DCX; 1Y Renewal						x				D:SUP-FIDX-1-UPG			1480	Orderable from: 01/05/2010
	SUP SW I-Routing DCX4S 1Y Extended	SUP for SW I-Routing f DCX; 1Y Extended						x				D:SUP-IRDX-1-EXT			872	Orderable from: 01/05/2010
	SUP SW I-Routing DCX4S 1Y Renewal	SUP for SW I-Routing for DCX; 1Y Renewal						x				D:SUP-IRDX-1-UPG			1026	Orderable from: 01/05/2010
	FC 10GBit Blade POH Support first 3years	FC 10GBit Port Blade POH Support 3 years (SW48000)						x				D:POH-48K-10GB-3			6059	
	Chassis POH Support for first 3 years	Chassis POH Support for first 3 years (SW48000)						x				D:POH-48K-CHAS-3			12266	
	FCIP Blade POH Support for first 3 years	FCIP Port Blade POH Support for 3 years (SW48000)						x				D:POH-48K-FCIP-3			2859	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Options matrix																
Services (Continued)																
	iSCSI Blade POH Supp. for first 3 years	GBE Port Blade POH Support for 3 years (SW48000)						x				D:POH-48K-GBE-3			3961	
	FC 10GBit Blade POH Support first 4years	FC 10GBit Port Blade POH Support 4 years (SW48000)						x				D:POH-48K-10GB-4			9074	
	Chassis POH Support for first 4 years	Chassis POH Support for first 4 years (SW48000)						x				D:POH-48K-CHAS-4			18385	
	FCIP Blade POH Support for first 4 years	FCIP Port Blade POH Support for 4 years (SW48000)						x				D:POH-48K-FCIP-4			4277	
	iSCSI Blade POH Supp. for first 4 years	GBE Port Blade POH Support for 4 years (SW48000)						x				D:POH-48K-GBE-4			5928	
	FC 10GBit Blade POH Support first 5years	FC 10GBit Port Blade POH Support 5 years (SW48000)						x				D:POH-48K-10GB-5			12092	
	Chassis POH Support for first 5 years	Chassis POH Support for first 5 years (SW48000)						x				D:POH-48K-CHAS-5			24505	
	FCIP Blade POH Support for first 5 years	FCIP Port Blade POH Support for 5 years (SW48000)						x				D:POH-48K-FCIP-5			5693	
	iSCSI Blade POH Supp. for first 5 years	GBE Port Blade POH Support for 5 years (SW48000)						x				D:POH-48K-GBE-5			7895	

Uninterrruptable Power Supply (UPS)
UPS systemes protect IT equipment against system drop outs triggered by power loss or bad power quality. They provide energy over a limited period of time (autonomy time) depending on the amount of battery capacity. Online technology provides highest quality power protection (VFI-SS-111) .

Masterguard ONLINE UPS
This UPS family provides Online functionality covering power requirements ranging from 0,5kW to several hundred kW. All devices use the same software which is available both for INTEL™ and SUN Sparc™ environments. Beside the standard software there is a high availability software which allows the safeguard of distributed solutions or large UPS farms.

Storage Uninterruptible Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
APC Online UPS							
	APC Online UPS S2 3kVA / 2,1kW R/T (3U)	APC ONLINE UPS 3KVA S2 with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card AP9619 with DSP technology; floorstand/rack version 3U, incl. standing feets	S26361-K915-V301			1498	
	APC Online UPS S2 5kVA / 3,5kW R/T (3U)	APC ONLINE UPS 5KVA S2 with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card AP9619 with DSP technology; floorstand/rack version 3U, incl. standing feets	S26361-K915-V501			2176	
	APC Online UPS 8kVA / 6,4kW R/T (6U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card; Floorstand version, easy to change in rackmount	S26361-K915-V80			3264	
	APC Online UPS 10kVA / 8kW R/T (6U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card; Floorstand version, easy to change in rackmount	S26361-K915-V100			3586	
	APC Online UPS 20kVA / 12kW R/S (12U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 8 external accu extensions with a high of 6U can be added; incl. Network Management Card; rackmount version, easy to change in stackversion	S26361-K915-V200			9553	
	APC Online UPS Battery extension 3-10kVA	accu for APC ONLINE UPS; for PRIMERGY and PW; Floorstand version, easy to change in rackmount, incl. standing feets and UPS connection cable	S26361-K915-V1			615	
	APC Online UPS Battery extension 20kVA	accu for APC ONLINE UPS 20KVA; for PRIMERGY and PW; rackmount version, easy to change in stackversion, incl. UPS connection cable	S26361-K915-V2			2328	
MASTERGUARD Online UPS							
	MG Online UPS Battery extens.10kVA Tower	External UPS battery pack (BP) for 10 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 23 min (full load), 2 ext. battery: 43 min (full load)	D:UPS31-T10-PA1-MG			1233	
	MG Online UPS 10kVA / 7kW (Tower) 5min	Tower modell incl. battery, Active power 7000 W, Color: ergo gray; can be rolled, Runtime: 5 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection , No distributor supplied:, , 3-phase permanent connection, required by electrician	D:UPS31-T10-PV1-MG			4279	
	MG Online UPS Battery extens.20kVA Tower	External UPS battery pack (BP) for 20 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 41 min (full load), 2 ext. battery: 81 min (full load)	D:UPS31-T20-PA1-MG			5231	
	MG Online UPS 20kVA / 14kW (Tower) 10min	Tower modell incl. battery, Active power 14000 W, Color: ergo gray; can be rolled, Runtime: 10 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection, No distributor supplied:, , 3-phase permanent connection required by electrician	D:UPS31-T20-PV1-MG			9520	

Storage Uninterruptible Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
MASTERGUARD Online UPS (Continued)							
	MG Online UPS Battery extension 3kVA RT	UPS battery pack (BP) for, 3 kVA rack / tower UPS, Color: anthracite, incl. UPS connection cable,, Max 4 ext. batteries / UPSs, Runtime:, 1x ext. battery: 18 min (full load), 2x ext. battery: 31 min (full load), 3x ext. battery: 46 min (full load), 4x ext. battery: 60 min (full load), , Max 4x per UPS, Occupies 2U in the rack	D:UPS-RT3-PA1-MG			557	
	MG Online UPS 3kVA/2,7kW RT (2U) 5min	MGUA -Online USV 3KVA, Rack / Tower model with battery, Active power 2700 W, Color: anthracite, Runtime: 6 min (full load), Management: RS232/V.24 + USB, Connector: COM SubD-9 /USB, 1x slot for alternative adapter, 1x V24 and USB cable (data cable), CD with management software , and basic license for 3 servers, Output side, 1-phase, 1x IEC320 C19 (16A), 6x IEC320 C13 (10A), Switchable in two groups, 1x power outlet with 3x CEE 7/7, Mains cable with safety plug, (CEE 7/7) plug; 1.8m, 36-month warranty: 12 months , on-site, 24 months bring-in, service by Fujitsu PRS [2], Occupies 2U in the rack	D:UPS-RT3-PV1-MG			1482	
	MG Online UPS 6kVA/4,2kW (3U Rack) 0min	Rack model without battery, Active power 4200 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor / cable supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R6-PV1-MG			2707	
	MG Online UPS 10kVA / 7kW (3U Rack) 0min	Rack model without battery, Active power 7000 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R10-PV1-MG			4541	
	MG Online UPS Battery extens. 6-10kVA R	UPS battery pack (BP) for 6 / 10 kVA rack UPS, Color: anthracite incl. UPS connection cable,, , Max. 3 ext. batteries 6kVA UPSs, Runtime:, 1x ext. battery: 12 min (full load), 2x ext. battery: 29 min (full load), 3x ext. battery: 45 min (full load), , Max. 4 ext. batteries/10kVA UPSs, Runtime:, 1x ext. battery: 5 min (full load), 2x ext. battery: 16 min (full load), 3x ext. battery: 25 min (full load), 4x ext. battery: 34 min (full load)	D:UPS-R6R10-PA1-MG			1145	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Rack-Infrastructure										
	Ethernet Switch 8 Port 10/100 Mbps	Ethernet Switch 8Port 10 / 100Mbps with a 2 area power supply for 110 V / 230 V. For desktop variant a power cord with Schuko connector is provided., Caskading of Eth. Switch to Eth. Switch is possible for cable: GP7KB-13xx.	x			D:GP70F-AL21-L			176	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg	x			S26361-F2735-L31			26	
	MG 3kVA RT UPS RMK D/P/3rd P Racks	Rack installation kit for MGUA UPSs up to 3kVA, for mounting a UPS in a P/D/3rd-party rack, For MGUA online UPSs and runtime extensions, Required 1x per UPS / extension			x	S26361-F2845-L30			141	
	Console switch KVM S2-0411, 1U	for assembly in 19" rack, 4-channel switch for keyboard, monitor, mouse, 1x digital (IP), 1x local, OSD, multi-platform, CAT5 cabling, rackkit, loose delivery	x			S26361-F2293-L411			1587	
	Console switch KVM S2-0801, 1U	for assembly in 19" rack, 8-channel switch for keyboard, monitor, mouse, 0x digital (IP), 1x local, OSD, multi-platform, CAT5 cabling, rackkit, loose delivery	x			S26361-F2293-L801			600	
	Console switch KVM S2-1602, 1U	for assembly in 19" rack, 16-channel switch for keyboard, monitor, mouse, 0x digital (IP), 2x local, OSD, multi-platform, CAT5 cabling, rackkit, loose delivery	x			S26361-F2293-L602			888	
	Console switch KVM S3-1621, VM, 1U	for assembly in 19" rack, 16-channel switch for keyboard, monitor, mouse, 2x digital (IP), 1x local, OSD, multi-platform, CAT5 cabling, rackkit, loose delivery	x			S26361-F2293-L621			3286	
UPS/Power supply										
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.			x	D:UPS-BATTKAB-L-MG			70	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.			x	D:UPS-LAN3-L-MG			185	
	MG UPS PDU1 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU1-L-MG			1137	
	MG UPS PDU1T 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU1T-L-MG			1137	
	MG UPS PDU2 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU2-L-MG			1137	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
UPS/Power supply (Continued)										
	UPS Man Software MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.			x	D:UPSSW-BASIS-MG			256	
	UPS Man Software V31 MGUA BASIC 3-1-1-0	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.			x	D:UPSSW-BASISV31MG			256	
	UPS Man SW Option CLUSTER 2-3-5-50	This package can be ordered optionally and addresses a dual-node cluster application. The number of cluster nodes can be increased by adding further licenses in grids of 2 (a quad-node cluster requires 2 licenses). The license can manage up to 3 groups, each with up to 5 UPS systems. The package is aimed at distributed cluster applications in which a pool of parallel UPSs with up to 5 UPSs each is intended for servers, infrastructure (data transport) and consolidated storage hardware. The servers involved can address a total of 50 clients.			x	D:UPSSW-CLUSTER-MG			749	
	UPS Man SW Option ENTERPRISE 25-3-5-50	This package can be ordered optionally and is designed for power solutions with a powerful server that can be split into virtual machines (example: PRIMEPOWER). Configurations such as in the cluster version can be created for the distributed environment used by the virtual server.			x	D:UPSSW-ENTERPR-MG			1013	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
UPS/Power supply (Continued)										
	UPS Man SW Option SERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.			x	D:UPSSW-GRID-MG			529	
	UPS ManSW V31OptionSERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.			x	D:UPSSW-GRID-V31MG			529	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence	x	x		S26113-F80-L10			220	Phased out
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x	x		S26113-F80-L30			220	
	APC Online UPS RMK D/P/3rd P Racks	1 pair sliding rails, depth variable, for D/P/3rd P racks, for assembly of a floorstand APC online UPS into a rack, incl. adapter angle 150 kg	x			S26361-F2845-L1			99	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20			x	S26361-F3151-L300			26	

Options Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Options matrix									
Rack-Infrastructure									
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x		S26361-F1647-E302			56	
	MG 3kVA RT UPS RMK D/P/3rd P Racks	Rack installation kit for MGUA UPSs up to 3kVA, for mounting a UPS in a P/D/3rd-party rack, For MGUA online UPSs and runtime extensions, Required 1x per UPS / extension		x	S26361-F2845-E30			141	
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle 50 kg for PRIMECENTER and DataCenter rack		x	S26361-F2735-E10			18	
UPS/Power supply									
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.		x	D:UPS-BATTKAB-MG			70	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.		x	D:UPS-LAN3-MG			185	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m		x	S26361-F3151-E200			26	
Miscellaneous									
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x		S26361-F1647-E410			21	